

PM 04

239-2514

5/8/98

P9/26

Please read instructions on reverse before completing form.

Form Approved, OMB No. 2070-0060, Approval expires 2-28-95



United States  
Environmental Protection Agency  
Washington, DC 20460

Registration  
 Amendment  
 Other

OPP Identifier Number

265224

Application for Pesticide - Section I

1. Company/Product Number <b>239-2 514</b>	2. EPA Product Manager <b>Tina Levine</b>	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) <b>GET-A BUG Snail, Slug &amp; Insect Killer</b>	PM# <b>15 04</b>	
5. Name and Address of Applicant (Include ZIP Code) <b>The SOLARIS Group of Monsanto P. O. Box 5006 San Ramon, CA 94583-0906</b> <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____	<b>NOTIFICATION</b> <b>MAY - 8 1998</b>
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.	
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.	

Explanation: Use additional page(s) if necessary. (For section I and Section II.)  
**Add Products Fact Table; revise text; change reentry icon; and add new medical emergency telephone number and web site**  
**Added text is date bracketed and underlined. This notification is in compliance with 95-2.**

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
				<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt.	No. per container
				<input type="checkbox"/> Other (Specify) _____	
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/>	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled				<input type="checkbox"/> Other _____	

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name <b>Frank Kamienski</b>	Title <b>Registration Specialist</b>	Telephone No. (Include Area Code) <b>510/355-3335</b>
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received  (Stamped)
2. Signature <i>Frank Kamienski</i>	3. Title <b>Registration Specialist</b>	
4. Typed Name <b>Frank Kamienski</b>	5. Date <b>April 22, 1998</b>	

ORTHO® GET-A-BUG® Snail, Slug & Insect Killer

ABN: ORTHO® BUG-GETA® PLUS Snail, Slug & Insect Granules

[10/8/96]: ABN: BUG-GETA® PLUS Snail, Slug & Insect Killer

[ICON]: Outdoor Use Only

1 LB. TREATS UP TO 2,000 SQ. FT. [~~1-lb. size only~~]

4 POUNDS TREATS UP TO 8,000 SQ. FT.

[10/9/96]: BAITS 4,000 SQ FT (2 LB SIZE)

BAITS 8,000 SQ FT (4 LB SIZE)

- Kills Snails & Slugs...PLUS Insects
- IN GRANULAR FORM - Can be used around Fruits & Vegetables
- Kills Ants, Crickets, Snails, Slugs, Cutworms, Grasshoppers, Armyworms, Earwigs, Sowbugs and Other Listed Insects
- Can be used around Fruits & Vegetables
- May Be Used Up To Harvest
- Small Granules
- Contains Metaldehyde & SEVIN® Carbaryl Insecticide
- Remains Effective After Rain or Watering

[10/9/96]: NEW FORMULA

[LOGO]: CONTAINS BITREX™

Contains Bitrex®

[10/9/96]: THIS PESTICIDE MAY BE FATAL TO DOGS OR OTHER PETS IF EATEN. KEEP KEEP PETS OUT OF TREATED AREA.

Active Ingredients

Carbaryl (1-Naphthyl N-methylcarbamate) . . . . .	5%
Metaldehyde (2,4,6,8-tetramethyl- -1,3,5,7-tetraoxycyclo-octane) . . . . .	2%
Other Inert Ingredients . . . . .	93%

KEEP OUT OF REACH OF CHILDREN

CAUTION


See back/side panel for additional precautionary statements

For home use only

NET WT. 4 LBS / 1.81 kg,

NET WT. 2 LB / 907 g [10/9/96]

NOTE: THIS PACKAGE IS SOLD BY WEIGHT. CONTENTS MAY HAVE SETTLED DURING SHIPMENT.




Now in granular form to control slugs, snails, cutworms, armyworms, earwigs, sowbugs, crickets, millipedes, pillbugs, ants, grasshoppers in ornamental gardens, planted borders, dichondra, grass lawns, turf and ground covers.

TO OPEN LIFT TAB TO POUR  
TO CLOSE INSERT TAB IN SLOT

**DIRECTIONS FOR USE**


It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

<b>Product Facts</b>	
Treats 4,000 sq ft (approx. size of 2 tennis courts)	
<b>ATTRACTS</b>	Slugs & Snails
<b>&amp; KILLS</b>	Plus Ants, Armyworms, Crickets, Cutworms, Earwigs,
<b>PESTS</b>	Grasshoppers, Millipedes, Pillbugs & Sowbugs
<b>WHERE TO USE</b>	<ul style="list-style-type: none"> <li>• In ornamental gardens &amp; planted borders</li> <li>• In groundcovers &amp; lawns</li> <li>• <u>Around fruits &amp; nuts</u> Almonds, Apples, Berries (Blackberries, Blueberries, Boysenberries, Dewberries, Loganberries), Cherries, Citrus, Grapes, Melons, Nectarines, Peaches, Pecans, Plums, Strawberries &amp; Walnuts</li> <li>• <u>Around vegetables</u> Beans, Beets, Broccoli, Brussels Sprouts, Cabbage, Carrots, Cauliflower, Collards, Corn, Cucumbers, Eggplant, Endive, Kale, Lettuce, Okra, Parsley, Parsnips, Peas, Peppers, Potatoes, Radishes, Rutabaga, Spinach, Squash, Swiss Chard, Tomatoes &amp; Turnips</li> </ul>
<b>AMOUNT TO USE</b>	1 lb for each 2,000 sq ft
 <b>Questions, Comments or Medical Information</b> call 1-800-225-2883 <a href="http://www.ortho.com">http://www.ortho.com</a>	

**WHEN TO APPLY**

- Apply anytime you see signs of listed pests.
- Prior to spring planting, bait areas. To prevent damage to transplants and seedlings, apply immediately after spring planting.
- Repeat treatment every 2 (two) weeks or as needed. During periods of high rainfall or frequent watering, irrigations, it may be necessary to treat more often. repeat treatments may be needed more frequently.



HOW TO APPLY

HOW TO USE:

- If ground is dry, water area to be treated. thoroughly.
- Scatter directly from container or by using the ORTHO WHIRLYBIRD® Multi-Purpose Spreader at setting number 4.
- DO NOT PUT GRANULES PRODUCT IN PILES. Always wear While wearing protective gloves. Scatter the granules product in groundcovers and lawns, and on soil surface around plants, on the ground. Do not apply to foliage or edible parts of plants. other plant parts.
- Apply 1 lb of product to each 2,000 sq. ft.
- Always Sprinkle lightly with water after application. to moisten granules and make them more attractive to snails, slugs and the other listed pests. Withhold heavy watering for at least two days after application. treatment.

[10/9/96]: Contains Bitrex.

Apply 1 lb per 2,000 sq ft by scattering directly from container or by using an ORTHO WHIRLYBIRD® Spreader at setting No. 3.

WHEN TO HARVEST

- May be used up to harvest.
- NOTE: In treated soil plant only the vegetables, fruits and nuts listed on this label. Subsequent planting of food and feed crops in treated soil must be made with crops on this or other carbaryl labels.

AROUND FRUITS AND VEGETABLES: 1 lb treats 2,000 sq ft (40'x 50') of garden area. Distribute granules around listed fruits and vegetables. Do not contaminate edible parts. May be used up to harvest.

VEGETABLES

Cucumbers, Melons, Squash, Peas, Beans, Carrots, Corn, Eggplant, Okra, Pepper, Potato, Tomato

ROOT CROPS AND HEADING VEGETABLES


Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Lettuce (Head), Beets, Parsnip, Radish, Rutabaga, Turnip

LEAFY VEGETABLES

Collards, Endive, Kale, Lettuce (Leaf), Parsley, Spinach, Swiss Chard, Turnip Tops.

FRUIT AND NUT TREES

Almonds, Apples, [3/25/96]: Avocados, Cherries, Citrus, Pecans, Melons, Peaches,



Plums, Walnuts, nectarines

**SMALL FRUITS**

Strawberries, Grapes, Berries (Blackberries, Blueberries, Boysenberries Dewberries, Loganberries)

**STORAGE & DISPOSAL**

**STORAGE:** Keep pesticide in original container. Do not put into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area.

**DISPOSAL:** PRODUCT-Partially filled carton may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash.

**CONTAINER-**Do not reuse carton. Discard carton in trash.

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS & DOMESTIC ANIMALS**

**CAUTION:** Causes eye irritation. May be harmful if swallowed. Avoid contact with eyes, skin or clothing. Avoid breathing dust. Wash thoroughly after handling.

*[Reentry Child/pet icon]* : Keep out of reach of children and domestic animals.

**IMPORTANT:** KEEP GRANULES AWAY FROM CHILDREN, DOGS AND PETS. BAIT MAY BE ATTRACTIVE TO DOGS. CONFINE PETS DURING APPLICATION TO PREVENT THEM FROM BELIEVING THEY ARE BEING FED. USE AND STORE UNDER CONDITIONS WHERE THERE WILL NOT BE A HAZARD.


**FIRST AID:** IN CASE OF EYE CONTACT: wash eyes immediately with fresh water for at least 15 minutes. See a doctor if irritation persists. IF SWALLOWED: DO NOT make person vomit unless directed to do so by a doctor. Immediately take person and container to a doctor or an emergency hospital. If this is not possible, telephone for medical advice. IF ON SKIN: wash thoroughly with soap and water. IF INHALED: remove person from exposure area. **Note to Physicians:** Emergency Information-call 1-800-225-2883, 454-2333. Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine is antidotal.

**ENVIRONMENTAL HAZARDS:** This product is extremely toxic to aquatic and estuarine invertebrates and toxic to birds and other wildlife. Do not apply directly to water. ~~to areas where surface water is present or to intertidal areas below the mean high water mark.~~ Do not contaminate water when disposing of equipment washwaters. This pesticide may be fatal to dogs or other pets if eaten. Keep pets out of treated area.

**NOTICE:** Buyer assumes all responsibility for safety and use not in accordance with directions.

☎ Medical Information call 1-800-454-2333  
Product Information call 1-800-225-2883

[or]:



Questions, Comments or Medical Information?  
call 1-800-225-2883 <http://www.ortho.com>

ORTHO®, BUG-GETA®, WHIRLYBIRD®, SOLARIS® Trademarks of Monsanto Company  
SEVIN® Trademark of Rhone-Poulenc for carbaryl insecticide.  
Bitrex®, Contains Bitrex™ - Trademarks of MacFarlan Smith Ltd. Edinburgh Scotland

©Monsanto Company 1998  
Manufactured for  
The SOLARIS Group of  
Monsanto Company  
P.O. Box 5008  
San Ramon CA 94583-0808  
Form-8-115-02 RS802-A  
EPA Reg. No. 239-2514  
EPA Est. 66196-CA-1  
Made in USA

