



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

Sheila R. Kendrick
The Scotts Company
14111 Scottslawn Road
Marysville, Ohio 43041

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Subject: Ortho Get-A-Bug, Snail, Slug & Insect Killer
EPA Registration No. 239-2514
Amendment dated December 13, 1999
Label amendments as per the GDE dated August 6, 1999.

APR 3 2000

Dear Ms. Kendrick:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable provided that you make the labeling changes indicated below before you release the product for shipment bearing the amended labeling:

1. On page 3 in the third statement under "How To Apply" separate the word "Granulesin" into the two intended words.
2. On page 4 correct the spelling of "Chinese Cabage" to "Chinese Cabbage".
3. Correct the PHI for ears of sweet corn to 2 days.
4. You must specify the application rate for cucumbers, melons, and squash to be 1 lb treats 2,200 sq ft. The application rate of 1 lb per 2,000 sq ft yields 1.089 lbs ai/A, which exceeds the maximum specified application rate in the carbaryl GDE.
5. On page 5 correct the word "Spanish" to what appears should be "Spinach" under the crops "Lettuce, endive...turnips".

A stamped copy of the labeling is enclosed for your records. Submit two copies of your final printed labeling before you release the product for shipment.

Sincerely,

George Tompkins
George Tompkins, Ph.D., Entomologist
Insecticide-Rodenticide Branch
Registration Division (7505C)

1

ORTHO® GET-A-BUG® Snail, Slug & Insect Killer, EPA Reg. No. 239-2514ABN:
ORTHO® BUG-GETA® PLUS Snail, Slug & Insect Granules
[10/8/96]: ABN: BUG-GETA® PLUS Snail, Slug & Insect Killer

[ICON]: Outdoor Use Only
[Burst]: Waterproof, easy pour packaging
Waterproof Easy Pour Package

***New Package**

1 LB. TREATS UP TO 2,000 SQ. FT.
2 POUNDS TREATS UP TO 4,000 SQ. FT.
3 POUNDS TREATS UP TO 6,000 SQ. FT.
4 POUNDS TREATS UP TO 8,000 SQ. FT.

[10/9/96]: BAITS 2,000 SQ FT (1 LB SIZE)
BAITS 4,000 SQ FT (2 LB SIZE)
***BAITS 6,000 SQ FT (3 LB SIZE)**
BAITS 8,000 SQ FT (4 LB SIZE)

- Kills Snails & Slugs...PLUS Insects
- IN GRANULAR FORM - Can be used around Fruits & Vegetables
- Kills Ants, Crickets, Snails, Slugs, Cutworms, Grasshoppers, Armyworms, Earwigs, Sowbugs and Other Listed Insects
- Attracts & Kills Snails Plus Ants, Armyworms, Earwigs & More
- Can be used around Fruits & Vegetables
- Small Granules
- Contains Metaldehyde & SEVIN® Carbaryl Insecticide
- Remains Effective After Rain or Watering

[10/9/96]: NEW FORMULA
[LOGO]: CONTAINS BITREX™
Contains Bitrex®

[10/9/96]: THIS PESTICIDE MAY BE FATAL TO DOGS OR OTHER PETS IF EATEN.
KEEP KEEP PETS OUT OF TREATED AREA.

Active Ingredients

Carbaryl.	5%
Metaldehyde (-	
.	2%
Other Ingredients.....	93%

KEEP OUT OF REACH OF CHILDREN
CAUTION

ACCEPTED
with COMMENTS
In EPA Letter Dated:
APR 3 - 2000
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 239-2514

2

See back/side panel for additional precautionary statements
For home use only

NET WT. 4 LB / 1.81 kg,
NET WT 3 LBS/ 1.36 kg
NET WT. 2 LB / 907 g [10/9/96]

NOTE: THIS PACKAGE IS SOLD BY WEIGHT. CONTENTS MAY HAVE SETTLED DURING SHIPMENT.


Now in granular form to control slugs, snails, cutworms, armyworms, earwigs, sowbugs, crickets, millipedes, pillbugs, ants, grasshoppers in ornamental gardens, planted borders, dichondra, grass lawns, turf and ground covers.

TO OPEN LIFT TAB TO POUR
TO CLOSE INSERT TAB IN SLOT

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

Product Facts	
Treats 2,000 sq ft (approx. size of 1 tennis court)	
Treats 4,000 sq ft (approx. size of 2 tennis courts)	
Treats 6,000 sq ft (approx. size of 3 tennis courts)	
ATTRACTS & KILLS PESTS	Slugs & Snails <i>Plus</i> Ants, Armyworms, Crickets, Cutworms, Earwigs, Grasshoppers, Millipedes, Pillbugs & Sowbugs
WHERE TO USE	<ul style="list-style-type: none"> • In ornamental gardens & planted borders • In groundcovers & lawns • Around fruits Melons & Strawberries • Around vegetables Beans, Beets, Broccoli, Brussels Sprouts, Cabbage, Carrots, Cauliflower, Collards, Corn, Cucumbers, Eggplant, Endive, Kale, Lettuce, Parsley, Parsnips, Peas, Peppers, Potatoes, Radishes, Rutabaga, Spinach, Squash, Swiss Chard, Tomatoes & Turnips.
AMOUNT TO USE	1 lb for each 2,000 sq ft
	Questions, Comments or Medical Information, call 1-800-225-2883 www.ortho.com


WHEN TO APPLY

- Apply anytime you see signs of listed pests.
- To prevent damage to transplants and seedlings, apply immediately after spring planting..
- Repeat treatment every 2 (two) weeks or as needed. During periods of high rainfall or frequent watering, it may be necessary to treat more often..

HOW TO APPLY

- If ground is dry, water area to be treated.
- Scatter directly from container or by using the ORTHO WHIRLYBIRD[®] Multi-Purpose Spreader at setting number 4.
- DO NOT PUT GRANULES IN PILES. Always wear protective gloves. Scatter the granules in groundcovers and lawns, and on soil surface around plants. Do not apply to foliage or edible parts of plants. .

Sprinkle lightly with water after application. Withhold heavy watering for at least two days after application. [10/9/96]: Contains Bitrex.



WHEN TO HARVEST

NOTE: In treated soil plant only the vegetables and fruits listed on this label.
 AROUND FRUITS AND VEGETABLES: 1 lb treats 2,000 sq ft (40'x 50') of garden area. Distribute granules around listed fruits and vegetables. Do not contaminate edible parts.

PLANTS	DAYS TO WAIT TO RE-TREAT	DAYS TO WAIT TO HARVEST
BEANS (FRESH AND DRIED), PEAS, COWPEAS	7	3 (succulent) 21 (dried) 14 (forage)
CABBAGE, BROCCOLI, BRUSSELS SPROUTS, CAULIFLOWER KOHLRABI, CHINESE CABAGE, KALE, COLLARDS	3	Brussels sprouts, Broccoli, Cabbage, Kohlrabi, Cauliflower: 3 Chinese cabbage, Kale, Collards: 14
CORN (field and pop)	14	14 (forage, silage) 48 (grain, fodder)
CORN (sweet)	3	3 (ears) 14 (forage) 48 (fodder)
CUCUMBERS MELONS, SQUASH Do not use this product on watermelons in Florida.	7	3
CARROTS, BEETS (roots), RADISHES, PARSNIPS, TURNIPS (roots) HORSERADISH RUTABAGA, SALISFY	7	7

.....

LETTUCE (head and leaf), ENDIVE, HANOVER SALAD, SWISS CHARD, PARSLEY, SPANISH, BEETS (tops), TURNIPS (tops)	7	14-15
MUSTARD GREENS	7	13-14
POTATOES, EGGPLANT, PEPPERS	7	Potatoes: 7 Eggplant, Peppers: 3
STRAWBERRIES	7	7
TOMATOES	7	3

STORAGE & DISPOSAL

STORAGE: Keep pesticide in original container. Do not put into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area.

DISPOSAL: PRODUCT-Partially filled carton/container/package may be disposed of by securely wrapping original carton/container/package in several layers of newspaper and discard in trash.

CONTAINER - Do not reuse carton/container/package. Discard carton/container/package in trash.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Causes eye irritation. May be harmful if swallowed. Avoid contact with eyes, skin or clothing. Avoid breathing dust. Wash thoroughly after handling.

[Reentry icon] : Keep out of reach of children and domestic animals.

IMPORTANT: KEEP GRANULES AWAY FROM CHILDREN, DOGS AND PETS. BAIT MAY BE ATTRACTIVE TO DOGS. CONFINE PETS DURING APPLICATION TO PREVENT THEM FROM BELIEVING THEY ARE BEING FED. USE AND STORE UNDER CONDITIONS WHERE THERE WILL NOT BE A HAZARD.

FIRST AID: IN CASE OF EYE CONTACT: wash eyes immediately with fresh water for at least 15 minutes. See a doctor if irritation persists. IF SWALLOWED: DO NOT make person vomit unless directed to do so by a doctor. Immediately take person and container to a doctor or an emergency hospital. If this is not possible, telephone for medical advice. IF ON SKIN: wash thoroughly with soap and water. IF INHALED: remove person from exposure area. Note to Physicians: Emergency Information-call 1-800-225-2883. . Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine is antidotal.

ENVIRONMENTAL HAZARDS: This product is extremely toxic to aquatic and estuarine invertebrates and toxic to birds and other wildlife. Do not apply directly to water. . Do not contaminate water when disposing of equipment washwaters. This pesticide may be fatal to dogs or other pets if eaten. Keep pets out of treated area.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

☎ Medical Information call 1-800-454-2333
Product Information call 1-800-225-2883

[or]:

☎ Questions, Comments or Medical Information?
call 1-800-225-2883 http://www.ortho.com

ORTHO®, BUG-GETA®, WHIRLYBIRD® SOLARIS® Trademarks of Monsanto Company
SEVIN® Trademark of Rhone-Poulenc for carbaryl insecticide.
Bitrex□, Contains Bitrex□ - Trademarks of MacFarlan Smith Ltd. Edinburgh Scotland

©Monsanto Company 1998..... SOLARIS®

Manufactured for
The SOLARIS Group of
Monsanto Company
P.O. Box 5008
San Ramon CA 94583-0808
Form O-309-01 EPA Reg. No. 239-2514
EPA Est. 66196-CA-1
Made in USA

