


FRONT PANEL

ORTHO
Poison Ivy & Poison
Oak Control

Kills Poison Ivy & Poison Oak

Kills Poison Ivy, Poison Oak



Active Ingredients	By Wt.
* Triclopyr (3,5,6-trichloro-2-pyridinyl- oxyacetic acid) as the triethylamine salt.....	0.70%
Inert Ingredients.....	99.30%
* Equivalent to 0.50% acid	

Keep out of reach of children - 10 pt

CAUTION - 14 pt

See back panel for additional precautionary statements.

NET WT. 1 LB. 3 OZ.

CONFIDENTIAL
PROPERTY OF
CHEVRON CHEMICAL COMPANY
UNTIL ACCEPTED BY EPA

1.3# 239-201 7/1 25

BACK PANEL

ORTHO

Poison Ivy & Poison Oak Control

PRECAUTIONARY STATEMENTS - 10 pt

HAZARDS TO HUMANS & DOMESTIC ANIMALS - 10 pt

(10 pt CAUTION: Keep out of reach of children. NOTE TO PHYSICIANS: Emergency Information - call (415) 233-3737.

10 pt ENVIRONMENTAL HAZARDS: Do not apply directly to lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

ORTHO Poison Ivy & Poison Oak Control contains Triclopyr herbicide to give complete control of poison ivy and poison oak in areas around homes, cabins, buildings, fences, trails, rights-of-ways, and other non-crop areas. A foam marker has been added to aid in the complete coverage of foliage and stems. Rainfall 2 hours after treatment and drying will not wash away effectiveness.

CP 1

CONFIDENTIAL
PROPERTY OF
CHEVRON CHEMICAL COMPANY
UNTIL ACCEPTED BY EPA

WHEN TO APPLY:

Apply when vegetation is fully leafed out and actively growing. Apply also to trunks, limbs, and stems of vines. Wilting or other symptoms will occur in 2 to 6 weeks. Application to mature foliage is preferred. Apply only when the air is calm to prevent drift to desirable vegetation. Do not use on or around edible feed or food crops.

HOW TO APPLY:

1. Point arrow on button toward red mark on edge of metal rim at top of can to direct spray properly and provide complete emptying of container.
2. Shake can well before use and occasionally during use.
3. Point arrow on button towards plants and spray to cover leaves thoroughly. Do not overspray. The white foam marker will indicate when leaves have been thoroughly covered.
4. Spray only when air is calm to avoid drift to desirable plants. Plants may be sprayed any time after leaves are fully developed in the spring.
5. When poison ivy is growing up poles, fence posts or trunks of trees, spray all poison ivy leaves around the base and up to a height of 3 to 4 feet. Avoid spraying the foliage of desirable trees or shrubs. If poison ivy is growing on privet or lilac, to avoid damage to these plants cut ivy vines at base and spray cut surface.
6. Under ordinary summer weather conditions, treated plants leaves turn brown in 2 to 6 weeks after spraying. The chemicals are translocated throughout the entire plant, killing roots and tops.

IMPORTANT: Dead poison ivy and poison oak can cause skin irritations. Avoid any contact with bare arms or face. Do not burn dead poison ivy stems or foliage.

CONFIDENTIAL

PROPERTY OF

CHEVRON CHEMICAL COMPANY

UNTIL ACCEPTED BY EPA

200-1000 P-2-10-10 P-10-5

Smoke from burning poison ivy and poison oak has caused severe injury to skin or to lungs when inhaled.

This product is non-selective. Do not apply to or allow drift to contact desirable vegetation. Do not apply when drift may occur. In case of accidental contact with desirable foliage, immediately rinse off with water.

STORAGE AND DISPOSAL - 10 pt

STORAGE: Store in a secure, preferably locked storage area away from heat or open flame. PESTICIDE DISPOSAL: Unused product may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash. CONTAINER DISPOSAL: Replace cap and discard container in trash. Do not puncture or incinerate.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

MANUFACTURED FOR
CHEVRON CHEMICAL COMPANY
Orlando Consumer Products Division
San Francisco CA 94120-7144 Richmond CA 94804-0036
Product 5523 Made in U.S.A.
Form 10376-A
EPA Reg. No. 239-NEW

EPA Est. 11525^S-CA-1, 11525^P-IL-1, 9688^C-MO-1, 11715^M-TN-1, 33764^A-CA-1

Superscript used is first letter of lot number.

CP 1

-//-

CONFIDENTIAL

PROPERTY OF
CHEVRON CHEMICAL COMPANY
UNTIL ACCEPTED BY EPA

