

[10/5/94] [Outdoor Use Only]

[6/13/95] [water drop icon] water based

ORTHO® Poison Ivy & Poison Oak Control

[10/5/94] [ABN: Brush-B-Gon® Poison Ivy, Poison Oak, & Brush Killer 3]

Kills Poison Ivy & Poison Oak

Also Kills Brushy Weeds as Listed

Kills Stumps

[7/8/97 Notification] Kills Poison Ivy, Poison Oak, Kudzu and other woody vines

Kills 60 of the toughest weeds – roots and all

Kills Poison Ivy & Poison Oak, Kills Poison Ivy, Kills Poison Oak, Kills Blackberries, Kills Kudzu, Controls Poison Ivy & Poison Oak, Controls Poison Ivy, Controls Poison Oak, Controls Blackberries, Controls Kudzu

[9/5/97 Notification] Kills Woody Plants, Weeds, Vines, Brambles and Stumps – Roots and All Including •Blackberries •Poison Ivy •Kudzu •Poison Oak, With Foam Marker

The Tough Weed Solution

[5/15/96] Kills Brushy Weeds & Stumps


Active Ingredient

*Triclopyr (3,5,6-trichloro-2-pyridinyl-oxyacetic acid)

as the triethylamine salt..... 0.70%

Inert Ingredients..... 99.30%

*Equivalent to 0.50% acid



KEEP OUT OF REACH OF CHILDREN


CAUTION

See back panel for additional precautionary statements.

NET WT 19 OZ (1 LB 3 OZ) / 538 g

[9/5/97 Notification] Reformatted label text for increased consumer understanding

Product Facts	
KILLS	Including: Blackberry,
WEEDS:	Chinaberry, Elderberry, Elm, Honeysuckle, Kudzu, Lantana, Mustang Grape, Oak, Peppervine, Persimmon, Poison Ivy, Poison Oak & Willow
WHERE	• Around homes, cabins &
TO USE	other buildings
	• Along fences & trails
	• In other non-garden areas
Product Information	
	Call 1-800-225-2883 or
	http://www.ortho.com
Medical Information	
	Call 1-800-454-2333



[10/5/94] ORTHO Poison Ivy & Poison Oak Killer Formula II contains Triclopyr herbicide to give complete control of poison ivy and poison oak in areas around homes, cabins, buildings, fences, trails, and other non-crop areas. Also kills brushy weeds species such as Lantana, Elderberry, Pin Oak, Japanese Honeysuckle, Mustang Grape, Oak, Brambles, Blackberry, Chinese Elm, and Peppervine. Kills stumps and prevent regrowth from stumps of trees such as Chinaberry, Black Jack Oak, Willow, Persimmon and Elm. A foam marker has been added to aid in the complete coverage of foliage and stems. Rainfall 2 hours after treatment will not wash away effectiveness.

[Information moved for directions for use to improve consumer understanding of product prior to purchase]

Gives complete control of poison ivy and poison oak around homes, cabins, buildings, fences, trails, and other non-crop areas. Also kills brushy weeds such as Lantana, Elderberry, Pin Oak, Japanese Honeysuckle, Mustang Grape, Oak, Brambles, Blackberry, Chinese Elm, and Peppervine. Kills stumps and prevent regrowth from stumps of trees such as Chinaberry, Black Jack Oak, Willow, Persimmon and Elm. A foam marker has been added to aid in coverage of foliage and stems. Rainfall 2 hours after treatment will not wash away effectiveness.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

WHEN TO APPLY

Apply when vegetation is fully-leaved out and growing. Apply also to trunks, limbs, and stems of vines. Wilting or other symptoms will occur in 2 to 6 weeks. [Redundant see below] Application to mature foliage is preferred. Apply only when the air is calm to prevent drift to desirable vegetation. **[9/5/97 Notification]** Important Do not use on or around edible feed or food crops.

HOW TO APPLY


1. Point arrow on button toward red mark on edge of metal rim at top of can to direct spray properly and provide complete emptying of container.
2. Shake can well before use. and occasionally during use.
3. Point arrow on button towards plants and Spray to cover leaves. Also apply to trunks, limbs, and stems of vines. [Information moved from "When to apply" section to improve information flow]

~~thoroughly. Do not overspray. The white foam marker will indicate when leaves have been thoroughly covered.~~

4. ~~Spray only when air is calm to avoid drift to desirable plants. Plants may be sprayed any time after leaves are fully developed in the spring.~~

[Information moved after Stump Killing heading to improve information flow]

5. When poison ivy is growing up poles, fence posts or trunks of trees, spray all poison ivy leaves around the base and up to a height of 3 to 4 feet. Avoid spraying the foliage of desirable trees or shrubs. If poison ivy is growing on privet or lilac, to avoid damage to these plants, cut ivy vines at base and spray cut surface.



6- Under ordinary summer weather conditions, treated plant leaves turn brown in 2 to 6 weeks after spraying. The chemicals are translocated throughout the entire plant, killing roots and tops.

[9/5/97 Notification] Alternate "How To Apply" & "When To Apply" text

HOW TO APPLY

- Point arrow on button toward dot on top of can.
- Shake can before use.
- Spray weed to thoroughly cover foliage, stems and trunk.
- Do not spray plants or grasses you like - they may die too. Not recommended for weed control in lawns.
- If desirable plant is accidentally sprayed, rinse off immediately with water.

WHEN TO APPLY

- Apply when weed is leafed out and actively growing.
- Apply when air is calm to prevent drift to desirable plants.
- Rain 2 hours after application will not wash away effectiveness.
- Weeds usually turn brown in 2 to 6 weeks. Hard to kill weeds may require a repeat application if regrowth occurs.

[9/5/97 Notification] Additional text approved by 9/5/97 phone conversation with James Stone-Acting PM 25.

Note: Contact with Poison Oak or Poison Ivy anytime of the year can cause an allergic reaction. Handle dead plants with rubber gloves. Dispose of plants & rubber gloves in tightly sealed garbage bags.

STUMP KILLING: Apply to freshly cut stump and to area 3 to 6 inches below cut. This product is non-selective. Do not apply to or allow drift to contact desirable vegetation. Do not apply when drift may occur. In case of accidental contact with desirable foliage, immediately rinse off with water.

IMPORTANT: Dead poison ivy and poison oak can cause skin irritation. Avoid any contact with bare arms or face. Do not burn dead poison ivy or poison oak stems or foliage. Smoke from burning poison ivy and poison oak has caused severe injury to skin or to lungs when inhaled.


[9/5/97 Notification] Alternate Stump & Vine text

For Stumps

- Apply to the entire freshly cut stump, including the cut surface, remaining trunk & exposed roots.

For Vines

- If weed is growing up poles, fences or mature tree trunks, spray to thoroughly cover weed up to a height of 3 to 4 feet.
- If weed is climbing a shrub, to avoid damage to shrub, cut weed at base & treat as directed for stumps.



STORAGE AND DISPOSAL

STORAGE: Store in a secure, preferably locked storage area away from heat or open flame.

DISPOSAL: CONTAINER-Replace cap and discard container in trash. Do not puncture or incinerate.

[10/5/94][OPTION 1 IF LABEL SPACE CONSTRAINT]

CONTAINER-Replace cap and discard container in trash. Do not incinerate or puncture.

[10/5/94][OPTION 2 PREFERRED IF SPACE AVAILABLE-USE IN CONJUNCTION WITH STEEL RECYCLING SYMBOL]

CONTAINER-This container may be recycled in the few but growing number of communities where [9/5/97 Notification] (Steel) aerosol can recycling is available. Before offering for recycling, empty the can by using the product according to the label. (DO NOT PUNCTURE!) If recycling is not available, wrap the container and discard in the trash.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Keep out of reach of children. [9/5/97 Notification] [Reentry (con)] People and pets may enter treated area after spray has dried. Note to Physicians: Emergency Information call 1-800-454-2333.

ENVIRONMENTAL HAZARDS: Do not apply directly to water.

PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F. may cause bursting.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

[10/5/94]☎ Medical Information call 1-800-454-2333

Product Information call 1-800-225-2883 [9/5/97 Notification] or <http://www.ortho.com>

®Trademark of Monsanto Company

©Monsanto Company 1994

Federal regulations prohibit CFC propellants in aerosols.

[LOGO]: CONTAINS NO CFCs WHICH NO CFCs DEplete THE OZONE LAYER

Manufactured for
The SOLARIS Group of
Monsanto Company
P.O. Box 5008
San Ramon CA 94583-0808
Form RS745-A
Product 1000-89
EPA Reg. No. 239-2515
EPA Est. 58996-MO-1^A
Made in USA

[9/5/97 Notification] Solaris®

