ORTHU® Fence & Grass Edger Formula II [ICON OUTDOOR USE CNLY] [ABN name: KLEENUP® Super Edger] {ABN name: GroundClear SuperEdger Grass & Weed Control} READY-TO-USE [water droplet] water based NO MIXING Spray-Ready Before and After 2-WAY ACTION - Kills Weeds & Grasses, Roots & All - Prevents Weed Seeds from Sprouting for up to 3 Months

Convenient Applicator Top

۰.

)

Can be Used Over Root Zones Without Harming Ornamental Plants. Kills Moss on Brick Walks and Patios

Active Ingredients	
Isopropylamine salt of *glyphosate	.0.25%
Oxyfluorfen:	
2-chloro-1-(3-ethoxy-4-nitrophenoxy)-	
4-(trifluoromethyl) benzene	0.25%
Inert Ingredients	.99.50%

*N-(phosphonomethyl) glycine

KEEP OUT OF REACH OF CHILDREN CAUTION See back panel booklet for additional precautionary statements.

) NET CONTENTS 1 gai / 3.78 L



SEP 1 / 1995

Under the Federal Insecticide, Fundicide, and Rodenticide Act as amended, for the posticide entistered under EPA Reg. No.

[back panel]

.

1

ORTHO® Fence & Grass Edger Formula II

Gives complete kill of weeds and grasses and prevent weed and grass seeds from sprouting for up to 3 months. Can be used over root zones without harming ornamental plants.

WHERE TO USE: Apply only where no vegetation is desired, such as driveways, along fences, sidewalks, walkways, patios, curbs, gutters, and even cracks in sidewalks.

DO NOT USE IN VEGETABLE GARDENS.

Peel open for use directions and further information

CAUTION: Causes eye irritation. Avoid contact with eyes. SEE ADDITIONAL PRECAUTIONALY STATEMENTS AND DIRECTIONS INSIDE BOOKLET.

■ PULL HERE TO OPEN LABEL PRESS TO RESEAL

Medical Information call 1-800-454-2333 Product Information call 1-800-225-2883

[®]Trademark of Monsanto Company [®]Monsanto Company 1995

Manufactured for The SOLARIS Group of Monsanto Company P. O. Box 5008 San Ramon CA 94583-0808 Form RS811-A B Product 5515 EPA Reg. No. 239-2516 EPA Est. 239-IA-3 Made in USA

DIRECTIONS FOR USE

)

)

.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONS AND LIRECTIONS.

Gives complete kill of weeds and grasses and prevent weed and grass seeds from sprouting for up to 3 months.

ORTHO Fence& Grass Edger Formula II gives complete kill of annual and perennial weeds and grasses and will prevent germination of weeds and grasses for up to 3 months.

[FOR TANK, TRIGGER APPLICATIONS]

WHERE TO USE: Apply only where no weed growth is desired, such as driveways, brick walks, sidewalks, patios, parking areas, along paths, fences, curbs, and gutters; around buildings; and in decorative rock or bark landscapes; edging lawns; around the base of established trees, shrubs, and ornamental plants. DO NOT USE ON OR AROUND EDIBLE FEED OR FOOD CROPS.

[FOR BUILT-IN SPRINKLER FITMENT, TANK APPLICATIONS] WHERE TO USE: Apply only where no vegetation is desired, such as driveways, along fences, sidewalks, walkways, patios, curbs, gutters and even cracks in sidewalks. DO NOT USE IN VEGETABLE GARDENS.

WHEN TO APPLY: Apply to actively growing weeds and grasses. Visible effects occur within one week with complete kill in 2 to 4 weeks. If rainfall occurs within 6 hours, repeat treatment may be required. To avoid drift to desirable plants, apply only when air is calm. If leaves of desirable plants are accidentally aprayed, immediately wash off plants with water.

WHEN TO APPLY: Apply anytime, but for best results, apply to-mature immature weeds and grasses that are actively growing. Warm sunny weather will accelerate systemic movement from foliage to roots to give complete kill. Visible effects on foliage will occur within one week with complete kill in 2 to 4 weeks. If rainfall occurs within 6 hours, repeat treatment may be required. To avoid drift to desirable plants, apply only when air is calm. If accidental contact of foliage occurs, immediately wash off vegetation with water.

FOR MOSS CONTROL: In the late fall, winter and early spring, brick walkways and patios, (even bare ground areas) which remain damp due to shade and excess moisture may become slippery when coated with green moss. This produce will kill the moss and other weeds and grasses on contact in 5 to 10 days and prevent them from becoming re-established for up to 3 months. Reapply as needed. Do not

1947 (a. 1603) - Alexiet Augusto, 1803 Benetice - Monthe Monte Augusto 23,1995 allow spray to drift to contact desireable plants as injury will occur (see above).

HOW TO APPLY: Remove cap and be certain that applicator head is screwed on firmly. Invert jug and apply to thoroughly cover unwanted vegetation. For killing vegetation around trees, shrubs and buildings and edging around lawns, fences and sidewalks, hold the jug about 2 to 6 inches from the area to be treated depending upon desired width. The width of the spray pattern may be adjusted by either raising or lowering the jug. One gallon will cover a band 2 inches wide and 1200 feet long.

For controlling weeds in walks and patios, hold jug at about waist height away from body to avoid contact with skin or clothing. Walk slowly making sure that all weeds are thoroughly covered.

[FOR TANK APPLICATION]

)

HOW TO APPLY-FOR USE IN A TANK SPRAYER:Pour contents undiluted into a tank-type (pressure) sprayer and apply as a spot treatment to unwanted weedy vegetation as labeled. Adjust nozzle to deliver a coarse spray to reduce drift. For total area coverage, one gallon will treat up to 300 sq ft (10' x 30'). If no weed or grass growth is wanted (bare ground), be sure to cover treated area uniformly to prevent seeds from sprouting for up to 3 months.

[FOR TRIGGER APPLICATOR 1 PINT 8 FL. OZ. TO QUART SIZES ONLY] HOW TO USE:Adjust spray nozzle to give a coarse spray. Hold container upright about 12 inches from unwanted vegetation, and spray until wet. Do not spray desirable plants as they will be killed. This container will treat up to 37 sq ft.(10' x 3.7'). If no weed or grass growth is wanted(bare ground), be sure to spray area uniformly to prevent seeds from germinating.

[FOR TRIGGER APPLICATOR 1/2 GALLON AND LARGER SIZES ONLY] HOW TO USE: Adjust spray nozzle to give a coarse spray. Hold container upright and spray unwanted vegetation until wet. Do not spray desirable plants as they will be killed. One gallon will treat up to 200 sq.ft.(10' x 20'). If no weed or grass growth is wanted (bare ground), be sure to spray area uniformly to prevent seeds from sprouting for up to 3 months.

WEEDS CONTROLLED:NOTE: For best control, apply to actively growing, immature weeds. Heavy lawn grass or well established difficult to control perennial weeds, such as Bermudagrass, Nimblewill, Dandelion, or Canada Thistle may require a repeat application if regrowth occur.

1

opour opprovision	egierrer se un	
GRASSES	BROADLEAFWEEDS	
Bahiagrass	Bindweed	Knotweed
Bentgrass	Black Medic	Lambsquarters
Bermudagrass	Blue Toadflax	Little Bitter Cress
Bluegrass	Brassbuttons	London Rocket
Bromegrass	Broadleaf Plantain	Mallow

Craborass Creeping Bentgrass **Diffuse Lovegrass** Fescue **Johnsongrass** Maiden Cane Orchardgrass Perennial Ryegrass Quackgrass Sandspur St. Augustinegrass Tall Fescue Torpedograss Whitetop Wild Barley **Yellow Nutgrass** Zoysia

Ì

)

Bur Clover Canada Thistle Chickweed Common Groundsel **Common Plantain** Creeping Beggarweed Creeping Charlie Curly Dock Dandelion **Dog Fennel Evening Primuse False Dandelion** Fennel Fiddleneck Filaree Florida Puslev Garden Spurge Henbit

Mayweed Mouseear Chickweed Nimblewill Oldenlandia Oxalis Pennsylvania Smartweed Pennywort Prostrate Spurge Primrose **Puncture Vine** Ragweed Shepherdspurse Smooth Cat's Ear Sowthistle Spotted Spurge **Tansy Ragwort** White Clover Wild Morning Glory

STORAGE AND DISPOSAL

STORAGE: Keep from freezing. Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area. [FOR TRIGGER APPLICATOR 1 PINT 8 FL OZ TO QUART SIZES ONLY] STORAGE: Keep from freezing. To store, rotate nozzle to closed position. Keep product in orginal container. Do not put into food or drink containers. Avoid contamination of feed and foodstuffs.

[FOR TRIGGER APPLICATOR 1/2 GALLON AND LARGER SIZES] STORAGE:Keep from freezing. To store, rotate nozzle to closed position. Keep product in orginal container. Do not put into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area. NOTE: Place sprayer nozzle under handle of container so that sprayer is not below the level of the contents of container to prevent leakage and siphoning from nozzle.

DISPOSAL: Do not reuse empty jug. Wrap jug and put in trash.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Causes eye irritation. Avoid Contact with eyes. FIRST AID: In case of eye contact, wash eyes immediately with fresh water for at least 15 minutes. See a doctor if irritation persists.

Note to Physicians: Emergency Information-call 1 800-454-2333.

ENVIRONMENTAL HAZARDS: Do not apply directly to water. Do not contaminate

2x9-2018-301 - Accepted Accept

water when disposing of equipment washwaters.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Medical Information call 1-800-454-2333 Product Information call 1-800-225-2883

[®]Trademark of Monsanto Company [®]Monsanto Company 1995

Manufactured for **The SOLARIS Group** of Monsanto Company P.O. Box 5008 San Ramon CA 94583-0808 Form RS811-A Product 5515 EPA Reg. No. 239-2516 EPA Est. 239-IA-3 Made in USA