

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY Washington, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

FEB 3 2011

Wendy Hollingsworth-Cox The Scotts Company d/b/a The Ortho Group P. O. Box 190 Marysville, OH 43040

Subject:

Notification per PR Notice 98-10 (container disposal, marketing claims)

Ortho Fence & Grass Edger Formula II

EPA Reg. No. 239-2516

Application Dated January 5, 2011

Dear Ms. Cox:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the subject product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10. The label submitted with the application has been date-stamped "Notification" and will be placed in our records.

If you have any questions regarding this action, please contact Mindy Ondish by phone at (703)605-0723 or by email at ondish.mindy@epa.gov.

Sincerely,

Kable Bo Davis
Product Manager 25
Herbicide Branch

Registration Division (7505P)

EPA Reg. No. 239-2516

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text]. Text separated by / denotes and/or options. <u>Underline text is new</u>. Strike through text is being deleted.

[Icon Outdoor Use Only]

NOTIFICATION

FEB 03 2011

ORTHO® FEB (1) Fence & Grass Edger Formula II

Alternate Brand Name

Ortho® GroundClear SuperEdger Plus Ready-To-Use
Ortho® Season-Long Grass & Weed Killer Ready-To-Use
Ortho® Season-Long MAX™ Weed & Grass Killer Plus Preventer Ready-To-Use
Ortho® Season-Long MAX™ Weed & Grass Killer Ready-To-Use

Active Ingredients

Glyphosate, isopropylamine salt**	0.25%
Oxyfluorfen	0.25%
Other Ingredients*	<u>99.50%</u>
TOTAL	100.00%

* Contains petroleum distillates, xylene, or xylene aromatic solvents

KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel booklet for additional precautionary statements.

NET CONTENTS 32 fl oz (1 Qt) 946 mL NET CONTENTS 1 gal / 3.78 L NET CONTENTS 1.1 gal / 4.16 L NET CONTENTS 1.33 gal / 5.03 L

Edit Date: 05-Jan-11

NOTIF 11/10/10; SAL 10/23/07

^{**}Glyphosate acid equivalent is 0.19%

EPA Reg. No. 239-2516

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text]. Text separated by / denotes and/or options. Underline text is new. Strike through text is being deleted.

The following optional statements will appear at the top of the label.

[Peel open for use directions and further information]
[Pull here to open label press to reseal.]
[OPEN Resealable Label for Directions and/& Precautions]
[PRESS TO RESEAL]

The following product fact table format is optional and the information may appear inside or outside of the box.

[PRODUCT FACTS]

Treats up to [400 sq ft for 1.33 Gal size] [300 sq ft for 1 Gal size] [330 sq ft for 1.1 Gal size] [75 sq ft for 32 fl oz size]			
KILLS WEEDS	Unwanted weeds & grasses	[weed icon]	
PREVENTS WEEDS	For up to 3 months		
WHERE Driveways, sidewalks, patios, curbs and gutters TO USE Along fences In landscape[d] areas (except vegetable gardens)			
Computer icon] Questions, Comments or Medical Information [call] [1-800-225-2883] [www.ortho.com]			

WHERE TO USE

[Apply only where no vegetation is desired, such as driveways, landscape[d] areas [around trees and shrubs], along fences, sidewalks, walkways, patios, curbs, gutters and even cracks in sidewalks. [driveways & sidewalks graphic] [along fences graphic] [patios & walkways graphic] [landscaped areas graphic]]

[OR]

[Apply only where no vegetation is desired, such as driveways, PLUS landscape[d] areas, PLUS fence lines, PLUS sidewalks, PLUS walkways, PLUS patios, PLUS curbs, PLUS cutters and even cracks in sidewalks.]

DO NOT USE ON OR AROUND EDIBLE FEED OR FOOD CROPS.

EPA Reg. No. 239-2516

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text]. Text separated by / denotes and/or options. <u>Underline text is new</u>. Strike through text is being deleted.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

General Precautions and Restrictions

Do not allow people or pets to enter treated area until sprays have dried. Do not apply this product in a way that will contact people or pets.

[WHERE TO USE]

[Apply only where no vegetation is desired, such as driveways, landscape[d] areas, [around trees and shrubs] along fences, sidewalks, walkways, patios, curbs, gutters and even cracks in sidewalks.]

DO NOT USE IN VEGETABLE GARDENS.

IWHEN TO APPLY

Apply to actively growing weeds and grasses. Visible effects will occur in hours with complete kill in 2 to 4 weeks. If rainfall occurs within 6 hours, repeat treatment may be required. To avoid drift to desirable plants, apply only when air is calm. If leaves of desirable plants are accidentally sprayed, immediately wash off plants with water.

This product applies no more than 3 pounds of Oxyfluorfen per acre.

(THE FOLLOWING TEXT TO BE USED WITH EACH SPAYER APPLICATOR LANGUAGE SECTION - OPTION #1 - OPTION #6)

OPTION # 1 APPLICATOR DIRECTIONS FOR SPRINKLE-POUR SPOUT (1 GAL)

[HOW TO APPLY/USE]

Remove cap and be certain that applicator head is screwed on firmly. Invert jug and applicate thoroughly cover unwanted vegetation. For killing vegetation around trees, shrubs and buildings and edging around lawns, fences and sidewalks, hold the jug about 2 to 6 inches from the area to be treated depending upon desired width. The width of the spray pattern may be adjusted by either raising or lowering the jug. One gallon will cover a band 2 inches wide and 1200 feet long.

For controlling weeds in walks and patios, hold jug at about waist height away from body to avoid contact with skin or clothing. Walk slowly making sure that all weeds are thoroughly covered. Thoroughly cover all cracks and joints in sidewalks, driveways and patios.

EPA Reg. No. 239-2516

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text]. Text separated by / denotes and/or options. Underline text is new. Strike through text is being deleted.

OPTION # 2 APPLICATOR DIRECTIONS FOR PULL 'N SPRAY (II) (PNSII) (1 GAL or 1.33 GAL)

[Wand Sticker]

IMPORTANT! Follow directions and illustrations on back to assemble and use Pull 'N Spray correctly.

[Illustration 1]

- Remove sprayer from side carrier and unwrap hose completely.
- Insert (color of plug) plug at end of hose into (color of spout) spout on cap until it clicks.
- Flip up spout. Spout must remain up while spraying

[Illustration 2]

• Twist nozzle at end of sprayer to desired spray pattern [narrow, medium or wide stream].

[Illustration 3]

- Point sprayer away from body.
- Grasp sprayer by the handle.
- Slowly pull ring at bottom of sprayer handle until it stops and hold for two [2] seconds to ready the sprayer.

[Illustration 4]

- Press and hold button on sprayer to begin spraying.
- Pull ring at sprayer bottom again as needed to continue spraying.

[HOW TO APPLY/USE]

Follow illustrations and instructions above.

- 1. For best results pull out slowly and hold for two [2] seconds.
- 2. Spray to thoroughly cover unwanted weeds and grasses or spray to thoroughly cover areas where you want to prevent weed and grass growth.
- Do not spray plants or grasses you like they may die too.
 When treating around desirable plants shield plants from drift with a sheet of cardboard or plastic. If desirable plants are accidentally sprayed, rinse off immediately with water.

OPTION # 3 APPLICATOR DIRECTIONS FOR PULL 'N SPRAY 1 (1 GAL OR 1.33 GAL)

[PNS I EPA Required Language]

[FRONT PANEL - LARGE TYPE, BOLD FACE]
DO NOTE UNSCREW CAP. DO NOT REFILL CONTAINER.

EPA Reg. No. 239-2516

Bold, italicized text is information for the reader and is not part of the label.[Bracketed information is optional text]. Text separated by / denotes and/or options.

<u>Underline text is new.</u> Strike through text is being deleted.

[Wand Sticker]

IMPORTANT! Follow directions and illustrations on back to assemble and use Pull 'N Spray correctly.

[Illustration 1]

Detach yellow wand and pull plug and tubing from bottom of wand. Insert plug firmly into "Thandle" until it clicks. ONCE CONNECTED, PLUG CANNOT BE REMOVED WITHOUT DAMAGING "T-HANDLE.

[Illustration 2]

Slide white strip on cap, then grab "T-handle" and pull all the way up. JUST PULL UP -- NO NEED TO PUMP.

[Illustration 3]

Point wand at area to be treated and push button to begin spraying. Twist nozzle at end of wand to adjust spray pattern.

[Illustration 4]

Pull "T-handle" again as needed to continue spraying. JUST PULL – NO NEED TO PUMP. When finished, push "T-handle" gently down to cap and follow storage instructions.

[HOW TO APPLY/USE]

Follow illustrations and instructions above.

Adjust nozzle on wand to deliver a narrow or wide spray. Pull up on handle – DO NOT PUMP. Follow illustrations and instructions above. Point wand at area to be treated and push button to begin spraying. Twist nozzle at end of wand to adjust spray pattern. Spray to thoroughly cover unwanted weeds and grasses or spray to thoroughly cover areas where you want to prevent weed and grass growth. When treating around desirable plants shield plants from drift with a sheet of cardboard or plastic. If desirable plants are accidentally sprayed, rinse off immediately with water. Pull "T-handle" again as needed to continue spraying. **JUST PULL UP – NO NEED TO PUMP.**

OPTION # 4 APPLICATOR DIRECTIONS FOR NESTED TRIGGER SPRAYER

[Illustration1]

1. Remove sprayer.

Illustration 21

2. Insert (color of plug) plug into spout (on cap) until it clicks.

[Illustration 3]

3. Flip up spout. Spout must remain up while spraying.

EPA Reg. No. 239-2516

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text]. Text separated by / denotes and/or options. <u>Underline text is new</u>. Strike-through text is being deleted.

[HOW TO APPLY/USE]

Follow illustrations and instructions above.

- 1. Spray to thoroughly cover unwanted weeds and grasses or spray to thoroughly cover areas where you want to prevent weed and grass growth.
- 2. Do not spray plants or grasses you like they may die too.
- 3. When treating around desirable plants shield plants from drift with a sheet of cardboard or plastic. If desirable plants are accidentally sprayed, rinse off immediately with water.

OPTION # 5 APPLICATOR DIRECTIONS FOR TRIGGER SPRAYER

[HOW TO APPLY/USE]

- 1. Twist nozzle at end of sprayer to desired spray pattern.
- 2. Spray to thoroughly cover unwanted weeds and grasses or spray to thoroughly cover areas where you want to prevent weed and grass growth.
- 3. Do not spray plants or grasses you like they may die too.
- 4. When treating around desirable plants shield plants from drift with a sheet of cardboard or plastic. If desirable plants are accidentally sprayed, rinse off immediately with water.

OPTION # 6 APPLICATOR DIRECTIONS FOR BATTERY POWERED WAND [insert applicator name]

(Applicator Device Directions)

- [1. Remove] Remove [applicator name] Wand from side [carrier][holder][clip] (Illustration #1&2)
 - [Unwrap hose completely]
 - [Remove protective strip from battery compartment to activate batteries]
- [2. Connect] Insert [color of plug] plug at end of hose into (color of spout) spout on cap until it clicks. Flip up spout. Spout must remain up while spraying (Illustration #3)
- [3. Extend] Flip open [applicator name] wand until it locks into position (Illustration #4)
- **[4. Spray]** Twist nozzle at end of [applicator name] wand to desired spray pattern. [Ensure trigger lock is disengaged before spraying.] Hold [color of trigger] trigger for continuous spray. (*Illustration #5*)

[Optional MARKER LANGUAGE]

Turn sprayer nozzle to desired position – FOAM or STREAM. FOAM marks treated areas allowing you to easily see where you've sprayed. STREAM setting provides a coarse spray that does not foam. [Both settings provide the same insect control results.] [end optional language]

EPA Reg. No. 239-2516

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text]. Text separated by / denotes and/or options. <u>Underline text is new</u>. Strike through text is being deleted.

[HOW TO APPLY/USE] [icon]

Follow illustrations and instructions above. Twist nozzle at end of [applicator name] wand to desired spray pattern. Point [applicator name] wand away from body and hold [color of trigger] trigger for continuous spray. Release trigger to stop spray.

[Optional MARKER LANGUAGE]

Follow illustrations and instructions above. Twist nozzle at end of sprayer to desired spray pattern. [Turn sprayer nozzle to desired position – FOAM or STREAM. FOAM marks treated areas allowing you to easily see where you've sprayed. STREAM provides a coarse spray that does not foam.] [Both settings provide the same insect control results.] Point sprayer away from body and hold [color of trigger] trigger for continuous spray. [end optional language]

[After Use: twist nozzle to OFF position. [Engage trigger lock.] Flip the [applicator name] wand closed and store on the side [carrier][holder][clip].]

Important Use Information: Do not submerge in water. When storing sprayer for long periods, remove batteries.

To replace batteries: Open battery compartment at bottom of [applicator name] wand. Remove used batteries and replace with four new AA batteries in correct position as marked per diagram inside battery compartment. Securely close battery compartment door. Always use a complete set of the same type when replacing batteries. Never mix alkaline, carbon-zinc or rechargeable batteries.

OPTION # 7 APPLICATOR DIRECTIONS FOR EASY-SHOT SYSTEM

[APPLICATOR DEVICE DIRECTIONS]

[Insert:] Attach refill bottle by removing cap and twisting into [applicator name]. Do not overtighten. [Illustration #1]

[Spray:] Twist nozzle at end of wand to desired spray pattern. Hold [color of trigger] trigger for continuous spray. [Illustration #2]

For hard to reach areas

[Extend:] Extend wand by sliding wand forward until it locks into place [Illustration #3]

[Remove:] Remove wand and aim at target while holding the [applicator name] facing toward the ground. [Illustration #4]

EPA Reg. No. 239-2516

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text]. Text separated by / denotes and/or options. <u>Underline text is new.</u> Strike-through-text is being deleted.

[OPTIONAL DIRECTIONS]:

[[Clean:] Remove cartridge and clean applicator after each use. [Always clean applicator before switching from one Ortho[®] product to another.] See [applicator name] applicator for cleaning directions.

- Remove refill cartridge from [applicator name]
- Remove cap from cleaning cartridge and fill with tap water
- Replace cap and insert cleaning cartridge by twisting into [applicator name]
- Spray in an area that is designated by this product label until cleaning cartridge is empty.]

HOW TO APPLY/USE: [icon]

Follow illustrations and instructions above. Twist nozzle at end of sprayer to desired spray pattern. Point sprayer away from body and hold [color of trigger] trigger for continuous spray.

[After Use:] Twist nozzle to CLOSED position.

Important Use Information: Do not submerge in water. When storing sprayer for long periods, remove batteries.

To replace batteries: Open battery compartment on side of [applicator name]. Remove used batteries and replace with four new AA batteries in correct position as marked per diagram inside battery compartment. Securely close battery compartment door. Always use a complete set of the same type when replacing batteries. Never mix alkaline, carbon-zinc or rechargeable batteries.

EPA Reg. No. 239-2516

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text]. Text separated by / denotes and/or options.
Underline text is new. Strike through text is being deleted.

WEEDS CONTROLLED [weeds identified on product packaging may include any/all of the following]

NOTE: For best control, apply to actively growing, immature weeds. Heavy lawn grass or well established difficult to control perennial weeds, such as Bermudagrass, Nimblewill, Dandelion, or Canada Thistle may require a repeat application if regrowth occurs.

Bahiagrass Bentgrass Bermudagrass Bluegrass Crabgrass Fescue Johnsongrass Bindweed Black Medic Broadleaf Plantain Bur Clover Canada Thistle Chickweed Common Groundsel Common Plantain Creeping Charlie Curly Dock Dandelion Dog Fennel Evening Primrose Fennel Fiddleneck Filaree Florida Pusley Ouackgrass Perennial Ryegrass Sandspur	The state of the s	
Bentgrass Bermudagrass Bluegrass Crabgrass Fescue Johnsongrass Bindweed Black Medic Broadleaf Plantain Bur Clover Canada Thistle Chickweed Common Groundsel Common Plantain Creeping Charlie Curly Dock Dandelion Dog Fennel Evening Primrose Fennel Fiddleneck Filaree Florida Pusley Perennial Ryegrass Quackgrass Sandspur St. Augustinegrass Tall Fescue Knotweed Lambsquarters Little Bitter Cress London Rocket Mallow Mayweed Common Groundsel Mouseear Chickweed Nimblewill Oxalis Pennsylvania Smartweed Prostrate Spurge Puncture Vine Ragweed Shepherdspurse Sowthistle Spotted Spurge White Clover	GRASSES	
Bermudagrass Bluegrass Crabgrass Fescue Johnsongrass BROADLEAF WEEDS Bindweed Black Medic Broadleaf Plantain Bur Clover Canada Thistle Chickweed Common Groundsel Common Plantain Creeping Charlie Curly Dock Dandelion Dog Fennel Evening Primrose Fennel Fiddleneck Filaree Florida Pusley Augustinegrass Sandspur St. Augustinegrass Sandspur St. Augustinegrass Sandspur St. Augustinegrass St. Augustinegrass Sandspur St. Augustinegrass Tall Fescue Spotted Spurge Spotted Spurge White Clover	Bahiagrass	Orchardgrass
Bluegrass Crabgrass Fescue Johnsongrass BROADLEAF WEEDS Bindweed Black Medic Broadleaf Plantain Bur Clover Canada Thistle Chickweed Common Groundsel Common Plantain Creeping Charlie Curly Dock Dandelion Dog Fennel Evening Primrose Fennel Fiddleneck Filaree Florida Pusley Sandspur St. Augustinegrass Tall Fescue Knotweed Lambsquarters Little Bitter Cress London Rocket Mallow Mayweed Mouseear Chickweed Nouseear Chickweed Prostrate Spurge Pennsylvania Smartweed Prostrate Spurge Puncture Vine Ragweed Shepherdspurse Spotted Spurge White Clover	Bentgrass	Perennial Ryegrass
Fescue Johnsongrass BROADLEAFWEEDS Bindweed Black Medic Broadleaf Plantain Bur Clover Canada Thistle Chickweed Common Groundsel Common Plantain Creeping Charlie Curly Dock Dandelion Dog Fennel Evening Primrose Fennel Fiddleneck Filaree Florida Pusley Sk. Augustinegrass Tall Fescue St. Augustinegrass Tall Fescue Stenveed Lambsquarters Little Bitter Cress London Rocket Mallow Mayweed Mouseear Chickweed Nimblewill Oxalis Oxalis Pennsylvania Smartweed Prostrate Spurge Puncture Vine Ragweed Shepherdspurse Sowthistle Spotted Spurge White Clover	Bermudagrass	Quackgrass
Fescue Johnsongrass BROADLEAF WEEDS Bindweed Black Medic Broadleaf Plantain Bur Clover Canada Thistle Chickweed Common Groundsel Common Plantain Creeping Charlie Curly Dock Dandelion Dog Fennel Evening Primrose Fennel Fiddleneck Filaree Florida Pusley Knotweed Lambsquarters Little Bitter Cress London Rocket Mallow Mayweed Comson Rocket Mallow Mouseear Chickweed Nimblewill Oxalis Oxalis Pennsylvania Smartweed Puncture Vine Ragweed Shepherdspurse Sowthistle Spotted Spurge White Clover	Bluegrass	Sandspur
BROADLEAF WEEDS Bindweed Black Medic Broadleaf Plantain Bur Clover Canada Thistle Chickweed Common Groundsel Common Plantain Creeping Charlie Curly Dock Dandelion Dog Fennel Evening Primrose Fiddleneck Filaree Florida Pusley Knotweed Knotweed Mayweed Lambsquarters Little Bitter Cress London Rocket Mallow Mayweed Mayweed Mouseear Chickweed Nimblewill Oxalis Oxalis Pennsylvania Smartweed Puncture Vine Ragweed Shepherdspurse Sowthistle Spotted Spurge White Clover	Crabgrass	St. Augustinegrass
BROADLEAF WEEDS Bindweed Black Medic Broadleaf Plantain Bur Clover Canada Thistle Chickweed Common Groundsel Common Plantain Creeping Charlie Curly Dock Dandelion Dog Fennel Evening Primrose Fennel Fiddleneck Filaree Florida Pusley Knotweed Kanotweed Lambsquarters Little Bitter Cress London Rocket Mallow Mayweed Coress Mouseear Chickweed Nimblewill Oxalis Pennsylvania Smartweed Prostrate Spurge Puncture Vine Ragweed Shepherdspurse Sowthistle Spotted Spurge White Clover	Fescue	Tall Fescue
Bindweed Black Medic Broadleaf Plantain Bur Clover Canada Thistle Chickweed Common Groundsel Common Plantain Creeping Charlie Curly Dock Dandelion Dog Fennel Evening Primrose Fiddleneck Filaree Florida Pusley Knotweed Lambsquarters Little Bitter Cress London Rocket Mallow Mallow Mouseear Chickweed Mouseear Chickweed Nimblewill Oxalis Oxalis Pennsylvania Smartweed Pennsylvania Smartweed Prostrate Spurge Puncture Vine Ragweed Shepherdspurse Sowthistle Spotted Spurge White Clover	Johnsongrass	
Bindweed Black Medic Broadleaf Plantain Bur Clover Canada Thistle Chickweed Common Groundsel Common Plantain Creeping Charlie Curly Dock Dandelion Dog Fennel Evening Primrose Fiddleneck Filaree Florida Pusley Knotweed Lambsquarters Little Bitter Cress London Rocket Mallow Mallow Mouseear Chickweed Mouseear Chickweed Nimblewill Oxalis Oxalis Pennsylvania Smartweed Pennsylvania Smartweed Prostrate Spurge Puncture Vine Ragweed Shepherdspurse Sowthistle Spotted Spurge White Clover	_	
Black Medic Broadleaf Plantain Bur Clover Canada Thistle Chickweed Common Groundsel Common Plantain Creeping Charlie Curly Dock Dandelion Dog Fennel Evening Primrose Fennel Fiddleneck Filaree Florida Pusley Lambsquarters Little Bitter Cress London Rocket Mallow Mayweed Mouseear Chickweed Nimblewill Oxalis Oxalis Pennsylvania Smartweed Prostrate Spurge Puncture Vine Ragweed Shepherdspurse Sowthistle Spotted Spurge White Clover	BROADLEAF WEEDS	
Broadleaf Plantain Bur Clover Canada Thistle Chickweed Common Groundsel Common Plantain Creeping Charlie Curly Dock Dandelion Dog Fennel Evening Primrose Fiddleneck Filaree Florida Pusley Little Bitter Cress London Rocket Mallow Mayweed Mouseear Chickweed Nimblewill Oxalis Oxalis Pennsylvania Smartweed Prostrate Spurge Puncture Vine Ragweed Shepherdspurse Sowthistle Spotted Spurge White Clover	Bindweed	Knotweed
Bur Clover Canada Thistle Chickweed Common Groundsel Common Plantain Creeping Charlie Curly Dock Dandelion Dog Fennel Evening Primrose Fennel Fiddleneck Filaree Florida Pusley London Rocket Mallow Mayweed Mouseear Chickweed Nimblewill Oxalis Oxalis Pennsylvania Smartweed Pennsylvania Smartweed Puncture Vine Ragweed Shepherdspurse Sowthistle Spotted Spurge White Clover	Black Medic	Lambsquarters
Canada Thistle Chickweed Common Groundsel Common Plantain Creeping Charlie Curly Dock Dandelion Dog Fennel Evening Primrose Fennel Fiddleneck Filaree Florida Pusley Mallow Mayweed Mouseear Chickweed Nimblewill Oxalis Pennsylvania Smartweed Poxities Poxities Spotted Spurge White Clover	Broadleaf Plantain	Little Bitter Cress
Chickweed Common Groundsel Common Plantain Creeping Charlie Curly Dock Dandelion Dog Fennel Evening Primrose Fennel Fiddleneck Filaree Florida Pusley Mayweed Mouseear Chickweed Nimblewill Oxalis Pennsylvania Smartweed Prostrate Spurge Puncture Vine Ragweed Shepherdspurse Sowthistle Spotted Spurge White Clover	Bur Clover	London Rocket
Common Groundsel Common Plantain Creeping Charlie Curly Dock Dandelion Dog Fennel Evening Primrose Fennel Fiddleneck Filaree Florida Pusley Mouseear Chickweed Nimblewill Oxalis Pennsylvania Smartweed Prostrate Spurge Puncture Vine Ragweed Shepherdspurse Sowthistle Spotted Spurge White Clover	Canada Thistle	Mallow
Common Plantain Creeping Charlie Curly Dock Dandelion Dog Fennel Evening Primrose Fennel Fiddleneck Filaree Florida Pusley Nimblewill Oxalis Pennsylvania Smartweed Puncture Vine Ragweed Spurge Shepherdspurse Sowthistle Spotted Spurge White Clover	Chickweed	Mayweed
Creeping Charlie Curly Dock Dandelion Prostrate Spurge Puncture Vine Evening Primrose Fennel Fiddleneck Filaree Florida Pusley Oxalis Pennsylvania Smartweed Puncture Vine Ragweed Supplied Shepherdspurse Sowthistle Spotted Spurge White Clover	Common Groundsel	Mouseear Chickweed
Curly Dock Dandelion Prostrate Spurge Puncture Vine Evening Primrose Fennel Fiddleneck Filaree Florida Pusley Pennsylvania Smartweed Prostrate Spurge Puncture Vine Ragweed Shepherdspurse Sowthistle Spotted Spurge White Clover	Common Plantain	Nimblewill
Dandelion Prostrate Spurge Dog Fennel Puncture Vine Evening Primrose Ragweed Fennel Shepherdspurse Fiddleneck Sowthistle Filaree Spotted Spurge Florida Pusley White Clover	Creeping Charlie	Oxalis
Dog Fennel Puncture Vine Evening Primrose Ragweed Fennel Shepherdspurse Fiddleneck Sowthistle Filaree Spotted Spurge Florida Pusley White Clover	Curly Dock	Pennsylvania Smartweed
Evening Primrose Fennel Fiddleneck Filaree Florida Pusley Ragweed Shepherdspurse Sowthistle Spotted Spurge White Clover	Dandelion	Prostrate Spurge
Fennel Shepherdspurse Fiddleneck Sowthistle Filaree Spotted Spurge Florida Pusley White Clover	Dog Fennel	Puncture Vine
Fiddleneck Filaree Florida Pusley Sowthistle Spotted Spurge White Clover	Evening Primrose	Ragweed
Filaree Spotted Spurge Florida Pusley White Clover	Fennel	
Florida Pusley White Clover	Fiddleneck	Sowthistle
	Filaree	Spotted Spurge
	Florida Pusley	White Clover
Garden Spurge Wild Morningglory	Garden Spurge	Wild Morningglory
Henbit	Henbit	

NOTE: EPA Reg. No. 239-2516

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text]. Text separated by / denotes and/or options. <u>Underline text is new</u>. Strike-through text is being deleted.

(THE FOLLOWING STORAGE AND DISPOSAL TEXT TO BE USED WITH EACH SPRAYER APPLICATOR OPTION #1 - OPTION #5)

STORAGE AND DISPOSAL [icon]

PESTICIDE STORAGE: Keep from freezing. Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area.

PESTICIDE DISPOSAL AND CONTAINER HANDLING:

Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

(THE FOLLOWING STORAGE AND DISPOSAL TEXT TO BE USED THE SPRAYER APPLICATOR OPTION #6)

STORAGE AND DISPOSAL [icon]

PESTICIDE STORAGE: Flip down (color of spout) spout on cap. NO NEED TO DISCONNECT SPRAYER HOSE FROM CAP. Completely discharge/dispense product in sprayer prior to storage. Twist sprayer nozzle to the OFF position. [Engage trigger lock.] Flip the [applicator name] wand closed and place [sprayer] back in side carrier [clip] [holder]. Store this product in its original container, in a secure area. Protect container from freezing.

PESTICIDE DISPOSAL AND CONTAINER HANDLING:

Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

(THE FOLLOWING STORAGE AND DISPOSAL TEXT TO BE USED THE SPRAYER APPLICATOR OPTION #7)

STORAGE AND DISPOSAL [Illustration] [Icon]

PESTICIDE STORAGE: Replace cap. Store this product in its original container, in a secure area. Protect container from freezing.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Non-refillable container. Do not reuse this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

EPA Reg. No. 239-2516

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text]. Text separated by / denotes and/or options. <u>Underline text is new.</u> Strike through text is being deleted.

PRECAUTIONARY STATEMENTS [icon] HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing.

FIRST AID: [first aid symbol]

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

Note to Physician: Emergency Information - call 1-800-225-2883.

ENVIRONMENTAL HAZARDS [icon]: Do not apply directly to water. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

Physical/Chemical Hazards: Combustible. Do not use or store near heat or open flame.

EPA Reg. No. 239-2516

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text]. Text separated by / denotes and/or options. <u>Underline text is new</u>. Strike through text is being deleted.

OPTIONAL CLAIMS (Claims may appear on any or all label panel(s))

Kills weeds and grasses and prevents weed and grass seeds from sprouting for up to 3 months. Can be used over root zones without harming ornamental plants.]

IOR1

Kills weeds [and grasses] PLUS prevents new weeds [and grasses] from growing for up to 3 months. Can be used in landscape(d) areas [over root zones] without harming ornamental plants (trees or shrubs).]

[OR]

[[Ortho GroundClear SuperEdger PLUS is] [Product Name] formulated to kill weeds and grasses PLUS prevent new growth for up to 3 months. Use to eliminate existing weeds [and grasses] OR use in areas where you want to prevent weeds [and grasses] from even growing.]

[ORTHO® Fence & Grass Edger Formula II] [Product Name]

Kills weeds and grasses and prevents weed and grass seeds from sprouting for up to 3 months. Can be used over root zones without harming ornamental plants.

[WHERE TO USE: Apply only where no vegetation is desired, such as driveways, along fences, sidewalks, walkways, patios, curbs, gutters, landscaped areas, and even cracks in sidewalks. DO NOT USE IN VEGETABLE GARDENS.]

The following claims may appear on any label panel and may be preceded by "new" or "now" for six (6) months following commercial introduction.

OPTIONAL APPLICATOR CLAIMS (Claims may appear on any or all label panel(s))

- 33% more than 1 gallon size
- Adjustable spray nozzle for maximum control
- Adjustable spray pattern for maximum control
- Change the way you spray
- [Comfort] [Shot] Wand
- Consistent spray for maximum accuracy
- Continuous Spray [Wand]
- Convenient Applicator Top
- Cut your time spent spraying in half
- EASY-TO-USE [Store]
- Extended Reach
- Exclusive [technology]
- Great for large or small jobs [areas]
- Ideal for large or small jobs [areas]
- NEW [Applicator] [applicator name]
- No more bending [kneeling]

Edit Date: 05-Jan-11

NOTIF 11/10/10; SAL 10/23/07

NOTE: EPA Reg. No. 239-2516

Bold, italicized text is information for the reader and is not part of the label.[Bracketed information is optional text]. Text separated by / denotes and/or options.

<u>Underline text is new.</u> Strike through text is being deleted.

- NOW with [new] applicator [applicator name]
- Improved [!]
- Improved [Applicator]!/Improved [Application]!
- Improved Applicator System! [Device!]/Improved Application System! [Device!]
- [Insert brand name] Wand
- It's always ready to spray
- One pull [delivers] [=] 34 trigger sprays
- No Leaks or Mess
- No Mixing, No (or) Measuring
- No [More] Hand Fatigue
- No more squeeze, squeeze, squeeze
- No more tired hands
- No pumping, just pull
- Patented [technology]
- Precise control for maximum accuracy
- Precise control—sprays only what you want
- Pull 'N Spray
- [Quick &] Easy to Use
- Ready-to-Use
- Revolutionary applicator
- Save [s] time and energy
- Simple and easy
- Targets weeds in tight places
- The easier [easy] way to spray
- Up to XX minutes/seconds of continuous spray
- [water droplet] water based
- You're always ready to spray

OPTIONAL FORMULA CLAIMS (Claims may appear on any or all label panel(s))

- 2-WAY ACTION [1.] Kills Weeds & Grasses to the Roots [graphic] [2.] Prevents Weed Seeds from Sprouting for up to 3 months. [graphic]
- Apply to landscaped areas to kill [prevent] weeds [and grasses]
- Before [/] [and] After
- Blocks weed(s) [growth] [for up to 3 months]
- Can be Used over Root Zones without Harming Ornamental Plants.
- Dual-action [formula]
- Easy to use
- Fast-acting formula
- Fast Acting Long Lasting* *For up to 3 months
- Fast Results
- For maximum weed [and grass] control [in landscape[d] [mulched] areas] use [Ortho GroundClear SuperEdger PLUS] before spreading [applying] [putting down] mulch around trees, shrubs and in landscape[d] areas.
- For use in landscape(d) areas

EPA Reg. No. 239-2516

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text]. Text separated by / denotes and/or options. <u>Underline text is new</u>. Strike through text is being deleted.

- [For] Use on driveways, sidewalks and patios, PLUS along fence lines, PLUS around trees
 & shrubs
- [For] Use on driveways, sidewalks, patios, along fence lines and around trees & shrubs
- Formulated to kill weeds [and grasses] [for up to 3 months]
- Great [ideal] for spot treatments
- Ideal [great] for use in landscape(d) areas
- Ingredient(s) prevents [kills] weeds [and grasses] [from growing] [for up to 3 months]
- Keeps (prevents) weeds [and grasses] from growing in cracks [and joints] in sidewalks, driveways and patios
- Keeps weeds from growing [for up to 3 months]
- Kill and prevent weeds before mulching [putting down mulch]
- Kills and/& prevents [weeds and grasses] [for up to 3 months]
- Kills the root
- Kills weeds [and grasses] all season long* *For up to 3 months
- Kills weeds [for up to 3 months]
- Long-lasting* [formula] (weed [and grass] control)
 *For up to 3 months
- Made [specifically] for use in landscape(d) areas
- NO MIXING
- Kills weeds for up to 3 months
- Overnight Results
- Use before putting down [landscaping with] mulch
- Prevents growth [for up to 3 months]
- Prevents [kills] weeds
- Prevents re- [new] growth [for up to 3 months]
- Prevents weeds [and grasses] all season long* *For up to 3 months
- Prevents [weeds and grasses] [for up to 3 months] in landscaped areas
- Prevents weeds [and grasses] from growing [for up to 3 months]
- Prevents [weeds and grasses] [from growing] [for up to 3 months]
- Protects against weeds [and grasses] [for up to 3 months]
- Provides up to 3 month weed [and grass] control
- Rainproof in hours [so you don't have to re-spray]
- READY-TO-USE
- Requires no mixing, no measuring and no messy cleanup
- [Results/Starts working/Starts to Kill/Visible [see] Results] in [4, 6, 8, 10, 12, 24] Hours
- Same Day [Visible] Results
- Formulated to prevent [kill] weeds [and grasses] [for up to 3 months]
- Season long* [weed] [and grass] control *For up to 3 months
- [See results/Starts to kill/Visible Results] in hours
- Seeds from Sprouting for up to 3 Months [graphic]
- Spray-Ready
- Speedy Results
- Stops weeds [and grasses] all season long* *For up to 3 months
- Stops weeds [and grasses] from growing for up to 3 months.
- Use around trees and shrubs [in landscape(d) areas] to prevent weed growth [weeds from growing].
- Use around trees & shrubs to kill [and prevent] weeds [for up to 3months]
- Use in flower beds to kill [and prevent] weeds [for up to 3 months]

Edit Date: 05-Jan-11

NOTE: EPA Reg. No. 239-2516

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text]. Text separated by / denotes and/or options. <u>Underline text is new</u>. Strike through text is being deleted.

- Use in landscape(d) areas to kill [and prevent] weeds [for up to 3 months]
- Use on driveways [and patios] to kill [and prevent] weeds [for up to 3 months]
- Use to edge [It edges] [It's an edger] [Use as an edger] PLUS so much more!
- Up to 3 month control
- Up to 3 month extended weed and grass control
- [Up to 3 month] long-lasting* [weed and grass control] *For up to 3 months
- Visible Results Overnight
- Weeds start dying in [4, 6, 8, 10, 12, 24] hours
- Works all season* *For up to 3 months
- Works for up to 3 months
- Works in hours
- Works to the root(s)

NOTICE: Buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

The ORTHO Guarantee

If for any reason you, the consumer, are not satisfied with this product, mail us your original proof of purchase to obtain a full refund of your purchase price.

ORTHO & YOUR ENVIRONMENT – Your yard is a place for family and pets to enjoy. That's why Ortho products are designed with care to provide effective solutions to weed problems. Follow instructions for appropriate usage, storage, and disposal.

[26] [Computer icon] Questions, Comments or Medical Information [Call] 1-800-225-2883 www.ortho.com

Manufactured for/Sold By The ORTHO Group P.O. Box 190 Marysville, OH 43040

EPA Reg. No. 239-2516 EPA Est. 239-IA-3^I, 239-MS-1^M, 58996-MO-1^A, 84064-IA-001^P, 085652-OH-1^W [Superscript [used] is first letter of lot number [on] [end] [side] [top] [bottom] [of container]]

[Made in USA]

[[®][Year] The ORTHO Group. World rights reserved.]

Edit Date: 05-Jan-11

NOTIF 11/10/10; SAL 10/23/07