

239-2519 PM 15

1072

H. D. Byrne
Chevron Chemical Co.
Ortho Agricultural Chemicals Div.
940 Hensley St.
Richmond, CA 94804-0036

MAR 28 1985

Dear Mr. Byrne:

Subject: Amendment - Final Printed Labeling -
Comply with Lindane Intent to Cancel
ORTHO Lindane 25 Wettable
EPA Registration No. 239-2519
Your Application Dated October 23, 1984

300 / 140293
17 / 3

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) is acceptable provided that you make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

1. You have not fully complied with all the required additional text being required under PR Notice 83-2. Specifically you must fully add item 7 of the notice to your labeling. The present labeling only contains part o. 7. All text listed must be added.

Submit five (5) copies of your revised final printed labeling before you release the product for shipment with the amended labeling.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure

RD-IRD;JOB-50447;LaRocca;Kendrick;898-1270;EK;RD-27;3/7/85;Del.3/14/85

CONCURRENCES

| | | | | | | | |
|---------|----------------|--|--|--|--|--|--|
| SYMBOL | | | | | | | |
| SURNAME | <i>LaRocca</i> | | | | | | |
| DATE | 3/12/85 | | | | | | |

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
WARNING
 May be fatal if swallowed or absorbed through the skin. Avoid contact with eyes, skin or clothing. Do not breathe dust or spray mist. Wash thoroughly after handling. Launder contaminated clothing.

STATEMENT OF PRACTICAL TREATMENT
 If swallowed, give a large amount of water to drink, make person vomit, and call a doctor. In case of eye contact, wash eyes immediately with fresh water for at least 15 minutes. See a doctor if irritation persists. For skin contact, wash skin thoroughly with soap and water.
 Note to Physicians: Emergency Information - call (415) 233-3737.

ENVIRONMENTAL HAZARDS
 This product is toxic to fish and wildlife. Do not apply directly to water.
 This pesticide is highly toxic to bees exposed to direct treatment or residues remaining on the treated areas. Do not apply when the bees are actively visiting the crop, cover crop, or weeds blooming in the treatment area. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

DIRECTIONS FOR USE
 It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

REENTRY STATEMENT
 Keep all unprotected persons out of operating areas or vicinity where there may be drift.
 Do not enter treated areas without protective clothing until sprays have dried.
 Certain states may require more restrictive reentry intervals; consult your State Department of Agriculture for further information. Written or oral warnings regarding use of protective clothing, and accidental exposure must be given to workers who are expected to be in treated areas or in areas about to be treated.
 Applicators must wear the following protective clothing during the application process: a light-weight protective suit or coveralls; water-resistant hat; unlined, waterproof gloves; and unlined, light-weight boots. Mixers and loaders must also wear goggles or a face shield, waterproof gloves and a waterproof apron.
APPLES: Aphids—1 lb. in 100 gals. water (300 to 400 gals. spray per acre). Concentrate Sprayer—3 to 4 lbs. per acre in water to cover. Treat under leaves also. Do not apply within 60 days of harvest.
GLADIOLUS AND DAFFODIL BULBS: Wireworms—Just dry bulbs at time of planting with 2 to 3 oz. to each 100 lbs. bulbs for temporary protection while rooting.

USES ON ANIMALS
 Do not treat animals under 3 months of age. Do not spray beef cattle, sheep, goats and hogs within 30 days of slaughter. Do not dip them within 60 days of slaughter. Do not treat sows within 2 weeks of farrowing nor for at least 3 weeks thereafter. Do not use on dairy cattle or dairy goats. Avoid treating animals in cold, storm weather. Do not dip or spray thirsty, overheated or sick animals. Using dosages given below, spray entire animal or infested areas as necessary in following amounts. Adult Animals (Horses, Cattle): 2 qts. diluted spray per head, using proportionately lesser amounts for smaller animals. Use at from 300 to 400 lbs. pressure. Young animals (those over 3 months of age): 1 qt. diluted spray per animal. Wash hands thoroughly with soap and warm water after handling the concentrate or applying the diluted product to animals.
BEEF CATTLE, SHEEP, GOATS, HOGS, HORSES: Spray or Dip—protoproptic and Sarcoptic Mange (Scab or Scabies)—1½ lbs. per 100 gals. water. For most effective treatment, apply 2 sprays one week apart. Do not use on sick animals. Lice, Ticks, Horn Flies,

RESTRICTED USE PESTICIDE
 For retail sale to and use only by Certified Applicators or other persons under their direct supervision and only for the uses covered by the Certified Applicator's certification.



Lindane
25 Wettable

Active Ingredient
 Lindane
 Gamma Isomer of Benzene Hexachloride
 Inert Ingredients

KEEP OUT OF REACH OF CHILDREN
WARNING—AVISO
 SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.
PRECAUCION AL USUARIO: Si usted registra el producto, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

NET WEIGHT _____

Chevron Chemical Company © 1984
 Ortho Agricultural Chemicals Division
 San Francisco CA 94120-7144 Richmond CA 94804-0036
 Product 958 Made in U.S.A.
 R-Form 10351-B EPA Est. 239-CA-
 EPA Reg. No. 239-2519