



ORTHO Lindane 25 Wettable
EPA Reg. No. 239-2519
Submitted: June 14, 1985

COPY A

If swallowed, DO NOT make person vomit. If person is conscious, give a large quantity of water or milk to drink and call a doctor or emergency hospital. In case of eye contact, flush eyes with fresh water for at least 15 minutes. See a doctor if irritation persists. If on skin, wash with plenty of soap and water. If inhaled, move person to fresh air.



CONFIDENTIAL
PROPERTY OF
CHEVRON CHEMICAL COMPANY
UNTIL ACCEPTED BY EPA



PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS WARNING

May be fatal if swallowed or absorbed through the skin. Avoid contact with eyes, skin or clothing. Do not breathe dust or spray mist. Wash thoroughly after handling. Launder contaminated clothing.

STATEMENT OF PRACTICAL TREATMENT

~~Microemulsion, give 1 to 2 cups amount of water to drink, make person vomit, and call a doctor. In case of eye contact, wash eyes immediately with fresh water for at least 15 minutes. See Appendix for additional precautions. For skin contact, wash skin thoroughly with soap and water.~~

Note to Physicians: Emergency information - call (415) 233-3737.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Do not apply directly to water.

This pesticide is highly toxic to bees exposed to direct treatment or residues remaining on the treated areas. Do not apply when the bees are actively visiting the crop, cover crop, or weeds blooming in the treatment area. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

REENTRY STATEMENT

Keep all unprotected persons out of operating areas or vicinity where there may be drift.

Do not enter treated areas without protective clothing until sprays have dried.

Certain states may require more restrictive reentry intervals, consult your State Department of Agriculture for further information.

Written or oral warnings regarding use of protective clothing, and accidental exposure must be given to workers who are expected to be in treated areas or in areas about to be treated.

Applicators must wear the following protective clothing during the application process: a light-weight protective suit or coveralls; water-resistant hat, unlined, waterproof gloves, and unlined, light-weight boots. Mixers and loaders must also wear goggles or a face shield, waterproof gloves and a waterproof apron.

APPLES: Aphids—1 lb. in 100 gals. water (300 to 400 gals. spray per acre). Concentrate Sprayer—3 to 4 lbs. per acre in water to cover. Treat under leaves also. Do not apply within 60 days of harvest.

GLADIOLUS AND DAFFODIL BULBS: Wireworms—Dust dry bulbs at time of planting with 2 to 3 oz. to each 100 lbs. bulbs for temporary protection while rooting.

USES ON ANIMALS

Do not treat animals under 3 months of age. Do not spray beef cattle, sheep, goats and hogs within 30 days of slaughter. Do not dip them within 60 days of slaughter. Do not treat sows within 2 weeks of farrowing nor for at least 3 weeks thereafter. Do not use on dairy cattle or dairy goats. Avoid treating animals in cold, stormy weather. Do not dip or spray thirsty, overheated or sick animals. Using dosages given below, spray entire animal or infested areas as necessary in following amounts. Adult Animals (Horses, Cattle): 2 qts. diluted spray per head, using proportionately lesser amounts for smaller animals. Use at from 300 to 400 lbs. pressure. Young animals (those over 3 months of age): 1 qt. diluted spray per animal. Wash hands thoroughly with soap and warm water after handling the concentrate or applying the diluted product to animals.

BEEF CATTLE, SHEEP, GOATS, HOGS, HORSES: Spray or Dip—psoroptic and Sarcopic Mange (Scab or Scabies)—1½ lbs. per 100 gals. water. For most effective treatment, apply 2 sprays one week apart. Do not use on sick animals. Lice, Ticks, Horn Flies,

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.



ORTHO

Lindane 25 Wettable

Active Ingredient	By Wt.
Lindane	
Gamma Isomer of Benzene Hexachloride	25%
Inert Ingredients	75%

KEEP OUT OF REACH OF CHILDREN

WARNING-AVISO

SEE BACK PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS.

PRECAUCION AL USUARIO: Si usted no lee
ingles, use este producto hasta que la
etiqueta le haya sido explicada ampliamente.

NET WEIGHT

Chevron Chemical Company © 1984

Ortho Agricultural Chemicals Division

San Francisco CA 94120-7144

Richmond CA 94804-0036

Product 958

Made in U.S.A.

R Form 10351-8

EPA Est. 239-CA-1

EPA Reg. No. 239-2519

Stable Flies—

Sheep—1½ lb.

with 100 gals.

water. For

control of

lice, ticks,

and other

pests, use

as directed.

Also for use

on horses,

dogs, cats,

and other

domestic

animals.

For use on

livestock,

use as

directed.

Do not apply

to birds or

other

wildlife.

Do not use

on crops or

other

plants.

Do not use

on lawns or

other

areas.

Do not use

on children

or pets.

Do not use

on food or

feed.

Do not use

on clothing

or other

materials.

Do not use

on water

or other

liquids.

Do not use

on surfaces

that may

be damaged

by the

product.

Do not use

on electrical

equipment.

Do not use

on painted

surfaces.

Do not use

on metal

surfaces.

Do not use

on plastic

surfaces.

Do not use

on rubber

surfaces.

Do not use

on leather

surfaces.

Do not use

on stone

surfaces.

Do not use

on brick

surfaces.

Do not use

on concrete

surfaces.

Do not use

on asphalt

surfaces.

Do not use

on gravel

surfaces.

Do not use

on sand

surfaces.

Do not use

on dirt

surfaces.

Do not use

on snow

surfaces.

Do not use