

2076

2

The additional brand name listed below is also being accepted under this registration. The labels must be identical with the basic label except for brand names.

Ortho Multi-Purpose Fungicide Daconil 2787

H. J.
Henry M. Jacoby
Product Manager (21)
Fungicide-Herbicide Branch
Registration Division (TS-767)

Enclosure

3086
ORTHO DACONIL 2787
Multipurpose Fungicide
EPA Reg. No. 239-ELEE
Submitted: April 5, 1985

COPY A

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

WARNING: Causes eye and skin irritation. This product may produce temporary allergic side effects characterized by redness of the eyes, mild bronchial irritation and redness or rash on exposed skin areas. Do not get in eyes, on skin or on clothing. Wear long sleeve shirt, long pants, and rubber gloves while mixing and applying this product. Wash skin and hands thoroughly after using. Remove and wash contaminated clothing before reuse. Keep children and pets off treated area until dry.

COPY B

ENVIRONMENTAL HAZARDS: This product is toxic to fish and other aquatic organisms. Do not apply directly to water or dispose of wastes in water. Do not apply when weather conditions favor drift of spray. Do not contaminate water by cleaning of equipment or disposal of wastes.

ACCEPTED
with COMMENTS
in EPA Letter Dated

AUG 26 1985
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
239-2522

CONFIDENTIAL
PROPERTY OF
CHEVRON CHEMICAL COMPANY
UNTIL ACCEPTED BY EPA

7036

Makes up to 64 Gallons
Diluted Spray

ORTHO
DACONIL 2787^R Multipurpose Fungicide

CONTROLS DISEASES - LEAF SPOTS, RUST, BLIGHTS, FRUIT ROTS, MILDEWS, SCAB, MOLDS,
ETC. ON: LAWNS, VEGETABLES, FRUIT TREES, FLOWERS, SHRUBS AND SHADE TREES

CONTAINS DACONIL 2787^R FUNGICIDE
LIQUID FUNGICIDE

EARLY/LATE BLIGHT ON TOMATO
DOLLAR SPOT/BROWN PATCH ON LAWNS
PEACH LEAF CURL ON PEACHES

(ILLUSTRATIONS)

Active Ingredient	By Wt.
Chlorothalonil (tetrachloro- isophthalonitrile)	29.6%
Inert Ingredients	70.4%

DACONIL 2787^R - Reg. TM of SDS Biotech Corp. for Chlorothalonil Fungicide.
U.S. Pat. Nos. 3,290,353 and 3,331,735

Keep out of reach of children

WARNING

See side panel for additional precautionary statements.

Net Contents 1 Pt.

ORTHO DACONIL 2787^R MULTIPURPOSE FUNGICIDE

Back Panel

COPY A

~~PRECAUTIONARY STATEMENTS~~

~~HAZARDS TO HUMANS & DOMESTIC ANIMALS~~

~~WARNING: Causes eye irritation. Skin contact may cause allergic reaction. Do not get in eyes, on skin or on clothing. Wear rubber gloves when handling. Wash skin and hands thoroughly after using. Remove and wash contaminated clothing before reuse. Keep children and pets off treated area until dry.~~ STATEMENT OF PRACTICAL TREATMENT: In case of eye contact, immediately flush eyes with fresh water for 15 minutes and see a doctor. In case of skin contact, wash skin with soap and water. Get medical attention if irritation persists. Note to Physicians: Emergency Information - call (415) 233-3737.

COPY B

~~ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.~~

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL AND PAMPHLET. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

DIRECTIONS: ORTHO DACONIL 2787^R Multipurpose Fungicide is a liquid concentrate that readily mixes with water and can be used in an ORTHO Spray-ette, tank-type or power sprayer.

It is highly effective for the control of a broad spectrum of lawn, vegetable, fruit and ornamental plant diseases when it is used according to the directions on this label and pamphlet. Thorough uniform coverage of plant surfaces is essential for good disease control.

Shake bottle well before using. Mix appropriate amount with water and use at once.

Note: To give the fine spray required for proper coverage, use an ORTHO Spray-ette for best results. Do NOT use the ORTHO Lawn Sprayer or any other coarse spray delivery hose end lawn sprayer.

LAWN DISEASES: ORTHO DACONIL 2787^R Multipurpose Fungicide gives effective control of common diseases of grass lawns including: Brown Patch, Helminthosporium Leaf Spot and Melting Out, Dollar Spot, Copper Spot, Red Thread, Curvularia Leaf Spot, Gray Leaf Spot, Gray Snow Mold, Stem Rust of Bluegrass; also Leaf Spot and Anthracnose in Dichondra lawns (California only).

Follow label directions as shown in accompanying pamphlet and apply according to table below to control lawn diseases.

AMOUNT OF ORTHO DACONIL 2787^R MULTIPURPOSE FUNGICIDE TO USE ON LAWNS

<u>Gallons of Spray Desired</u>	<u>To Cover Lawn Area (Sq. Ft.)</u>	<u>For Established Diseases* Under Severe Conditions</u>	<u>For Light Diseases** Under Mild Conditions</u>
2	333	4 fl.oz. (8 Tbs)	2-2/3 fl.oz. (5-1/3 Tbs)
4	667	8 fl.oz. (16 Tbs)	5-1/3 fl.oz. (10-2/3 Tbs)
6	1000	12 fl.oz. (24 Tbs)	8 fl. oz. (16 Tbs)

* During periods of very wet or damp weather, make 3 successive applications at 7 day intervals. Continue treatments following rates for Light Disease Incidence and interval listed below.

** Apply at a 10-14 day interval depending on severity of disease and conditions favoring disease development until lawn has recovered.

VEGETABLE DISEASES: Controls diseases listed in accompanying pamphlet (including Rust, Leaf Spots, Early and Late Blight, Anthracnose, Fruit Rots, Downy Mildew, Powdery Mildew, Leaf Blight, Gray Mold, Scab, etc.) on: Green Beans (7), Broccoli (9), Brussels Sprouts (0), Cabbage (0), Cauliflower (0), Carrots (0), Celery (7), Green Onions (14), Sweet Corn (14), Cucumbers (0), Melons (0), Pumpkins (0), Squash (0), Potatoes (0) and Tomatoes (0): Mix 1½ tsp to 1 Tb in one gallon of water depending on the disease to be controlled and cover an area of 200 sq. ft. (10' x 20') planted with listed crop. Repeat at 7-14 day intervals. Use the 7 day schedule during severe disease conditions or wet weather unless otherwise noted. Be sure to observe the number in () following each crop which indicate days required between last application and harvest.

FRUIT DISEASES: Controls Peach Leaf Curl, Coryneum Blight (Shot-hole), Brown Rot (Blossom Blight), Cherry Leaf Spot and Scab on: Peaches, Nectarines, Apricots, Cherry, Plum and Prune. Mix 1½ fl. oz. (3 Tbs) in 4 gallons of water. Apply full cover spray to the point of runoff to thoroughly cover tree canopy including the undersides of leaves. Follow timing intervals as listed in pamphlet.

ORNAMENTAL DISEASES: Controls Leaf Spots, Flower Blight, Anthracnose, Scab, Rust, Blights, Powdery Mildew and other diseases as listed in pamphlet on wide range of broadleaf trees and

shrubs, bulbs and flower plants and foliage plants. For outdoor use only. See brochure for timing for when to apply and the diseases controlled on each plant. Mix 2½ Tsp/gallon or 3 Tbs (1½ fl. oz./per 4 gallons of water and spray foliage to the point of runoff unless other directions are given on the pamphlet. Begin applications as directed for each species and disease conditions cited and repeat on a 7-14 day schedule until conditions are no longer favorable for disease development. During periods when conditions favor severe disease incidence, generally cloudy or wet weather, use the shorter interval between applications.

STORAGE: Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area.

DISPOSAL: PRODUCT - Partially filled bottle may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash.

CONTAINER: Do not reuse empty bottle. Rinse thoroughly before discarding in trash.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Chevron Chemical Company c 1984

Ortho Consumer Products Division
San Francisco CA 94120-7144
Richmond CA 94804-0036
Product 1000 Made in U.S.A.
Form 10498-A
EPA Reg. No. 239-ELEE

EPA Est. 239-MO-1, 239-NJ-1
Superscript used is first letter of lot number.

[illegible]