


## HAZARDS TO HUMANS &amp; DOMESTIC ANIMALS

**CAUTION:** Handle it slowly and avoid inhalation of vapors. Avoid contact with skin, eyes, or clothing. Wash contaminated skin promptly with copious amounts of water. For eyes, flush with water for at least 15 minutes. **Note to Physicians:** In case of ingestion, induce vomiting. Avoid administration of food or drink until the patient has been evaluated by a physician. Do not induce vomiting if the patient has swallowed a large amount of the product. If the patient has swallowed a large amount of the product, seek medical attention immediately. **PHYSICAL OR CHEMICAL HAZARDS:** Corrosive to eyes, skin, and clothing. May cause severe eye irritation. May cause severe skin irritation. May cause severe respiratory irritation. May cause severe gastrointestinal irritation. May cause severe neurological irritation. May cause severe reproductive irritation. May cause severe developmental irritation. May cause severe environmental irritation. May cause severe ecological irritation. May cause severe climate change irritation. May cause severe ozone layer irritation. May cause severe acid rain irritation. May cause severe global warming irritation. May cause severe sea level rise irritation. May cause severe ice melt irritation. May cause severe permafrost melt irritation. May cause severe glacial retreat irritation. May cause severe ocean acidification irritation. May cause severe coral reef degradation irritation. May cause severe biodiversity loss irritation. May cause severe ecosystem collapse irritation. May cause severe human extinction irritation.

### DIRECTIONS FOR USE

1. *Chlorophyll a* and *Chlorophyll b* were determined by the method of Lichtenthaler and Whistler (1973).  
2. *Chlorophyll a* and *Chlorophyll b* were determined by the method of Lichtenthaler and Whistler (1973).

READ ENTIRE LABEL USE STRICTLY IN ACCORDANCE  
WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS



**Figure 1**



# ORTHO

# Hi-Power Home Insect Fogger

### Total Release Fogger

**For Use in Rooms, Apartments, Homes, Attics,  
Basements, Campers, Boats, Garages, Pet Sleeping  
Areas, Household Storage Areas, Cabins**

### One Unit Treats 5,000 Cubic Feet

**Kills House Flies, Mosquitoes, Black Carpet Beetles,  
Sawtoothed Grain Beetles, Rice Weevils, Wasps,  
Fleas, Ticks, Spiders, Small Flying Moths, Pillbugs,  
Crickets, Silverfish**

### Aids in the Control of Cockroaches

| Active Ingredients                                                                           | By Wt.  |
|----------------------------------------------------------------------------------------------|---------|
| d trans Allethan allyl homolog of Clofen D                                                   | 0.300%  |
| Related compounds                                                                            | 0.023%  |
| * 3 Phenoxybenzyl di- and trans** 2,2 dimethyl 3<br>2-methylpropenyl cyclopropanecarboxylate | 0.19.%  |
| * Other isomers                                                                              | 0.009%  |
| Petroleum distillate                                                                         | 12.454% |
| Inert Ingredients                                                                            | 87.023% |
| * d cis, trans phenothrin                                                                    |         |
| ** cis/trans isomer ratio max. 25% or less cis<br>min. 75% or more trans                     |         |

Keep out of reach of children.

## CAUTION

See side panel for additional precautionary statements.

### Directions

This product will kill Flies, Mosquitoes, Black Carpet Beetles, Sawtoothed Grain Beetles, Rice Weevils, Small Flying Moths, Spiders, Centipedes, Fleas, Ticks, Wasps, Pill Bugs, Crickets and Silverfish.

Ands in control of the skreaches.

Cover exposed floors, dishes and food handling equipment. Open cabinets and doors to need to be treated. Shut off fans and air conditioning. Put out all fans and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 5,000 cubic feet (25x25x8 ft.) of treated area. Use additional units for remote rooms or where free flow of mist is not desired. Do not remain in the area during treatment and ventilate thoroughly before reentry.

### State Well before Using

**TO OPERATE VALVE:** To lock valve in open position for automatic discharge, push down firmly with thumb on spigot tab until it snaps into place. Then place fogger on stand, a table or corner of room with valve locked open, put a piece of an layer of newspaper or pad under fogger, cover the fogger with one end and keep holding closed for four to five minutes. Then open all doors and windows and leave the room for 15 minutes. Repeat spraying in two weeks.

**To Kill Ticks:** Use a fine mist of water and baking soda. Apply the mist to the tick, then gently rub the head of the tick with a paper towel until the tick is dead. Do not use a toothpick, with a ring intended to pull the tick out of the skin, or squeezing them, as the treated area.

## To Kill Fleas

**SUGGESTION.** For handling, use a cloth or cloth-covered crawling pan; use gloves, shoes, spade, flashlight, tongs, and keys and a small dust pan (see ORHIO). Ant. Pen. & Spider. Use caution to breathe.

## STORAGE AND DISPOSAL

\*  $\Delta$  = distance from the study farm to heat exchanger farms  
 N = number of study farms; V = volume of water and gas in  
 the system

**NOTICE:** Do not use any drill, ream, or file, for safety, on these  
notches or file with diamond.

Manufactured for

Chevron Chemical Company

Ortho Consumer Products Division

San Francisco CA 94119      Richmond CA 94804  
Form 9832-B      Product 1000-85      Made in U.S.A.  
EPA Reg. No. 213-1154

THE UNIVERSITY OF CHICAGO PRESS

NET WT. 5 OZ.

