

**NOTICE OF PESTICIDE:**

(Under the Federal Insecticide, Fungicide,  
and Rodenticide Act, as amended)

REGISTRATION  
 REREGISTRATION

TERM OF ISSUANCE

Until Reregistration

NAME OF PESTICIDE PRODUCT

Bug-Geta Liquid Snail,  
Slug & Insect Killer

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Chevron Chemical Company  
Ortho Consumer Products Division  
P.O. Box 4010  
Richmond, CA 94804-0010

**NOTE:** Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment:

- a. Add the phrase "EPA Registration No. 239-2563."
- b. On the front panel of your label, delete the statement "Small drops - less attractive to pets."
- c. Add to your Hazards to Humans and Domestic Animals paragraph the following "This pesticide may be fatal to dogs or other pets if eaten. Keep pets out of treated area since they may be attracted to this product when applied."

 ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

Dennis H. Edwards

DATE

1/12/88

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Dennis H. Edwards, Jr.  
Product Manager (12)  
Insecticide-Rodenticide Branch  
Registration Division (TS-767C)

Enclosures

2/16

**COPY A**

If swallowed, give water or milk to drink and induce vomiting by touching back of throat with finger, or by administering syrup of ipecac. If possible, contact a physician, Poison Control Center or emergency clinic before inducing vomiting. Do not induce vomiting or give anything by mouth to an unconscious person. If medical treatment cannot be obtained, take person and product container to the nearest emergency treatment facility.

SEP 19 1983

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

239-2563

**CONFIDENTIAL**

**PROPERTY OF**

**CHEVRON CHEMICAL COMPANY**

**UNTIL ACCEPTED BY EPA**

DRAFT

TREATS UP TO  
2,000 sq. ft. area

4

FRONT PANEL

ORTHO  
BUG-GETA<sup>®</sup> Liquid Snail, Slug & Insect Killer

- o Kills Snails, Slugs, Cutworms, Armyworms, Grasshoppers, Earwigs, Sowbugs and other listed insects.
- o Contains SEVIN<sup>®</sup> and Metaldehyde.
- o Remains effective after rain or watering.
- o Can be used around fruit, flowers, lawns and vegetables.
- o Small drops - less attractive to pets.
- o Protects new transplants against feeding damage from listed pests.

(Illustration)

Snails, Slugs, Cutworms, Mole Crickets, Earwigs, Sowbugs, Armyworms, Grasshoppers

Active Ingredients	By Wt.
*Carbaryl (1-Naphthyl N-methylcarbamate) .....	5%
Metaldehyde .....	4%
Inert Ingredients .....	91%

\*SEVIN<sup>®</sup> - Reg. TM of Union Carbide for Carbaryl Insecticide.

Keep out of reach of children

CAUTION

See back panel for additional precautionary statements.

NET CONTENTS 1 PT.

CP Labels #1

4c/b-

BACK PANEL

BUG-GETA<sup>®</sup> Liquid  
Snail, Slug & Insect Killer

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS & DOMESTIC ANIMALS**

**CAUTION:** Harmful if swallowed.

**STATEMENT OF PRACTICAL TREATMENT:** If swallowed, contact physician, Poison Control Center or emergency clinic before inducing vomiting. Give water or milk to drink and induce vomiting by touching back of throat with finger or by administering syrup of ipecac. Do not induce vomiting or give anything by mouth to an unconscious person. If medical advice cannot be obtained, take person and product container to the nearest medical emergency treatment facility. **Note to Physicians:** Emergency Information - call (415) 233-3737. Carbaryl is a cholinesterase inhibitor. Atropine is antidotal.

**ENVIRONMENTAL HAZARDS:** This product is extremely toxic to aquatic and estuarine invertebrates. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.**

**HOW TO USE:** Shake well before using. Flip-up spout and lightly squeeze a line of drops 3 to 4 inches apart on soil around flower beds and lawn edges. For vegetables and fruit, apply a line of drops 3 to 4 inches apart on soil between berry and vegetable plants. Do not apply directly to the plants. Apply in early evening for best results. Repeat applications every 3 to 4 weeks or as needed. During periods of high rainfall or frequent irrigations, repeat treatments may be needed more frequently. Use small drops, not large puddles. One pt. treats about 2,000 sq. ft. (40' x 50') of garden area.

Subsequent planting of food and feed crops in treated soil must be made with crops on this or other carbaryl labels.

**USE IT ALL UP** - If BUG-GETA<sup>®</sup> Liquid Snail, Slug & Insect Killer stops flowing, close flip-up spout, invert bottle .... tap lightly on hard surface to bring contents down to spout ... apply. When applying, occasionally turn bottle upright to allow air to enter bottle.

**CONTROLS** - Snails, Slugs, Cutworms, Armyworms, Earwigs, Sowbugs, Crickets, Millipedes, Mole Crickets, Pillbugs, and Grasshoppers.

**AROUND VEGETABLES:** May be used around the following crops as indicated.

- o Up to the day of harvest - Cucumbers, Melons, Squash, Peas, (except Cowpeas, do not apply within 3 days of harvest). Beans, Carrots, Corn, Eggplant, Okra, Pepper, Potato, Tomato.
- o Do not use within 3 days of harvest - Broccoli, Brussels Sprouts, Cabbage Cauliflower, Lettuce (Head), Beets, Parsnip, Radish, Rutabaga, Turnip.
- o Do not use within 14 days of harvest - Collards, Endive, Kale, Lettuce (Leaf), Parsley, Spinach, Swiss Chard, Turnip Tops.

5/16

**AROUND FRUIT AND NUT TREES:** May be used on these crops up to day of harvest. Almonds, Apples, Avocados, Cherries, Citrus, Pecans, Peaches, Pears, Plums, Walnuts, Nectarines.

**AROUND SMALL FRUITS:** May be used up to day of harvest (except do not harvest strawberries within 1 day of treating). Strawberries, Grapes, Berries (Blackberries, Blueberries, Boysenberries, Dewberries, Loganberries).

**AROUND FLOWER BEDS, GROUND COVERS, ORNAMENTALS AND ALONG BORDERS OF LAWNS:** Apply drops to soil around ornamental plants and to the borders of lawns and flower beds, especially when bedding plants are transplanted in the spring.

**STORAGE AND DISPOSAL**

**STORAGE:** Keep pesticide in original container. Do not put concentrate into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area. Do not store diluted spray.

**DISPOSAL: PRODUCT** - Partially filled bottle may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash. **CONTAINER** - Do not reuse empty bottle. Rinse thoroughly before discarding in trash.

**NOTICE:** Buyer assumes all responsibility for safety and use not in accordance with directions.

Chevron Chemical Company © 1986  
ORTHO Consumer Products Division  
San Francisco, CA 94120-7144  
Form 10646-B Product 5561 Made in U.S.A.  
EPA Reg. No. 239-ELAG  
M I  
EPA Est. No. 239-MO-1, 239-IA-1

6/6-