

ORTHO SEVIN Bait (Fine)
EPA Reg. No. 239-NEW
Submitted: June 27, 1986

COPY A

If swallowed contact a physician, Poison Control Center, or emergency clinic before inducing vomiting. Give water or milk to drink and induce vomiting by touching back of throat with finger, or by administering syrup of ipecac. Do not induce vomiting or give anything by mouth to an unconscious person. If medical advice cannot be obtained, take person and product container to the nearest emergency treatment facility. In case of eye contact, wash eyes immediately with fresh water for at least 15 minutes. See a doctor if irritation persists. For skin contact, wash skin with plenty of soap and water. If inhaled, remove person from exposure area. **Note to Physicians:** Emergency Information - call (415) 233-3737. Carbaryl is a reversible cholinesterase inhibitor. Atropine sulfate is antidotal.



CONFIDENTIAL

PROPERTY OF
CHEVRON CHEMICAL COMPANY
UNTIL ACCEPTED BY EPA

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION**

Causes eye irritation. Harmful if swallowed. Avoid contact with eyes, skin or clothing. Avoid breathing dust. Wash thoroughly after handling.

STATEMENT OF PRACTICAL TREATMENT

In case of eye contact, immediately flush eyes with fresh water for 15 minutes. See a doctor if irritation persists. If swallowed, DO NOT make person vomit unless directed to do so by a doctor. Immediately take person and container of product to a doctor or an emergency hospital. If this is not possible, telephone for medical advice.

Note to Physicians: Emergency Information — call (415) 233-3737. Carbaryl is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic and estuarine invertebrates. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS.

REENTRY STATEMENT

Keep all unprotected persons out of operating areas or vicinity where there may be drift. Do not enter treated areas without protective clothing until dusts have settled.

Certain states may require more restrictive reentry intervals; consult your State Department of Agriculture for further information.

Written or oral warnings regarding use of protective clothing and accidental exposure must be given to workers who are expected to be in treated areas or in areas about to be treated.

STORAGE AND DISPOSAL

PROHIBITIONS

Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited.

STORAGE

Keep pesticide in original container.

For help with any spill, leak, fire or exposure involving this material, call day or night (415) 233-3737.

PESTICIDE DISPOSAL

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL

Completely empty bag into application equipment. Do not reuse container. Dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

ORTHO

SEVIN® Bait (Fine)

(INSECTICIDE)

Active Ingredient Carbaryl (1-naphthyl N-methylcarbamate) 5%
Inert Ingredients 95%

SEVIN® - Reg. TM of Union Carbide Corp. for Carbaryl Insecticide.

**KEEP OUT OF REACH OF CHILDREN
CAUTION
SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS**

NET WEIGHT 50 POUNDS

Chevron Chemical Company © 1986

Ortho Agricultural Chemicals Division

San Francisco CA 94120-7144

Product 5093 Made in U.S.A.

Form 10829-A

EPA Reg. No. 239-NEW

INSECT	CROP	RATE PER ACRE	
		BANDED TREATMENT	BROADCAST TREATMENT
CUTWORMS	CUCUMBERS	15 TO 25 LBS.	20 LBS.
ARMYWORMS	MELONS		
SOWBUGS	SQUASH		
	ALFALFA	15 TO 25 LBS.	30 LBS.
GRASSHOPPERS	CLOVER		
	COTTON		
DARKLING GROUND BEETLES	PEAS	15 TO 25 LBS.	40 LBS.
	SORGHUM		
CRICKETS	ASPARAGUS		
	BEANS		
	BROCCOLI		
	BEETS		
	BRUSSELS SPROUTS		
	CABBAGE		
	CARROTS		
	CAULIFLOWER		
	CYCARDS		
	CORN		
	EGGPLANT		
	ENDIVE		
	HORSERADISH		
	KALE		
	LETUCE		
	OKRA		
	PARSLEY		
	PARSNIPS		
	SPINICH		
	STRAWBERRIES		
	SUGAR BEETS		
	SWISS CHARD		
	TOMATOES		
	TURNIPS		
CUTWORMS	GRAPES	25 TO 40 LBS. AS A TREATMENT ALONG THE VINE ROW. USE PROPORTIONATELY LESS MATERIAL IF APPLIED AROUND INDIVIDUAL VINES.	

Directions

Make banded applications with ground equipment. Broadcast applications may be made with either ground equipment or aircraft. Repeat treatment as necessary.

Do not rotate to any crop not listed on this label or other carbaryl labels.

Do not apply under conditions involving possible drift to food, forage or other plantings that might be damaged or the crops thereof rendered unfit for sale, use or consumption.