

Chevron Chemical Company 1-800-
 451-4511
 6001 Bollinger Road, Richmond, CA 94804-4117
 Phone: (415) 554-1000 Fax: (415) 554-1001
 E-mail: chevron@chevron.com
 EPA Reg. No. 100-100-01
 EPA ID No. 100-100-01

into soil to the specified depth, except where applied with the seed in the seed furrow. Do not make more than one application per season.

Note: One level measuring cup (8 fl. oz.) holds 4 oz. of granules.



<u>CROP</u>	<u>INSECTS CONTROLLED</u>	<u>AMOUNT TO APPLY</u>
Sweet Corn	Cutworms, Wireworms, Billbugs, Grubs, Flea Beetle (Larvae)	Apply $\frac{1}{2}$ lb. (8 oz.) of granules per 100 sq. ft. evenly over the soil surface and work into the top 4-6 inches of soil.
Sweet Potatoes	Wireworms, Flea Beetle (Larvae), Sweet Potato Beetle	
Onions (Dry Bulb)	Onion Maggots	Apply 5 $\frac{1}{2}$ oz./100 linear feet in the furrow with the seed at the time of planting.
Vegetables (Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Chinese Cabbage, Collards, Kale, Kohlrabi, Rutabagas, Turnips)	Root Maggots	Apply 8 oz./100 linear feet in the furrow with the seed or transplants at the time of planting.
Radishes	Root Maggots	Apply 5 oz./100 linear feet in the furrow with the seed at the time of planting.

Note: Do not use Rutabaga tops for food or feed.

COPY B

ORTHO WHIRLYBIRD Sprayer

3



CONFIDENTIAL

PROPERTY OF

CHEVRON CHEMICAL COMPANY

UNTIL ACCEPTED BY EPA