

239-2581

7/10/2001

1/7

ORTHO® WEED-B-GON® READY-SPRAY® Lawn Weed Killer
ABN for refill package: Weed-B-Gon Pull-N-Spray Refill Concentrate
[ICON]Outdoor Use Only

Treats 5,000 sq ft

[water drop icon] water based

Kills [Controls]: Dandelions, Clover, Chickweed, Plantains, Henbit, Wild Onions and many other listed weeds.

Ready-to-Use. Hose-End Sprayer Attached.

Refill Claims (5.83 fl. oz size):

This package equals one refill of 1.33 Gal. [5 L] Weed-B-Gon Lawn Weed Killer Pull-N-Spray

Ortho Weed-B-Gon Pull-n-Spray Refill

New Refill for Ortho Weed-B-Gon Lawn Weed Killer Pull-N-Spray

The Easy way to control [kill] Lawn Weeds

Refills Weed-B-Gon Lawn Weed Killer Pull-N-Spray

Makes 1.33 gallons of Weed-B-Gon

The easiest way to kill [control] lawn weeds

For use with Ortho Weed-B-Gon Lawn Weed Killer Pull-N-Spray

READY - SPRAY

3/4

1/2

1/4

Active Ingredients

2,4-D, dimethylamine salt*5.64%

Mecoprop, dimethylamine salt**6.04%

Other Ingredients88.32%

*2,4-Dichlorophenoxyacetic acid equivalent,
isomer specific by AOAC Method 6.275: 4.70%


**2-(2-Methyl-4-chlorophenoxy) propionic acid
equivalent: 5.0%

KEEP OUT OF REACH OF CHILDREN

WARNING

See back panel booklet for additional precautionary statements.

NET CONTENTS 32 FL OZ (1 QT) 946 mL



[FOR ORTHO CARTRIDGE SPRAYER ONLY]

- Treats 2,500 sq ft of Lawn
 - New
 - Ready-to-Spray Cartridge
 - Cartridge Sprayer Refill
 - Ready-To-Use Cartridge
 - No Mixing, No Measuring Necessary
 - Money Saving Coupon Inside
 - Save \$.50 on Your Next Purchase. (Coupon on Reverse side.)
 - Liquid
- Concentrate
- To be Used Only with ORTHO Cartridge Sprayer
 - No Spill
 - No Mix, No Measure, No Messy Clean Up
 - Easy-to-Use
 - For Exclusive Use with ORTHO Cartridge Sprayer
 - No Mixing or Handling Required
 - Simple Easy-to-Use Application
 - Lock 'N Spray™ System
 - Patented Lock 'N Spray Design
 - Patented Twist 'N Lock Design
 - See Instruction Booklet Inside Base
 - Twist and Remove Base for Use
 - Instruction Booklet
 - Savings Coupon Inside
 - Special Consumer Offer. See Details Inside.
 - Save on Your Next Purchase. See Details Inside.
 - Save on Other ORTHO Products. See Details Inside.
 - Cartridge
 - Simple and Easy to Use
 - Eliminates Mixing and Measuring
 - Child Resistant Package
 - For Exclusive Use with the ORTHO
 - Clean
 - Convenient
 - LOCK 'N SPRAY System Cartridge
 - Quality Guaranteed
 - Multipurpose
 - Self Sealing Cartridge Lid
 - Cartridge Automatically Reseals Itself
 - Automatic Dilution
 - Use with the ORTHO LOCK 'N SPRAY Cartridge Sprayer
 - Cartridge System Automatically Dilutes the Proper Proportion of Product and Water
 - Simple to Use
 - No Mixing or Measuring
 - No Mixing
 - No Measuring
 - Guaranteed Quality
 - No Messy Measuring
 - LOCK 'N SPRAY Cartridge
 - LOCK 'N SPRAY Cartridge System
 - Accurate
 - Accurate Dosage
 - Premeasured
 - No Leak
 - Carton Made from 100%
- Recycled
- LOCK 'N SPRAY™ Cartridge Sprayer
 - Paperboard
 - Minimum 35% Post-
- Consumer
- No Mixing and Measuring Necessary
 - Content

3/7

Ready-to-use concentrate for controlling broadleaf lawn weeds. Kills: Dandelions, Chickweed, Plantains, Henbit, Wild Onions, and many other listed weeds. Do not apply to Dichondra, Lippia, St. Augustine and Clover Lawns.

Peel open for use directions and further information.

WARNING: Causes substantial but temporary eye injury. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin, or on clothing. SEE ADDITIONAL PRECAUTIONARY STATEMENTS AND DIRECTIONS INSIDE BOOKLET.

PULL HERE TO OPEN LABEL PRESS TO RESEAL

Questions, Comments or Medical Information call 1-800-225-2883
<http://www.ortho.com>

The ORTHO Group
P.O. Box 1749
Columbus, OH 43216
EPA Reg. No. 239-2581
EPA Est. 239-IA-3
Made in USA

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

tsp = teaspoon
Tbs = Tablespoon

Ready-To-Use concentrate for controlling broadleaf lawn weeds.

[FOR ORTHO CARTRIDGE SPRAYER ONLY]

The Lock 'N Spray System eliminates mixing, measuring, and messy clean-up. With its unique design and easy one-step application, lawn and garden care is now faster and easier. Simply choose the cartridge application that you need and attach it to the cartridge sprayer (sold separately) as shown below.

DIRECTIONS FOR USE

(ILLUSTRATION)

- Remove Base Cup:** (Optional)
- Twist bottom to tear label perforation.
 - Snap off base cup to view liquid.
 - Save base cup and reattach after
- Sprayer
- use if storage is necessary.
- proper
- Connect sprayer to hose.

(ILLUSTRATION)

- Attach/Lock Cartridge to Sprayer:**
- Push up to seal cartridge firmly against sprayer.
 - Grasp top portion of cartridge and twist counterclockwise to "LOCK" position.
 - Turn water on at faucet.

for storage, if necessary. Cartridges
(ILLUSTRATION)
product

(ILLUSTRATION)

- Water Control Knob Adjustment:**
- Turn water control knob on to • position.
 - Pull trigger to spray.
- automatically delivers the
- spray solution.

(ILLUSTRATION)

- When Finished:**
- Twist cartridge in clockwise direction to "UNLOCK" and remove. Cartridge automatically reseals itself.
 - Flush water through sprayer to clean.
 - Reattach base cup to cartridge
- contain liquid concentrate
- that can be reused.

Apply when weeds are actively growing. Water lawn 1 to 2 days before application. Do not water for 48 hours after application. Spray when air is calm to avoid spray drift that might injure desirable ornamental plants. Do not apply when temperatures are expected to exceed 85°F within 24 hours. Temporary injury may occur on Bent, Bermuda, Red Fescue, Centipede, and Carpet grasses. DO NOT apply to Dichondra, Lippia, St. Augustine, and Clover lawns. The maximum number of broadcast applications (entire lawn) is 2 per year.

HOW TO USE

Shake well. Connect spray nozzle to garden hose. Turn the green ON/OFF valve to "OFF". Turn on water at faucet. Extend hose to the farthest area of lawn to be treated. Using a coin or key, rotate the small green product control valve located near front of nozzle forward to "OPEN".

To BEGIN spraying, point nozzle towards lawn and turn the green valve to "ON". *The water automatically mixes with the product.* Walk at a steady pace using an even sweeping motion, slightly overlapping treated areas. Spray entire lawn, wetting weeds and grasses; do not saturate.

To STOP spraying, turn green valve to "OFF". Rotate small product control valve back to CLOSED. Turn off water at faucet. Point sprayer away from desirable plants. To relieve pressure, turn water control valve to ON before removing nozzle from hose.

[Illustrations of sprayer ON/OFF and OPEN/CLOSED features]

[For Alternate Sprayer Equipment]

HOW TO APPLY

FOR USE WITH: ORTHO Weed Killer Sprayer and ORTHO SPRAY-ETTE® hose-end sprayers or tank-type sprayers, refer to table below for recommended dilutions and follow directions for the sprayer selected.

DILUTION TABLE

<u>Area</u>	<u>Water to Use</u>	<u>Amount of WEED-B-GON READY-SPRAY Lawn Weed Killer to Use</u>
200 sq ft	1 gal	2 Tbs
600 sq ft	3 gal	4 fl oz
1,200 sq ft	6 gal	8 fl oz (1 cup)

FOR USE WITH: DIAL 'n SPRAY® Hose-End Sprayer: **Example** — Pour 8 fl oz (1 cup) of product **undiluted** directly into the jar (do **not** add water). Set dial on top of sprayer at 1½ oz and spray to just wet the foliage over a 1,200 sq ft lawn area, (30' x 40'), using all the product in the jar. Wash sprayer through the dial setting used by flushing sprayer with clean, soapy water before storing.

NEWLY SEEDED LAWNS: May be treated after they have been mowed at least three times.

HARDY WEEDS

For hardy weeds such as Clover, Ground Ivy, Oxalis, Sheep Sorrel, Dock, Thistles, and Morningglory in lawns, repeat application in two to three weeks if necessary. The maximum number of broadcast applications (entire lawn) is 2 per year.

IMPORTANT: Do not use this product for controlling weeds in flower or vegetable beds or around shrubs or ornamental plantings. Do not reseed for three to four weeks after use. Avoid spray contact or drift to susceptible plants as this may injure flowers, shrubs, garden vegetables, fruit trees, and other crops.

KILLS: Annuals, Biennials, and Perennials Weeds

Black Medic, Burdock (Common), Canada Thistle, Carpetweed, Chickweed (Common and Mouseear), Clover (Annual and Perennial), Creeping Beggar Weed, Curly Dock, Dandelion, Dichondra, Fennel, Fleabane, Florida Pusley, Geranium (wild), Ground Ivy, Hawkweed, Henbit, Knotweed, Lambsquarters, Lawn Pennywort, Lippia, Mallow, Morningglory, Oxalis, Pigweed, Plantain (Buckhorn and Common), Purslane, Ragweed, Sheep Sorrel, Shepherdspurse, Smartweed, Sowthistle, Speedwell, Spurge, Thistles, Wild Carrot, Wild Garlic, Wild Onion, Yarrow.

(OPTIONAL LANGUAGE)

[For Best Results

MEASURE:

To treat entire lawn (broadcast application): Use a tank or hose-end sprayer. Measure lawn. Calculate square feet by multiplying length times width. Spray evenly over measured area.

To spot treat individual weeds in lawns: Use a tank sprayer.

MOW:

Do not mow for 1 week before treating.

WATER:

If soil is dry, water 1 to 2 days before application.

Do not water for 48 hours after application.

WHEN TO APPLY:

Spray when air is calm to avoid spray drift that might injure desirable ornamental plants. Do not apply when temperatures are expected to exceed 85°F within 24 hours following application.]

To refill Weed-B-Gon Weed Killer Pull-N-Spray: Add entire contents of this container to the 1.33 Gal. [5 L] Weed-B-Gon Weed Killer Pull-N-Spray container. Add 160 fluid ounces of clean water (5 quarts). Reattach cap. Use according to label directions on the Weed-B-Gon Weed Killer Pull-N-Spray container.

STORAGE AND DISPOSAL

STORAGE: Keep product in original container. Do not put concentrate or dilute into

7/7

food or drink containers. Avoid contamination of feed and foodstuffs. Do not store near feed, foodstuffs, fertilizers, seeds, insecticides, or fungicides. Store in a cool, dry place, preferably in a locked storage area. Do not store diluted spray.

DISPOSAL: Empty or partially filled container may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

WARNING: Causes substantial but temporary eye injury. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin, or on clothing.

APPLYING: When using this product wear long-sleeved shirt, long pants, socks, shoes rubber gloves and eye protection. After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower.

[Child/Pet icon]Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried.

FIRST AID: IF IN EYES: Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention. IF SWALLOWED: Call a doctor or get medical attention. Do not induce vomiting. Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. IF ON SKIN: Wash with plenty of soap and water. Get medical attention. **Note to Physicians:** Emergency Information call 1-800-225-2883.

ENVIRONMENTAL HAZARDS: This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

NOTICE: Buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

The ORTHO Group

P.O. Box 1749

Columbus, OH 43216

EPA Reg. No. 239-2581

EPA Est. 239-IA-3

Made in USA