

PM 25

239-2587

Page 196

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 05-31-98



United States  
Environmental Protection Agency  
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input type="checkbox"/>	Other

OPP Identifier Number  
244476

Application for Pesticide - Section I

1. Company/Product Number 239-2587	2. EPA Product Manager R. Taylor	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) BRUSH-B-GON Poison Ivy & Poison OAK KILLER	PM# 25	
5. Name and Address of Applicant (Include ZIP Code) The SOLARIS Group of Monsanto Company P. O. Box 5006 San Ramon, CA 94583-0906 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

NOTIFICATION  
To add reorder the weeds listed on the front panel statement.

NOTIFICATION  
SEP 24 1996

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
				<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
* Certification must be submitted	If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt	Other (Specify) _____	
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Katherine A. Buteau	Title Registration Specialist	Telephone No. (Include Area Code) (510) 238-3333
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature <i>Katherine A. Buteau</i>	3. Title Registration Specialist	
4. Typed Name Katherine A. Buteau	5. Date August 30, 1996	

296

**ORTHO® BRUSH-B-GON® Poison Ivy & Poison Oak Killer**

[ABN: Brush-B-Gon® Poison Ivy, Poison Oak & Brush Killer 2] [10/10/94] [Icon: Outdoor Use Only] [6/13/95] [water based (water droplet icon)]

Kills Woody Plants, Weeds, Vines and Brambles-Roots and All.

Kills Poison Ivy, Poison Oak, Blackberries, Kudzu, Willows and Other Listed Woody Plants

Kills Weeds - Dandelion, Knotweed, Plantains, Oxalis, Spurge, Thistles, Wild Morningglory, and Other Listed Weeds

[8/30/96] [Also Kills Kudzu, Blackberries, Vines, Willows, and other Woody Plants, Roots and All]

Poison Oak ————— Poison Ivy

Ready-to-Use, No Mixing.

Active Ingredient	By-Wt.
* Triclopyr (3,5,6-trichloro-2-pyridinyloxy-acetic acid) as the triethylamine salt .....	0.70%
Inert Ingredients .....	99.30%
*Equivalent to 0.50% acid	

KEEP OUT OF REACH OF CHILDREN


CAUTION

See side [10/10/94] back panel booklet for additional precautionary statements.

For home use only

NET CONTENTS 24 FL OZ ( 1 PT 8 FL OZ ) / 709 mL

**NOTIFICATION**  
SEP 24 1996



10/10/94] THE FOLLOWING COPY IS FOR FIX-A-FORM BOOKLET TYPE LABELS WHICH CONSUMERS CAN OPEN, READ AND RESEAL EASILY AT RETAIL AS WELL AS AT TIME OF USE!

Kills Woody Plants, Weeds, Vines and Brambles around homes, cabins, fences and non-garden areas. Ready-to-Use. No Mixing. Kills Poison Ivy, Poison Oak, Blackberries, Kudzu, Willows and Other Listed Plants.

Do not use around edible feed or food crops. (Information moved to improve consumer understanding of product at time of purchase)

Peel open for use directions and further information

CAUTION: Harmful if swallowed. Avoid contact with eyes. Avoid breathing spray mist. SEE ADDITIONAL PRECAUTIONARY STATEMENTS AND DIRECTIONS INSIDE BOOKLET

PULL HERE TO OPEN LABEL PRESS TO RESEAL

Medical Information call 1-800-454-2333  
Product Information call 1-800-225-2883

Manufactured for  
The SOLARIS Group of  
Monsanto Company  
P.O. Box 5008  
San Ramon, CA 94583-0808  
Product 5609  
Form RS682-A  
EPA Reg. No. 239-2587  
EPA Est. 239-PA-3-58996-MO-1  
Superscript is first letter of lot number  
Made in USA



DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

FORMULATED for "spot" application to kill unwanted vegetation, vines, brambles and weeds in areas around homes, cabins, buildings, fences, trails, and in non-garden areas. Do not use on or around edible feed or food crops.

Kills Woody Plants, Weeds, Vines and Brambles  
~~Woody Plants, Vines and Brambles~~

- |                      |                     |                     |
|----------------------|---------------------|---------------------|
| Arkansas Rose        | Honeysuckle         | Scouler Willow*     |
| Big Leaf Maple*      | Kudzu               | SweetGum*           |
| Black Willow*        | Mackenzie Willow    | Trailing Blackberry |
| Black Cottonwood*    | Maple*              | Trumpet Creeper     |
| Box Elder            | Mesquite*           | Virginia Creeper    |
| California Rose      | Mimosa*             | Wild Blackberry     |
| Choke Cherry*        | Narrow Leaf Willow* | Wild Rose           |
| Common Ragweed       | Oak*                | Wild Grape          |
| Elderberry*          | Persimmon*          | Willow*             |
| Elm*                 | Poison Ivy          |                     |
| Evergreen Blackberry | Poison Oak          |                     |
| Field Horsetail Rush | Raspberry           |                     |
| Giant Ragweed        | Red Alder*          |                     |
| Himalayan Blackberry | Sassafras*          |                     |

\*small volunteer plants or "suckers" only

Kills Weeds (Not in Lawn Areas)

- |                              |                |                     |
|------------------------------|----------------|---------------------|
| Bindweed (Wild Morningglory) | Curly Dock     | Narrowleaf Plantain |
| Broadleaf Plantain           | Dandelion      | Oxalis              |
| Buckhorn Plantain            | English Daisy  | Purple Nutsedge     |
| Buttercup                    | Florida Pusley | Purslane            |
| Canada Thistle               | Ground Ivy     | Spurge              |
| Carpetweed                   | Horsetail Rush | Tansy Ragwort       |
| Chickweed                    | Knotweed       | White Clover        |
| Creeping Woodsorrel          |                | Wild Garlic         |

WHEN TO APPLY: Apply when vegetation is fully leafed out and actively growing. ~~Wilting or other symptoms (i.e. yellowing) will occur in two to six weeks.~~ ~~Information moved to improve information flow~~ For best results, apply to mature leaves. Apply only when air is calm to prevent drift to desirable vegetation. Rainfall within 24 hours may reduce effectiveness of treatment.

HOW TO USE:

24 oz size.

Shake before using. Apply with hand trigger sprayer. Fold back protective hinged tab exposing nozzle and snap in place on sprayer top. (or) Shake before using. Apply with hand trigger sprayer. Adjust sprayer nozzle to allow a coarse spray, or jet stream for spot treatment as needed for applying to leaves and stems of unwanted vegetation.

1/2 & 1 Gal size

Shake before using. Apply with hand trigger sprayer. Adjust hand trigger sprayer nozzle to allow a coarse spray or jet stream for spot treatment as needed for applying to leaves and stems of unwanted vegetation.

Stand close to weed (1 to 2 ft). Aim spray nozzle at weed and away from face. Be careful when applying not to spray surrounding desirable lawn grasses, groundcovers, or nearby plants as they may also be killed. If desirable plants are accidentally sprayed, wash them immediately with water. ~~Wilted or other symptoms (i.e. yellowing) will occur in two to six weeks. (information moved from "When to apply" section)~~

Hard-to-control plants, such as Poison Oak, Poison Ivy, Blackberries, and Honeysuckle may require retreatment the following season if regrowth occurs.

~~IMPORTANT: BRUSH-B-GON Poison Ivy & Poison Oak Killer is non-selective. When treating brushy vines such as Poison Ivy, Poison Oak, Kudzu, etc. growing on or around desirable plants, do not allow spray to contact desirable vegetation or ornamental plants as injury may result. Do not apply when drift may occur.~~

NOTE: For treating mature plants in larger areas, use BRUSH-B-GON Brush Killer- a concentrated product.

**STORAGE AND DISPOSAL**


STORAGE: For storage, reseal by replacing tab closure over spray nozzle. (or) ~~To store,~~ Rotate nozzle to closed position. Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area. Keep from freezing.

1/2 & 1 Gal size

**STORAGE AND DISPOSAL**

STORAGE: Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area. Keep from freezing. IMPORTANT: After each use, rotate nozzle to closed position. Store sprayer nozzle under handle of container above liquid level of contents to prevent leakage and siphoning from nozzle.

DISPOSAL: PRODUCT-Partially filled bottle may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash. CONTAINER-Do not reuse empty bottle. Rinse thoroughly before discarding in trash. ~~Wrap container and put in trash. (Updated per PR notice 3/21)~~



676

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS & DOMESTIC ANIMALS**

**CAUTION:** Harmful if swallowed. Avoid contact with eyes. Avoid breathing spray mist. Wash thoroughly after handling. ~~STATEMENT OF PRACTICAL TREATMENT: 10/10/94 FIRST AID~~ If swallowed, induce vomiting by administering syrup of ipecac or under medical supervision. Call a physician. In case of eye contact, immediately flush eyes with fresh water for 15 minutes. If irritation continues, see a doctor. If inhaled, remove person from exposure area.

**Note to Physicians:** Emergency Information call 1-800-454-2333.

**ENVIRONMENTAL HAZARDS:** Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes

**NOTICE:** Buyer assumes all responsibility for safety and use not in accordance with directions.

Medical Information call 1-800-454-2333  
Product Information call 1-800-225-2883

®Trademark of Monsanto Co.  
©Monsanto Company 1994

Manufactured for  
**The SOLARIS Group of**  
Monsanto Company  
P.O. Box 5008  
San Ramon CA 94583-0808  
Form RS682-A / Product 5609  
EPA Reg. No. 239-2587  
EPA Est. 239-1A-3<sup>1</sup>, 58996-MO-1<sup>^</sup>  
Superscript is first letter of lot number  
Made in USA



PM 25

239-2587

Page 196

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 05-31-98



United States  
Environmental Protection Agency  
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input type="checkbox"/>	Other

OPP Identifier Number  
244476

Application for Pesticide - Section I

1. Company/Product Number 239-2587	2. EPA Product Manager R. Taylor	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) BRUSH-B-GON Poison Ivy & Poison OAK KILLER	PM# 25	
5. Name and Address of Applicant (Include ZIP Code) The SOLARIS Group of Monsanto Company P. O. Box 5006 San Ramon, CA 94583-0906 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

NOTIFICATION  
To add reorder the weeds listed on the front panel statement.

NOTIFICATION  
SEP 24 1996

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt	No. per container
				<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
				<input type="checkbox"/> Other (Specify) _____	
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product		<input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled	<input type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Katherine A. Buteau	Title Registration Specialist	Telephone No. (Include Area Code) (510) 238-3333
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature <i>Katherine A. Buteau</i>	3. Title Registration Specialist	
4. Typed Name Katherine A. Buteau	5. Date August 30, 1996	

296

**ORTHO® BRUSH-B-GON® Poison Ivy & Poison Oak Killer**

[ABN: Brush-B-Gon® Poison Ivy, Poison Oak & Brush Killer 2] [10/10/94] [Icon: Outdoor Use Only] [6/13/95] [water based (water droplet icon)]

Kills Woody Plants, Weeds, Vines and Brambles-Roots and All.

Kills Poison Ivy, Poison Oak, Blackberries, Kudzu, Willows and Other Listed Woody Plants

Kills Weeds - Dandelion, Knotweed, Plantains, Oxalis, Spurge, Thistles, Wild Morningglory, and Other Listed Weeds

[8/30/96] [Also Kills Kudzu, Blackberries, Vines, Willows, and other Woody Plants, Roots and All]

Poison Oak ————— Poison Ivy

Ready-to-Use, No Mixing.

Active Ingredient	By-Wt.
* Triclopyr (3,5,6-trichloro-2-pyridinyloxy-acetic acid) as the triethylamine salt .....	0.70%
Inert Ingredients .....	99.30%
*Equivalent to 0.50% acid	

KEEP OUT OF REACH OF CHILDREN


CAUTION

See side [10/10/94] back panel booklet for additional precautionary statements.

For home use only

NET CONTENTS 24 FL OZ ( 1 PT 8 FL OZ ) / 709 mL

**NOTIFICATION**  
SEP 24 1996



10/10/94] THE FOLLOWING COPY IS FOR FIX-A-FORM BOOKLET TYPE LABELS WHICH CONSUMERS CAN OPEN, READ AND RESEAL EASILY AT RETAIL AS WELL AS AT TIME OF USE!

Kills Woody Plants, Weeds, Vines and Brambles around homes, cabins, fences and non-garden areas. Ready-to-Use. No Mixing. Kills Poison Ivy, Poison Oak, Blackberries, Kudzu, Willows and Other Listed Plants.

Do not use around edible feed or food crops. (Information moved to improve consumer understanding of product at time of purchase)

Peel open for use directions and further information

CAUTION: Harmful if swallowed. Avoid contact with eyes. Avoid breathing spray mist. SEE ADDITIONAL PRECAUTIONARY STATEMENTS AND DIRECTIONS INSIDE BOOKLET

PULL HERE TO OPEN LABEL PRESS TO RESEAL

Medical Information call 1-800-454-2333  
Product Information call 1-800-225-2883

Manufactured for  
The SOLARIS Group of  
Monsanto Company  
P.O. Box 5008  
San Ramon, CA 94583-0808  
Product 5609  
Form RS682-A  
EPA Reg. No. 239-2587  
EPA Est. 239-1A-3, 58996 MO-1  
Superscript is first letter of lot number  
Made in USA



DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

FORMULATED for "spot" application to kill unwanted vegetation, vines, brambles and weeds in areas around homes, cabins, buildings, fences, trails, and in non-garden areas. Do not use on or around edible feed or food crops.

Kills Woody Plants, Weeds, Vines and Brambles  
~~Woody Plants, Vines and Brambles~~

- |                      |                     |                     |
|----------------------|---------------------|---------------------|
| Arkansas Rose        | Honeysuckle         | Scouler Willow*     |
| Big Leaf Maple*      | Kudzu               | SweetGum*           |
| Black Willow*        | Mackenzie Willow    | Trailing Blackberry |
| Black Cottonwood*    | Maple*              | Trumpet Creeper     |
| Box Elder            | Mesquite*           | Virginia Creeper    |
| California Rose      | Mimosa*             | Wild Blackberry     |
| Choke Cherry*        | Narrow Leaf Willow* | Wild Rose           |
| Common Ragweed       | Oak*                | Wild Grape          |
| Elderberry*          | Persimmon*          | Willow*             |
| Elm*                 | Poison Ivy          |                     |
| Evergreen Blackberry | Poison Oak          |                     |
| Field Horsetail Rush | Raspberry           |                     |
| Giant Ragweed        | Red Alder*          |                     |
| Himalayan Blackberry | Sassafras*          |                     |

\*small volunteer plants or "suckers" only

Kills Weeds (Not in Lawn Areas)

- |                              |                |                     |
|------------------------------|----------------|---------------------|
| Bindweed (Wild Morningglory) | Curly Dock     | Narrowleaf Plantain |
| Broadleaf Plantain           | Dandelion      | Oxalis              |
| Buckhorn Plantain            | English Daisy  | Purple Nutsedge     |
| Buttercup                    | Florida Pusley | Purslane            |
| Canada Thistle               | Ground Ivy     | Spurge              |
| Carpetweed                   | Horsetail Rush | Tansy Ragwort       |
| Chickweed                    | Knotweed       | White Clover        |
| Creeping Woodsorrel          |                | Wild Garlic         |

WHEN TO APPLY: Apply when vegetation is fully leafed out and actively growing. ~~Wilting or other symptoms (i.e. yellowing) will occur in two to six weeks.~~ ~~Information moved to improve information flow~~ For best results, apply to mature leaves. Apply only when air is calm to prevent drift to desirable vegetation. Rainfall within 24 hours may reduce effectiveness of treatment.

HOW TO USE:

24 oz size.

Shake before using. Apply with hand trigger sprayer. Fold back protective hinged tab exposing nozzle and snap in place on sprayer top. (or) Shake before using. Apply with hand trigger sprayer. Adjust sprayer nozzle to allow a coarse spray, or jet stream for spot treatment as needed for applying to leaves and stems of unwanted vegetation.

1/2 & 1 Gal size

Shake before using. Apply with hand trigger sprayer. Adjust hand trigger sprayer nozzle to allow a coarse spray or jet stream for spot treatment as needed for applying to leaves and stems of unwanted vegetation.

Stand close to weed (1 to 2 ft). Aim spray nozzle at weed and away from face. Be careful when applying not to spray surrounding desirable lawn grasses, groundcovers, or nearby plants as they may also be killed. If desirable plants are accidentally sprayed, wash them immediately with water. ~~10/10/94 Wilted or other symptoms (i.e. yellowing) will occur in two to six weeks. (information moved from "When to apply" section)~~

Hard-to-control plants, such as Poison Oak, Poison Ivy, Blackberries, and Honeysuckle may require retreatment the following season if regrowth occurs.

~~IMPORTANT: BRUSH-B-GON Poison Ivy & Poison Oak Killer is non-selective. When treating brushy vines such as Poison Ivy, Poison Oak, Kudzu, etc. growing on or around desirable plants, do not allow spray to contact desirable vegetation or ornamental plants as injury may result. Do not apply when drift may occur.~~

NOTE: For treating mature plants in larger areas, use BRUSH-B-GON Brush Killer- a concentrated product.

**STORAGE AND DISPOSAL**


STORAGE: For storage, reseal by replacing tab closure over spray nozzle. (or) ~~To store,~~ Rotate nozzle to closed position. Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area. Keep from freezing.

1/2 & 1 Gal size

**STORAGE AND DISPOSAL**

STORAGE: Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area. Keep from freezing. IMPORTANT: After each use, rotate nozzle to closed position. Store sprayer nozzle under handle of container above liquid level of contents to prevent leakage and siphoning from nozzle.

DISPOSAL: PRODUCT-Partially filled bottle may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash. CONTAINER-Do not reuse empty bottle. Rinse thoroughly before discarding in trash. ~~10/10/94 Wrap container and put in trash. (Updated per PR notice 8/31)~~



676

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS & DOMESTIC ANIMALS**

**CAUTION:** Harmful if swallowed. Avoid contact with eyes. Avoid breathing spray mist. Wash thoroughly after handling. ~~STATEMENT OF PRACTICAL TREATMENT: 10/10/94 FIRST AID~~ If swallowed, induce vomiting by administering syrup of ipecac or under medical supervision. Call a physician. In case of eye contact, immediately flush eyes with fresh water for 15 minutes. If irritation continues, see a doctor. If inhaled, remove person from exposure area.

**Note to Physicians:** Emergency Information call 1-800-454-2333.

**ENVIRONMENTAL HAZARDS:** Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes

**NOTICE:** Buyer assumes all responsibility for safety and use not in accordance with directions.

Medical Information call 1-800-454-2333  
Product Information call 1-800-225-2883

©Trademark of Monsanto Co.  
©Monsanto Company 1994

Manufactured for  
**The SOLARIS Group of**  
Monsanto Company  
P.O. Box 5008  
San Ramon CA 94583-0808  
Form RS682-A / Product 5609  
EPA Reg. No. 239-2587  
EPA Est. 239-1A-3<sup>1</sup>, 58996-MO-1<sup>^</sup>  
Superscript is first letter of lot number  
Made in USA

