

239-2594

04-09-1999

16 B 11-3

14

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0080. Approval expires 2-28-95

	United States Environmental Protection Agency Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number 264502
	Application for Pesticide - Section I		

1. Company/Product Number 239-2594	2. EPA Product Manager <i>Tina Levine</i> TINA LEVINE PM# 04	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) ORTHENEX Insect & Disease Control Formula III		
5. Name and Address of Applicant (Include ZIP Code) The SOLARIS Group of Monsanto P. O. Box 5006 San Ramon, CA 94583-0906 <input type="checkbox"/> Check if this is a new address		6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____	NOTIFICATION APR 9 1999
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.	
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.	

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Submit two copies of finished labeling for ABN: RosePride® ORTHENEX® Insect & Disease Control, Form 0-265-01. This label captures the Notification of October 12, 1998.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____		
<i>Certification must be submitted</i>		If "Yes" Unit Packaging wgt. _____ No. per container _____	If "Yes" Package wgt _____ No. per container _____		
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container _____		5. Location of Label Directions <input type="checkbox"/> _____	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled <input type="checkbox"/> Other _____					

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Frank Kamienski	Title Registration Specialist	Telephone No. (Include Area Code) 925/553-3335
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature <i>Frank Kamienski</i>	3. Title Registration Specialist	
4. Typed Name Frank Kamienski	5. Date March 26, 1999	

8/4

ORTHO®

TREATS OVER
100 ROSE BUSHES

RosePride® Orthenex® Insect & Disease Control

CONCENTRATE

SYSTEMIC 3-WAY ACTION
Kills Insects - Aphids, Leafhoppers & More
Stops & Prevents Plant Diseases
Plus Controls Spider Mites

For Use On Roses, Flowers,
Shrubs & Shade Trees

Active Ingredients	
Acephate	4.00%
Triflorne	3.25%
Fenbutatin-oxide*	0.75%
Other Ingredients	92.00%
*Hexakis	



OUTDOOR
USE ONLY

KEEP OUT OF REACH OF CHILDREN
DANGER See back panel booklet for additional
precautionary statements.
NET 16 FL OZ (1 PT) 473 mL



9-295-00

ORTHO

RosePride®

Orthenex® Insect & Disease Control

Easy to apply with an Ortho Chlor Spray® pump and or back sprayer.

Product Facts

Treats over 100 rose bushes.

KILLS INSECTS & MITES Aphids, leafhoppers, leafminers, flower thrips, leafhoppers, aphids, spider mites and two-spotted spider mite

STOPS & PREVENTS DISEASES Black spot, powdery mildew and rust

USE ON Roses, flowers, shrubs and shade trees
For use on non-edible plants only

APPLY 1.6 oz (2 Tbs) per gallon of water

For more information or medical information call 1-800-368-3688 www.ortho.com

Specially formulated for residential use.

Manufactured by
The Ortho Group of
Monsanto Company
P.O. Box 6000
San Ramon, CA 94583-0000
Form 9-200-01
EPA Reg. No. 250-2294
EPA Est. 250-01-1, 25000-000-14
Superscript is first letter of lot number
Made in USA



0 71549 03551 AB 6

NOTIFICATION

APR 9 1999

PRESS TO RECALL

3/4

ORTHO®

RosePride®
Orthenex® Insect & Disease Control
CONCENTRATE

TREATS OVER 100 ROSE BUSHES

OUTDOOR USE ONLY

SYSTEMIC 3-WAY ACTION
 Kills Insects - Aphids, Leafhoppers & More
 Stops & Prevents Plant Diseases
 Plus Controls Spider Mites

For Use On Roses, Flowers, Shrubs & Shade Trees

Active Ingredients
 Acephate 4.00%
 Triflorine 3.25%
 Fenbutatin-oxide* 0.75%
 Other Ingredients 92.00%
 *Hexakis

KEEP OUT OF REACH OF CHILDREN
DANGER See back panel booklet for additional precautionary statements.
 NET 16 FL OZ (1 PT) 473 mL

ITF CODE IS 928501

Front

Page 1

ORTHO® *RosePride®*
Orthenex® Insect & Disease Control

Easy to apply with an Ortho Dial 'n Spray®, hose-end or tank sprayer.

Product Facts
 Treats over 100 rose bushes.

KILLS INSECTS & MITES	Aphids, budworms, leafminers, flower thrips, lacebugs, leafhoppers, spittlebugs, fuchsia mite and two-spotted spider mite
STOPS & PREVENTS DISEASES	Black spot, powdery mildew and rust
WHERE TO USE	Roses, flowers, shrubs and shade trees For use on non-edible plants only
AMOUNT TO USE	1 fl oz (2 Tbs) per gallon of water

Questions, Comments or Medical Information call 1-800-225-2893 www.ortho.com

Specialty formulated for residential use.

Manufactured for **SOLARIS®**
 The SOLARIS Group of
 Monsanto Company
 P.O. Box 5008
 San Ramon CA 94583-0808
 Form 0-285-01
 EPA Reg. No. 239-2594
 EPA Est. 239-A-3 58998-MD-1A
 Superscript is first letter of lot number
 Made in USA

ITF CODE IS 026501

71549 03551 8 AB

DIRECTIONS FOR USE
 It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
 Skin contact with this pesticide may be hazardous; wear chemical resistant gloves when mixing or applying this product. Shake well before using.

MIXING INSTRUCTIONS

Amount to Use: 1 fl oz (2 Tbs) per gallon of water

When using Ortho Dial 'n Spray®:

- Set dial to 1 oz.
- Pour product into sprayer to fill jar one-quarter to one-half full. **DO NOT** add water.
- After spraying, unused product can be poured back into its original container.

1 Tablespoon (Tbs) = 3 teaspoons (tsp) 1 fl oz = 2 Tbs

PLANTS
 Roses, flowers, shrubs and shade trees
 For use on non-edible plants only

INSECTS & MITES CONTROLLED
 Aphids, flower thrips, lacebugs, leafhoppers, budworms, leafminers, spittlebugs, fuchsia mite and two-spotted spider mite

DISEASES STOPPED & PREVENTED
Black spot on roses
Powdery mildew on calendulas, crapemyrtle, dahlia, euonymus, Jerusalem thorn, lilac, phlox, photinia, roses, snapdragon and zinnia
Rust on asters, carnations and roses

10/16/98
 CATXFL
 H1 NY

4/4

HOW IT WORKS

Ortho® RosaPride® Orthenex® is absorbed by leaves for lasting systemic insect and disease protection that won't wash off with rain or watering.

Orthenex quickly kills sprayed insects and mites and continues controlling insects which feed on treated plants.

Although, no fungicide can clear up diseased areas already on plants, Orthenex with its systemic formula will stop major plant diseases and protect unaffected areas and new growth when used as directed.


Thank you for choosing Ortho. You'll like the results and so will your plants.

HOW TO APPLY

- Use a tank, Ortho Dial 'n Spray or other hose-end sprayer.
- Spray thoroughly to cover all plant surfaces (upper and lower leaf surfaces, flowers, stems and branches) including new growth.

WHEN TO APPLY

- Spray when first sign of insects, mites or disease appears.
- For **hard to control pests** such as two-spotted spider mite: it may be necessary to spray 2 to 3 times, waiting 7 to 10 days between each application.
- For **diseases**: Apply every 7 to 10 days if disease conditions persist.



 People and pets may enter treated area after spray has dried.

STORAGE AND DISPOSAL

STORAGE: Store away from heat or open flame. Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area. Do not store below 25°F. Do not store diluted spray.

DISPOSAL: PRODUCT - Partially filled bottle may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash.

CONTAINER - Do not reuse empty bottle. Rinse thoroughly before discarding in trash.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

DANGER: Causes irreversible eye damage and skin irritation. May be harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Wear goggles. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

FIRST AID: IF IN EYES: Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. See a physician immediately. **IF ON SKIN:** Wash with plenty of water. Get medical attention. **IF SWALLOWED:** Do not induce vomiting. Call a physician or Poison Control Center. Drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available drink large quantities of water. Avoid alcohol.

(continued)

PRECAUTIONARY STATEMENTS (continued)

When handling this product, wear chemical resistant gloves, long pants, and long-sleeved shirt. When using outdoors, spray with the wind to your back and do not use when wind speeds are 10 mph or more. Wash the outside of the gloves with soap and water before removing. **Note to Physicians:** Probable mucosal damage may contraindicate the use of gastric lavage. Emergency Information call 1-800-225-2883.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to birds, mammals, fish and aquatic invertebrates. Do not apply directly to water. Drift and runoff may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwater or rinsate. Cover or soil-incorporate spills. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting treatment area.

PHYSICAL OR CHEMICAL HAZARDS: Do not use or store near heat or open flame.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

 Questions, Comments or Medical Information call 1-800-225-2883 www.ortho.com

©Monsanto Company 1998
Manufactured for The SOLARIS Group of Monsanto Company
P.O. Box 5008 San Ramon CA 94583-0808
Form 0-265-01
EPA Reg. No. 239-2594 EPA Est. 239-1A-31, 58996-MO-1*
Superscript a first letter of lot number Made in USA

PRESS TO RESEAL