

239-2594

05-14-2004

5755466 17



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

MAY 14 2004

Mr. Charles T. Levey
Manager, Federal Registrations
The Scotts Company d/b/a The Ortho Group
14111 Scottslawn Rd.
Marysville, OH 43041

Subject: Updated First Aid and Disposal Statements
Orthenex Insect & Disease Control Formula III
EPA Reg. No. 239-2594
Isotox Insect Killer Formula
EPA Reg. No. 239-2595
Your Applications of February 11, 2004

Dear Mr. Levey:

The labeling amendments for the products referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, As Amended (FIFRA), are acceptable, provided that you submit two copies of the label as instructed below for each product.

EPA Reg. No. 239-2594

Submit two copies of your final printed label for this product before you release the product for shipment.

EPA Reg. No. 239-2595

Submit two copies of your final printed label for this product incorporating the following correction before you release the product for shipment.

As specified in item 5 of our letter dated December 31, 2003 for the product, the statement identifying the pesticide products contained in this product is not accurate. An acceptable statement would be as cited below.

Contains the active ingredients, acephate, a systemic insecticide; triforine, a systemic fungicide; and fenbutatin, a miticide.

If this condition is not complied with, the registrations will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the products bearing the amended label constitutes acceptance of this condition.

A stamped copy of the label for each product is enclosed for your records.

You are reminded at this time that additional label corrections may be needed pending review and evaluation of the required responses to the acephate Interim Reregistration Eligibility Decision and accompanying Data Call-In as well as any such responses to reassessment decisions that may be issued for the other active ingredients present in the subject products, fenbutatin-oxide and triforine.

Sincerely,



Marilyn A. Mautz
Biologist
Insecticide-Rodenticide Branch
Registration Division (7504C)

ORTHO® ORTHENEX® Insect & Disease Control Formula III, EPA Reg. No. 239-2594


/CON/OUTDOOR USE ONLY

Treats Over 100 Rose Bushes
 Makes 16 Gallons Diluted Spray
 For Roses, Flowers & Ornamentals
 Kills Insects - Aphids, Mites, Leafhopper, Leafminers & Other Listed Insects
 Kills Insect - Aphids, Leafhoppers & more
 Prevents & Controls Diseases - Black Spot, Rust, Powdery Mildew
 Roses, Flowers & Ornamentals
 Aphids, Mites, Thrips
 Powdery Mildew, Rust, Black Spot
 Controls Black Spot, Rust, Powdery Mildew. Controls Aphids, Mites, Thrips & Other
 Listed Insects. On Roses, Flowers and Ornamentals.
 Systemic 3-Way Action
 Stops & prevents plant diseases
 For use on roses, flowers, shrubs & shade trees

Active Ingredients

Acephate	4.00%
Triforine	3.25%
Fenbutatin-oxide*	0.75%
Other Ingredients.....	92.00%


*Hexakis



**KEEP OUT OF REACH OF CHILDREN
DANGER**

See side panel [back panel booklet] for additional precautionary statements.

NET 16 floz (1 pt) 473ml



RosePride ORTHENEX® controls many of the insects, mites and diseases that attack roses, flowers and ornamentals. Systemic action enables part of the insecticide and fungicide to be absorbed internally through leaf and stem surfaces to provide effective protection. Do not apply to plants to be used for food or feed

OPEN

Resealable Label

for Directions & Precautions

PRESS TO RESEAL [Place on booklet cover or base of label, depending on space.]

[DNS illustration] Easy to apply with an Ortho Dial 'n Spray®, hose-end or tank sprayer.

Product Facts	
Treats over 100 rose bushes.	
KILLS	Aphids, budworms, leafminers, flower thrips, lacebugs
INSECTS & MITES	leafhoppers, spittlebugs, fuchsia mite and two-spotted spider mite
STOPS & PREVENTS DISEASES	Black spot, powdery mildew and rust
WHERE TO USE	Roses, flowers, shrubs and shade trees For use on non-edible plants only
AMOUNT TO USE	1 fl oz (2 Tbs) per gallon of water
[phone icon]	Questions, Comments or Medical Information call 1-800-225-2883 www.ortho.com

For outdoor residential use only.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Skin contact with this pesticide may be hazardous; wear chemical resistant gloves when mixing or applying this product. Shake well before using.

MIXING INSTRUCTIONS

Amount to Use: 1 fl oz (2 Tbs) per gallon of water
 [DNS illustration] When using Ortho Dial 'n Spray®:

1. Set dial to 1 oz.
2. Pour product into sprayer to fill jar one-quarter to one-half full. **DO NOT** add water.
3. After spraying, unused product must be poured back into its original container.

1 Tablespoon (Tbs) = 3 teaspoons (tsp)
 1 fl oz = 2 Tbs

PLANTS

Roses, flowers, shrubs and shade trees
For use on non-edible plants only

INSECTS & MITES CONTROLLED

Aphids, flower thrips, lacebugs, leafhoppers, budworms, leafminers, spittlebugs, fuchsia mite and two-spotted spider mite

DISEASES STOPPED & PREVENTED

Black spot on roses

Powdery mildew on calendulas, crapemyrtle, dahlia, euonymus, Jerusalem thorn, lilac, phlox, photinia, roses, snapdragon and zinnia

Rust on asters, carnations and roses

HOW IT WORKS [Illustration]

Ortho® RosePride® Orthenex® is absorbed by leaves for systemic insect and disease protection that won't wash off with rain or watering.

Orthenex quickly kills sprayed insects and mites and continues controlling insects which feed on treated plants.

Although, no fungicide can clear up diseased areas already on plants, Orthenex with its systemic formula will stop major plant diseases and protect unaffected areas and new growth when used as directed.

Thank you for choosing Ortho. You'll like the results and so will your plants.

HOW TO APPLY

- Use a tank, Ortho Dial 'n Spray or other hose-end sprayer.
- Spray thoroughly to cover all plant surfaces (upper and lower leaf surfaces, flowers, stems and branches) including new growth.

WHEN TO APPLY

- Spray when first sign of insects, mites or disease appears.
- **For hard to control pests** such as two-spotted spider mite: It may be necessary to spray 2 to 3 times, waiting 7 to 10 days between each application.
- **For diseases:** Apply every 7 to 10 days if disease conditions persist.

Skin contact with this pesticide may be hazardous; wear chemical resistant gloves when mixing or applying this product. Shake well before using. Use 2 Tbs (1 fl oz) per gal of water. Spray thoroughly to cover upper and lower leaf surfaces including new growth. May be applied with an ORTHO Hose-End Sprayer, or tank-type sprayer. To apply with the ORTHO DIAL 'n SPRAY® Hose-End Sprayer, pour undiluted product into sprayer jar. Adjust dial to 1 oz setting and spray to wet foliage. After spraying, Pour unused product back into the original container.

FOR INSECT CONTROL-Roses, Flowers and Ornamentals: Aphids, Flower Thrips, Lacebugs, Leafhoppers, Budworms, Leafminers, Spittlebugs, Fuchsia Mite and Twospotted Spider Mite: Spray when insects are present or when feeding injury is first noted. Repeat if reinfestation occurs.

NOTE: Two or three applications at a 7 to 10 day interval may be required to control Twospotted Spider Mite.

FOR DISEASE CONTROL

Roses: Black Spot , Rust, Powdery Mildew.

Rust on Asters and Carnations, Powdery Mildew on Calendulas, Crapemyrtle, Dahlia, Euonymus, Jerusalem Thorn, Lilac, Phlox, Photinia, Snapdragon and Zinnia.

Prevention: Begin spraying when first signs of disease appear. Apply every 7 to 10 days during the spring and fall or whenever weather conditions encourage the spread of disease. NOTE: If disease is already established, follow a 7 day application schedule until control is achieved.

STORAGE AND DISPOSAL

STORAGE: Store away from heat or open flame. Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area. Do not store below 25°F. Do not store diluted spray.

DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

[reentry icon]: Do not allow people or pets to enter treated area until sprays have dried.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

DANGER: Causes irreversible eye damage and skin irritation. May be harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Wear goggles. Wash thoroughly with soap and water after handling. When handling this product, wear chemical resistant gloves, long pants, and long sleeved shirt. When using outdoors, spray with the wind to your back and do not use when wind speeds are 10 mph or more. Wash the outside of the gloves with soap and water before removing. Remove contaminated clothing and wash before reuse.

FIRST AID: If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. If inhaled: Move person to fresh

air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

Emergency Information-call 1-800-225-2883

ENVIRONMENTAL HAZARDS: This pesticide is toxic to birds, mammals, fish and aquatic invertebrates. Do not apply directly to water. Drift and runoff may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwater or rinsate.

Cover or soil-incorporate spills. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting treatment area.

PHYSICAL OR CHEMICAL HAZARDS: Do not use or store near heat or open flame.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

[phone icon] **Questions, Comments or Medical Information**
call 1-800-225-2883 www.ortho.com

Manufactured for:
The ORTHO Group
P.O. Box 190
Marysville, OH 43040
EPA Reg. No. 239-2594
EPA Est. 239-1A-3^l, 58996-MO-1^A
Superscript is first letter of lot number
Made in USA