tese read instructions on	595	06-0			9 13 1- 3	
€PA	Environmenta	eting form. United States al Protection Age hington, DC 20460	ency /	Registrat Amendm Other	ion OPP Identifier Number	
		Application for I	Pesticide - Secti	on I		
. Company/Product Numb	or		2. EPA Product Manager 3.		3. Proposed Classification	
239-2595		•	Tina Levine		None Restricted	
4. Company/Product (Name) ISOTOX Inscet Killer Formula IV			рм# (РМ14)			
5. Name and Address of Applicant <i>(Include ZIP Code)</i> The Scotts Company d/b/a The ORTHO Group P.O.Box 1749 Columbus, Ohio 43216			6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No.			
Check if th	is is a new address		Product Name			
		Sec	tion - II			
Amendment - Expla	in below.	360	Final printed	labels in repsonse	to NOTIFICATION	
Resubmission in response to Agency letter dated			Agency latter dated Me Too" Application.		JUN 5 2001	
••••••••••••••••••••••••••••••••••••••		Sect	tion - III			
Material This Product W			0.1 bl. 0			
hild-Resistant Packaging	Unit Packaging	Water	Water Soluble Packaging		2. Type of Container Metal	
No	No		No	~	Plastic	
1 1 1040				4 1 1		
Certification must	If "Yes" Unit Packaging wgt				Glass Paper Other (Specify)	
Certification must e submitted	Unit Packaging wg 16 fl oz	t. container Packar 1	s" No. per ge wgt container	Location of Labe	Glass Paper Other (Specify)	
Certification must e submitted	Unit Packaging wgt 16 fl oz s Information	t. container 1 4. Size(s) Retail Contai	s" No. per ge wgt container	5. Location of Labe	Glass Paper Other (Specify)	
Certification must e submitted Location of Net Contents	Unit Packaging wg 16 fl oz s Information Container	t. container 1 4. Size(s) Retail Contai 16 f	s" No. per ge wgt container iner E	. Location of Labe	Glass Paper Other (Specify)	
Certification must e submitted Location of Net Contents	Unit Packaging wg 16 fl oz s Information Container	t. container 1 4. Size(s) Retail Contai 16 f Lithograph Paper glued Stenciled	s" No. per ge wgt container l iner E fl oz	5. Location of Labe	Glass Paper Other (Specify)	
Certification must e submitted	Unit Packaging wg 16 fl oz s Information Container s Affixed to Product	t. container 1 4. Size(s) Retail Contai 16 f Lithograph Peper glued Stenciled Sect	s" No. per ge wgt container iner fl oz Other tion - IV		Glass Paper Other (Specify) I Directions	
Certification must be submitted Location of Net Contents Lebel [] Manner in Which Lebel i Contact Point (Complet ame	Unit Packaging wg 16 fl oz s Information Container s Affixed to Product	t. container 1 4. Size(s) Retail Contai 16 f Lithograph Paper glued Stenciled Sect for identification of indivi	s" No. per ge wgt container iner fl oz Other tion - IV	necessary, to pro-	Glass Paper Other (Specify) I Directions	
Certification must submitted Contact of Net Content Label Manner in Which Label i Contact Point (Complet ame Charles T. Levey I certify that the stat	Unit Packaging wg 16 fl oz a Information Container s Affixed to Product a items directly below e items l have made o iny knowlingly false of	t. container 1 4. Size(s) Retail Contai 16 f Lithograph Paper glued Stenciled Sect for identification of indivi	No. per ge wgt container iner fl oz 0ther tion - IV riduel to be contected, if er, Federal Registration	necessary, to pro-	Glass Paper Other (Specify) I Directions Cess this epplication.) Felephone No. (Include Ares Code) (937) 644-7696 B. Date Application Received	
Certification must be submitted Lebel Lebel Lebel Contact Point (Complet) Lame Charles T. Levey f certify that the stat I acknowledge that a	Unit Packaging wg 16 fl oz a Information Container s Affixed to Product a items directly below e items l have made o iny knowlingly false of	t. container 1 4. Size(s) Retail Contai 16 f Lithograph Paper glued Stenciled Sect for identification of indivi- Title Manage Certification n this form and all attach r misleading statement m 3. Title	No. per ge wgt container iner fl oz 0ther tion - IV riduel to be contected, if er, Federal Registration	necessary, to pro-	Glass Paper Other (Specify) 4 Directions cess this application.) Felephone No. (Include Area Code) (937) 644-7696 6. Date Application Received	

CONTROLS INSECTS & MITES

18

NOTIFICATION

ILIN S


200

CONCENTRATE

JRTHO®

Protects entire plant from chewing or sucking insects

KEEP OUT OF REACH OF CHILDREN DANGER See back panel booklet for additional precautionary statements. NET 16 FL OZ (1 PT) 473 mL



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is for outdoor use only by home gardeners. It has not been tested on rare, unusual varieties; therefore, when these plants are present, it is advisable to test on a few plants before spraying large numbers. Do not apply to plants to be used for food or feed. Do not apply to American Elm, Flowering Crabapple, Sugar Maple, Red Maple, Redbud, Begonia or Weigelia as foliage injury may occur.

MIXING INSTRUCTIONS

Aphids & Grasshoppers Amount to Use: 2 Tbs (1 fl oz) per gal of water. Ortho[®] Dial 'n Spray[®] setting: 1 oz.

Japanese Beetles

Amount to Use: 4 Tbs (2 fl oz) per gal of water. Ortho® Dial 'n Spray® setting: 2 oz.

Other Listed Insects

Amount to Use: 3 Tbs (1¹/₂ fl oz) per gal of water. **Ortho**[®] **Dial 'n Spray**[®] setting: 1¹/₂ oz.

When using Ortho® Dial 'n Spray®: Set dial to the setting indicated above. Pour product into sprayer to fill jar one-quarter to one-half full. **DO NOT** add water. After spraying, unused product can be poured back into its original container.

1 Tablespoon (Tbs) = 3 teaspoons (tsp) 1 fl oz = 2 Tbs Clean sprayer after use by flushing with water.

OTHER INSECTS CONTROLLED

Ash Plant Bug, Bagworm, Beet Armyworm, Birch Leafminer, Black Vine Weevil, Budworms, Cabbage Looper, Catalpa Sphinx Moth 418

•

(larvae), Cottonwood Leaf Beetle, Cuban Laurel Thrips, Elm Leaf Beetle, Fall Cankerworm, Fall Webworm, Fuchsia Mite, Gypsy Moth (larvae), Holly Leafminer, Lacebugs, Leafrollers, Leafhoppers, Lilac Leafminer, Maple Shoot Moth (larvae), Mimosa Webworm, Mealybugs, Nantucket Pine Tip Moth (larvae), Oak Webworm, Obscure Root Weevil, Orangestriped Oakworm, Poplar Tentmaker, Psyllids, Saddled Prominent Caterpillar, Sawflies (Dusky Birch, Blackheaded Ash, Redheaded Pine & European Pine), Scales (crawlers), Spittlebugs, Spruce Mite, Stinkbugs, Thrips, Tent Caterpillars, Two-Spotted Spider Mite, Whiteflies, Willow Leaf Beetle

HOW TO APPLY

Spray entire plant covering upper and lower leaf surfaces thoroughly.

WHEN TO APPLY

- Spray when insects are present or when feeding injury is first noticed.
- For hard to kill insects such as Mealybugs, Flower Thrips, Whiteflies, Mites & Scales, spray 2 to 3 times, waiting 7 to 10 days between applications.
- Repeat if reinfestation occurs.

SPECIAL DIRECTIONS

- For Honeysuckle Aphid (Honeysuckle): Spray foliage as leaves begin spring expansion. Spray 3 times, waiting 2 weeks between applications.
- For Obscure Root Weevil (adults): Spray foliage in late spring as soon as feeding is noticed (usually about April). Repeat every 4 weeks through September (mid-July through August are the peak feeding times).
- For Black Vine Weevil: Spray foliage and soil beneath plants.
 Begin applications in mid-June. Spray 4 times, waiting 3 weeks between applications.

<u>.</u> 2

COMBINATION SPRAY WITH FUNGICIDE ON ROSES

May be used together with RosePride[®] Rose & Shrub Disease Control or Ortho[®] Garden Disease Control at the rates recommended on each product label. Apply fungicide on a regular schedule to control disease, and add Systemic Insect Killer only when insect control is desired. Do not apply more than three consecutive applications in combination with any of the above fungicides. 412

Stops plant damage from a wide range of insects including mites. Quickly kills sprayed insects and continues killing insects which contact or feed on treated plants. Sprayed leaves and stems absorb Ortho[®] Systemic Insect Killer providing internal protection that won't wash off with rain or watering.

STORAGE AND DISPOSAL

STORAGE: Store away from heat or open flame. Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area. Do not store diluted spray.

DISPOSAL: PRODUCT – Partially filled bottle may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash.

CONTAINER – Do not reuse empty bottle. Rinse thoroughly before discarding in trash.

PRECAUTIONARY STATEMENTS HAZARDSTOTHUMANS & DOMESTIC ANIMALS

DANCE Recusses inteversible ever damage and skin initiation. May be harmful its wallowed on absorbed through skin Donot get theyes, on skin or on clothing wear googles. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

A CONTROL IIIOW persons of personer menceated area until sprays

His MAD Is the bid event separated in solwith a steady create stream of water to the work sector edical attention. IF SWALLOWED Do not induce officing call approximation Poison Control Center Drink promptly alarge quantity of milk egg writes, gelatin solution, or if these are not available, drink arge quantities of water. Avoid alcohol. When handling this product, wear chemical resistant gloves, long pants, and long-seeved shirt. When using outdoors, spray with the wind to your back and do not use when wind speeds are 10 mph or more. Wash the outside of the gloves with soap and water before removing. **Note to Physicians:** Probable mucosal damage may contraindicate the use of gastric lavage. Emergency Information call 1-800-225-2883.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to birds, mammals, fish and aquatic invertebrates. Do not apply directly to water. Drift and runoff may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwater or rinsate. Cover or soilincorporate spills. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting treatment area. **PHYSICAL OR CHEMICAL HAZARDS:** Flammable. Keep away from heat and open flame.

NOTICE: Buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

The ORTHO Guarantee

If for any reason you are not satisfied with this product, mail us proof of purchase to obtain a full refund of your purchase price.

Questions, Comments or Medical Information call 1-800-225-2883 www.ortho.com

© 2001 The ORTHO Group Manufactured for **The ORTHO Group** P.O. Box 1749 Columbus, OH 43216

Form LB01000U000 EPA Reg. No. 239-2595 EPA Est. 239-IA-3¹, 58996-MO-1^A Superscript is first letter of lot number Made in USA

The Scotts Company

and Subsidiaries



May 22, 2001

Tina Levine U.S. Environmental Protection Agency Office of Pesticide Programs Registration Division, H7505C Ariel Rios Building 1200 Pennsylvania Ave., N.W. Washington, DC 20460

Subject: ISOTOX Insect Killer Formula IV EPA Reg. No. 239-2595

Dear Tina Levine:

We are notifying the agency that we wish to make change to the above registered label. These changes are in compliance with PR Notice 98-10. The following changes have been highlighted to expedite your review:

- Alternate Brand Name
- Update Warranty Statement
- Add Ortho Guarantee

Please call me at 937-644-7696, if you have any questions regarding this submission. Thank you in advance for your cooperation.

Sincerely,

Charles T. Levey (Manager, Federal Registrations The Scotts Company