

KLEENUP® SPOT Weed & Grass Killer

The following text is reserved for the Roundup Garden Foam. Roundup Foam is formulated for spot application to individual weeds. It will kill almost all perennial weeds, grasses and other unwanted plants. Ideal for tough to reach weeds found in flower beds and vegetable gardens. Use to edge along driveways, walkways or fences, around trees and shrubs and other areas in your yard. Roundup kills weeds by stopping the production of a substance found only in plants. Any Roundup not absorbed by the plant breaks down into natural materials. Roundup will not move in or on the soil to untreated plants.

Roundup foam produces a no drift visible stream that foams on contact that lasts for a few minutes allowing you to easily see the treated weeds. Visible effects usually occur within hours and complete kill in 3-7 days.

The spot weeder produces a "foamy" white lather for direct weed contact which avoids drift and marks weeds as treated. The weed killer moves systemically through all parts of the plant. Visible effects usually occur within 1 week on most weeds with complete kill in 2 to 4 weeks.

Used by American Zoo and Aquarium Association member zoos to effectively control weeds. Recommended to zoos everywhere by the American Zoo and Aquarium Association for the control of weeds.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

Kills Annual Weeds and Grasses

- | | | |
|----------------------|-----------------|----------------|
| Cheeseweed | Goosegrass | Purslane |
| Chickweed (common) | Green Foxtail | Sandspur |
| Clover | Hemp Sesbania | Smartweeds |
| Common Lambsquarters | Henbit | Sowthistle |
| Common Ragweed | Ironweed | Spurges |
| Crabgrass | Knotweeds | Velvetleaf |
| Evening Primrose | Oxalis | Wild Geranium* |
| Florida Pustley | Pigweeds | Yellow Oxalis |
| | Prickly Lettuce | |

Kills Biennial and Perennial Weeds and Grasses

- | | | |
|--------------------|---------------------|--------------------|
| Bahiagrass | Dandelion | Quackgrass |
| Bentgrass | Dog Fennel | Sour Dock |
| Bermudagrass | False Dandelion | St. Augustinegrass |
| Bluegrass | Hairy Crabgrass | Tall Fescue |
| Brownseed Paspalum | Johnsongrass | Tansy Ragwort |
| Bull Thistle | Knawel | Torpedograss |
| Canada Thistle | Maiden Cane | Virginia Creepe |
| Centipedegrass | Mouseear Chickweed | Wild Blackberry |
| Coralbead | Nutgrass (Nutsedge) | Wild Carrot |
| Creeping Charlie | Plantains | Wild Morningglory |
| Creeping Lantana | Poison Ivy | Wild Carrot |
| Curly Dock | Poison Oak | Yarrow |
| Dallisgrass | Purple Cudweed* | |

* Annual or Perennial

Reserved for Roundup Garden Foam
Kills most annual weeds and grasses and tough to control perennial weeds

For specific / or additional weeds controlled by this product call 1-800-225-2893

Gives Complete Kill of Tough Annual and Perennial Grasses and Broadleaf Weeds in Lawns, Flower Beds, Around Trees and Shrubs, in Walks, Driveways, in Gravel or Bark Mulch.

Kleenup Spot Weed & Grass Killer is formulated for "spot " application to individual weeds. The spot weeder produces a "foamy" white lather for direct weed contact which avoids drift and marks weeds as treated. The weed killer moves systemically through all parts of the plant. Visible effects usually occur within 1 week on most weeds with complete kill in 2 to 4 weeks.

DIRECTIONS

Shake can just before using and occasionally during use. Invert can, aim at weed and away from face. hold at arm's length and point can at weed as you press button. Do not press button when can is in upright position. Stand close to weed (1 to 2 feet) with can aimed at weed and away from face. Push down briefly on button. and spray to cover center of weed. Do not overspray. The spray foaming action will make it easy for you to see coverage. One application will kill most weeds listed. If certain tough weeds, i.e., Nutgrass, Bermudagrass, Canada Thistle or Field Bindweed (Wild Morningglory) are not completely controlled within 4 weeks, repeat application.

Reserved for Roundup Garden Foam
Spray when the air is calm. Shake can just before using and occasionally during use. Do not press button when can is upright. Turn can upside down, aim at weed and away from face. Stand close to weed (1 to 2 feet) . Push down tab, spraying to cover center of weed. The spray foams on contact marking treated weeds. One application will kill most weeds. Reapply if it rains within 6 hours of application.


This product is a non-selective weed killer and will kill all vegetation contacted. Treated areas in lawns can be reseeded 7 days after application. ~~Do not apply when rainfall is expected within 24 hours of application as weed control will be reduced.~~

IMPORTANT: This product is a non-selective weed killer and will kill all vegetation contacted. Be careful when treating weeds not to spray surrounding desirable grasses or they will be killed. Avoid spraying or spattering nearby desirable plants. Do not apply when rainfall is expected within 24 hours of application as weed control will be reduced. If spray drift accidentally contacts desirable foliage, wash off immediately with water.

Alternative Directions for an upright can
Spray when the air is calm. Shake can just before using and occasionally during use. Tear off tab. Hold can at arm's length while standing close to weed (1 to 2 feet). Aim can at weed and away from face. Squeeze the trigger, spraying to cover center of weed. The "no-drift" stream foams on contact marking treated weeds. One application will kill most weeds. Reapply, if it rains within 6 hours after application.

IMPORTANT: Roundup is an all purpose weed and grass killer which will kill almost all plants contacted. If necessary, use cardboard or plastic to shield desirable plants. If spray drift accidentally contacts desirable foliage, wash off immediately with water.

Treated lawn areas can be reseeded in 7 days. Ornamentals can be replanted the next day.



9/4

STORAGE AND DISPOSAL

STORAGE: Store in a secure, preferably locked storage area away from heat or open flame.

Recycle Al
or steel icon

DISPOSAL: Unused product may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash. **CONTAINER** -- Replace cap and discard in trash. Do not incinerate or puncture.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Federal regulations prohibit CFC propellants in aerosols

You can recycle this container in an increasing number of communities

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Avoid contact with eyes.

First Aid Statement of Practical Treatment: In case of contact, immediately flush eyes with fresh water for 15 minutes. See a doctor if irritation persists. **Note to Physicians:** Emergency Information -- call (800) 454-2333.

[Child / Pet icon] Keep children and pets away from treated area until spray has thoroughly dried. Avoid contamination of food. Do not contaminate water supplies.

ENVIRONMENTAL HAZARDS: Do not apply directly to water.

PHYSICAL OR CHEMICAL HAZARDS: ~~Extremely Flammable.~~ Contents under pressure. Keep away from fire, sparks, and heated surfaces. Exposure to temperatures above 130° F may cause bursting.

This product is protected by U.S. Patent No. 4,405,531. Other patents pending. No license granted under any non-U.S. patent(s).

REFORMULATION OR REPACKAGING FOR SALE IS PROHIBITED

©Trademark of Monsanto Company

©Monsanto Company 1994

SOLARIS
etc icon

Manufactured for
The SOLARIS Group of
Monsanto Company
P.O. Box 5006
San Ramon CA 94583-0906
Form 7-875-01 / Product 1000-82
EPA Reg. No. 239-2596
EPA Est. 58996-MO-1^A
Superscript is first letter of lot number
Made in USA

