pingo

239-2620

(ICONJOUTDOOR USE ONLY

ORTHO[®]

GRASS-B-GON® Grass Killer Formula II

)

Kills:Bermudagrass, Annual Bluegrass, Crabgrass, Barnyardgrass, Foxtails, Bentgrass, Quackgrass, Johnsongrass, Sandbur, and many other annual and perennial grassy weeds.

For use in and around Ornamentals, Ground Covers, Evergreens, Shrubs, Shade Trees, and non-bearing Tree Crops and Vines.

Guaranteed to kill weedy grasses, Roots and Tops, without injuring ornamental plants when used as directed.

Kills weedy grasses without injuring ornamental plants when used as directed.

- Ready-to-Use. No mixing Water Based {Icon of water drop}

Active Ingredient

Fluazifop-P-butyl: Butyl(R)-2-[4-[[5-trifluoromethyl-2-pyridinyl]oxy]-	
phenoxy]propanoate0.48%	>
Inert Ingredients	%

KEEP OUT OF REACH OF CHILDREN CAUTION See back panel booklet for additional precautionary statements

NET CONTENTS 24 FL OZ (1 PT 8 FL OZ) 709 mL

A	C	CE	P	T	El	D
Und	las al.	13 Federa				
	gicide, mende ttered t Reg. N					

ar a server a server as server as a server a ser

1 , , , , , , , , ,

1013

239-2620.epa Form 7-832-03

NEW CONTRACTOR OF THE SECOND SECOND

[The following copy is for fix-a-form booklet type labels which consumers can open, read, and reseal easily at retail as well as at time of use]

GRASS-B-GON^{Φ} is a ready-to-use selective systemic grass killer that can be used to kill existing weedy grasses in and around ground covers, plant beds, landscapes, and individual shrubs and trees. Treatment is rainproof one hour after application.

Peel open for use directions and further information

)

CAUTION: Causes ever initation: Avoid conternation eves of clothing. Harmful if inhaled or absorbed through skin. Avoid breathing spray mist. Avoid contact with eyes and skin. SEE ADDITIONAL PRECAUTIONARY STATEMENTS AND DIRECTIONS INSIDE BOOKLET.

PULL HERE TO OPEN LABEL PRESS TO RESEAL

- Medical Information call 1-800-454-2333
 Product Information call 1-800-225-2883
- Trademark of Monsanto Company
 SOLARIS*
 Monsanto Company 1996

Manufactured for The SOLARIS Group of Monsanto Company P.O. Box 5008 San Ramon CA \$4583-0808 Product 5636 Form 7-832-03 EPA Reg. No 239-2620 EPA Est. 239-IA-3¹, 58996-MO-1^A Superscript is first letter of lot number

Made in USA

ς,

)



239-2620.epa Form 7-832-03

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

3.45

· · · · · ·

e i e se t

3

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

GRASS-B-GON Grass Killer Formula II is a ready-to-use selective systemic grass killer that can be used to kill existing weedy grasses in and around ground covers, plant beds, landscapes, and individual shrubs and trees. Treatment is rain proof one hour after application.

WEEDY GRASSES CONTROLLED:

Controls most annual and hard-to-kill perennial grasses including the examples listed below in one (or two) applications(s). Younger, actively growing seedling weeds are more easily killed than older, mature, well-established grassy weeds.

ANNUALS

Annual Bluegrass	Foxtails			
(Poa annua)	Goosegrass			
Barnyardgrass	Panicum			
Crabgrass	Sandbur			
Downy Brome				
DEDENINIALC				

PERENNIALSBahiagrassJohnsongrassQuackgrassBentgrassKentucky BluegrassSt. AugustinegrassBermudagrassNimblewillTall FescueCentipedegrassOrchardgrassDallisgrassPerennial Ryegrass

Note: This product does not control broadleaf weeds or sedges (nutgrass). Select an appropriate KLEERAWAY* OR WEED-B-GON* product.

WHEN TO APPLY:

)

Apply anytime weeds are actively growing. Warm, sunny weather will accelerate systemic movement from leaves and stems down to the roots to give complete kill. Do not mow or cut off tops of weeds before spraying. Do not apply if rainfall is expected within one hour. Growth of treated grasses stops soon after application. They turn yellow and die within one to four weeks depending on the grass species and weather conditions. Cool weather slows activity.

HOW TO USE:

Hold sprayer close to weed (1 to 2 ft) with spray nozzle aimed at weed and away from face and just wet foliage. Make two applications 7 days apart for tough to control weedy grasses such as established Bermudagrass, Dallisgrass, Quackgrass, St. Augustinegrass, etc. Repeat if necessary. Spray when air is calm to avoid prift to non-labeled plants. If an unlisted plant is accidentally contacted, wish off immediately with water. Unless the ornamental plant is listed in the table under those plants which you can spray over the top, always direct the spray to the weeds to avoid possible injury to the foliage.

239-2620.epa Form 7-832-03

GROUND COVERS, FLOWERS, ORNAMENTALS, SHRUBS, AND SHADE TILES: To kill undesirable weedy grasses growing around the trunk or up through the foliage of the following plants, spray directly on the weeds, avoiding the desirable plant foliage as much as possible. The following plants are generally tolerant (will not be injured) although temporary discoloration of the foliage may occur occasionally on some of the listed plants if contacted by spray. Ground Covers & Flowers 401 -

:

. . . .

 $\ell = \ell - 1 - 1$

4

)

Ajuga	Coleus	Hypericum	Pachysandra
Algerian Ivy	Dichondra	Iris	Periwinkle (Vinca Minor)
Baltic Ivy	English Ivy	Kinnikinnick	Petunia
Cinquefoil	Gazania	Lilyturf	Rose
(Potentilla)	Geranium	Marigold	Zinnia
Low Growing SI	hrubs & Ornamentals		<u>.</u>
Azalea	Euonymus	Pittosporum	Star Jasmine
Barberry	Forsythia	Privet (Ligustrum)	Viburnum
Boxwood	Gardenia	Pyracantha	Yew (Taxus)
Cotoneaster	Juniper*	Rhododendron	
Crape Myrtle	Photinia	Spirea	
* 1 * 1 • • • •		سرية والمحتري مروا المرجري الرور	tanan Dalamat allasso anosoli

*Juniper: Spray weedy grasses around and beneath junipers. Do not allow spray to contact foliage (needles), as browning may occur in some varieties.

Tall Shrubs & Shade Trees

4.4

)

)

Arborvitae	Crape Myrtle	Hemlock	Oak	Redbud
Ash	Dogwood	Holly	Peach (flowering)	Spruce
Beech	Douglas Fir	Horsechestnut	Pear (flowering)	Sweet Gum
Birch	Elm	Magnolia	Pine	Tulip Tree
Cherry (flowering) Eucalyptus	Maple	Plum (flowering)	Willow
Crab Apple	Fir	Mountain Ash	Quince (flowering)	

NON-BEARING TREE CROPS AND VINES: (Plants that will not bear edible fruit for one year.) Direct spray around the base but away from foliage of desirable plants to contact weedy grasses. Should accidental contact be made to foliage, immediately wash off with water.

		• •	
Almonds	Figs	Mangoes	Pistachios
Apples	Filberts	Nectarines	Plums
Apricots	Grapes	Olives	Pomegranates
Avocados	Grapefruit	Oranges	Prunes
Berries	Lemons	Peaches	Tangelos
Cherries	Limes	Pears	Tangerines
Dates	Macadamia	Pecans	Walnuts

STORAGE AND DISPOSAL

STORAGE: Keep from freezing. Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area. DISPOSAL: PRODUCT-Partially filled bottle may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash.

239-2620.epa Form 7-832-03

CONTAINER-Do not reuse empty bottle. Rinse thoroughly before discarding in trash.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if inhaled or absorb J through skin. Avoid breathing spray mist. Avoid contact with eyes and skin. Wear long-sleeved shirt, iong pants, and PVC gloves when spraying. Wash-thoroughly after handling. Note to Physicians: Emergency Information-call 1-800-454-2333. FIRST AID: In case of eye contact, wash eyes immediately with fresh water for at least 15 minutes. Get medical attention if irritation persists. For skin contact, wash skin with plenty of scap and water. If inhaled, remove person from exposure area.

ENVIRONMENTAL HAZARDS

)

Do not apply directly to water. Groundwater Advisory: Do not apply around wells or where the water table (groundwater) is close to the surface or where the soils are very permeable, such as sandy loam.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Medical Information call 1-800-454-2333
 Product Information call 1-800-225-2883

[®] Trademark of Monsanto Company [®]Monsanto Company 1996 SOLARIS[®]

Ì

Manufactured for The SOLARIS Group of Monsanto Company P.O. Box 5008 San Ramon CA 94583-0808 Form 7-832-03 Product 5636 EPA Reg. No 239-2620 EPA Est. 239-1A-3¹, 58996-MO-1^A Superscript is first letter of lot number Made in USA



545

239-2620.epa Form 7-832-03