

Reg # 239-2626

PM-13

171

ACCEPTED

DEC 14 1993

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 239-2626

# ORTHO HI-POWER®

BRAND

## Indoor Insect Fogger

- Kills: Fleas, Ants, Cockroaches, Crickets, Yellow Jackets, Ticks, Flies, Spiders, Mosquitoes, Confused Flour Beetles, Small Flying Moths, Rice Weevils and Sawtoothed Grain Beetles.
- For use in Rooms, Apartments, Homes, Attics, Basements, Campers, Boats, Household Storage Areas, Garages, Cabins and Pet Sleeping Areas.
- Treats 5,000 cubic feet per can.  
(25 ft. x 25 ft. room with a standard ceiling)

### Illustrations of Above Pests (Selected)

| Active Ingredients  | By Wt.  |
|---|---------|
| Pyrethrins .....  | 0.050%  |
| *N-Octyl bicycloheptene dicarboximide .....   | 0.400%  |
| Permethrin [**(3-Phenoxyphenyl) methyl (+ or -) cis-trans-3-(2,2-dichloroethenyl) 2,2-dimethylcyclopropane-carboxylate] ..... | 0.400%  |
| Related compounds .....   | 0.035%  |
| Inert Ingredients .....   | 99.115% |
| *MGK® 264, Insecticide Synergist  |         |
| **Cis-trans isomer ratio: Min. 35% (+ or -) cis; Max. 65% (+ or -) trans  |         |
| MGK® Registered trademark of McLaughlin Gormley King Co.  |         |

Keep out of reach of children

### CAUTION

See side panel for additional precautionary statements.

For residential use only.

NET WT. 5 OZ.

TO CONTROL: Ants, Cockroaches, Crickets, Yellow Spiders, Mosquitoes, Confused Flour Beetles, Small Rice Weevils and Sawtoothed Grain Beetles to below.

Cover exposed food, dishes and food-handling areas, cabinets and doors to area to be treated. Shut off air conditioners. Put out all flames except pilot lights (at least 6 feet away from pilot lights). Close door. Point valve opening away from face and eyes. Use one unit for each 5,000 cubic feet of unobstructed room with a standard 8 ft. ceiling. Use additional units for remote rooms or where free flow of mist is not possible. **IMPORTANT:** Do not remain in the building and ventilate thoroughly (30 minutes) before re-occupancy. Do not use this unit in a cabinet or under a counter and do not use this unit in an area less than 100 cubic feet.

### FOR TOTAL RELEASE

To lock valve in open position for automatic discharge, push valve button all the way down, hooking the fogger on stand or table in the center of the room. Do not lock open. Place fogger on several layers of newspaper to prevent marring of surface. Leave treatment area closed for four hours before airing. Open doors and windows and allow to air (30 minutes) after application when necessary.

TO KILL TICKS AND FLEAS: Old pet bedding should be removed before treatment and replaced with fresh, clean bedding. Pets should be treated with a registered flea and tick control on animals such as FLEA/KILLER (aerosol) or ORTHO Pet Flea & Tick Spray. For severe infestations, additional treatment may be necessary.

SUGGESTION: For residual control of crawling insects such as roaches, earwigs, ants, spiders, silverfish, etc. use ORTHO Home Flea & Spider Spray or ORTHO Home Flea & Tick Control or FLEA-B-GON® Flea & Tick Killer prior to duct.

### STORAGE AND DISPOSAL

STORAGE: Store in a secure, preferably locked, container away from heat or open flame.

DISPOSAL: Replace cap and discard container in a secure container, incinerate, puncture or discard in home trash can.

NOTICE: Buyer assumes all responsibility for use of this product not in accordance with directions.

Manufactured for

Chevron Chemical Company © 1993

Ortho Consumer Products Division

P.O. Box 5047 San Ramon CA 94583-0947

Product 1000-112

Made in U.S.A.

Form RC425-B

EPA Reg. No. 239-2626

EPA Est. 9444-LA-1, 58998-MO-1  
Superscript corresponds to first letter of lot number on box

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS & DOMESTIC ANIMALS

**CAUTION:** Harmful if swallowed or absorbed through skin. Do not breathe vapors or spray mist. Avoid contact with eyes, skin or clothing. In case of contact, flush with plenty of water. Wash thoroughly with soap and water after handling. Obtain medical attention if irritation persists. Remove pets, birds, cover fish aquariums and exposed foods before spraying. Avoid contamination of food or feedstuffs. All food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

**STATEMENT OF PRACTICAL TREATMENT:** If Swallowed: Call a physician or Poison Control Center immediately. Drink 1 to 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person. If on Skin or Clothing: Remove contaminated clothing and wash before reuse. Wash skin with plenty of soap and water. Get medical attention if irritation persists. If Inhaled: Remove victim to fresh air. Apply artificial respiration if indicated. If in Eyes: Flush with plenty of water. Call a physician if irritation persists. Have container available when calling or visiting physician.

Note to Physicians: Emergency Information — call 1-800-457-2022.

**PHYSICAL OR CHEMICAL HAZARDS:** Contents under pressure. Do not use or store near heat, sparks or open flames. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

SHAKE WELL BEFORE USE. KEEP CONTAINER UPRIGHT AND POINTED AWAY FROM FACE.