

Chevron

ORTHO HI-POWER®

BRAND

Indoor Insect Fogger

- Kills: Fleas, Ants, Cockroaches, Crickets, Yellow Jackets, Ticks, Flies, Spiders, Mosquitoes, Confused Flour Beetles, Small Flying Moths, Rice Weevils and Sawtoothed Grain Beetles.
- For use in Rooms, Apartments, Homes, Attics, Basements, Campers, Boats, Household Storage Areas, Garages, Cabins and Pet Sleeping Areas.
- Treats 5,000 cubic feet per can. (25 ft. x 25 ft. room with a standard ceiling)

Illustrations of Above Pests (Selected)

Active Ingredients	By Wt.
Pyrethrins	0.050%
*N-Octyl bicycloheptene dicarboximide	0.400%
Permethrin [**(3-Phenoxyphenyl) methyl (+ or -) cis-trans-3-(2,2-dichloroethenyl) 2,2-dimethylcyclopropane-carboxylate]	0.400%
Related compounds	0.035%
Inert Ingredients	99.115%
*MGK® 264, Insecticide Synergist	
**Cis-trans isomer ratio: Min. 35% (+ or -) cis; Max. 65% (+ or -) trans	
MGK® Registered trademark of McLaughlin Gormley King Co.	

Keep out of reach of children

CAUTION

See side panel for additional precautionary statements.

For residential use only.

NET WT. 5 OZ

TO CONTROL: Ants, Cockroaches, Crickets, Yellow Jackets, Flies, Spiders, Mosquitoes, Confused Flour Beetles, Small Flying Moths, Rice Weevils and Sawtoothed Grain Beetles follow instructions below.

Cover exposed food, dishes and food-handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames except pilot lights, (Keep can at least 6 feet away from pilot lights). Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 5,000 cubic feet of unobstructed space (25 ft. x 25 ft. room with a standard 8 ft. ceiling). Use additional units for remote rooms or where free flow of mist is not assured. IMPORTANT: Do not remain in the building during treatment and ventilate thoroughly (30 minutes) before reentry. Do not use this unit in a cabinet or under a counter or table. Do not use this unit in an area less than 100 cubic feet.

FOR TOTAL RELEASE

To lock valve in open position for automatic discharge, press valve button all the way down, hooking the catch. Then place fogger on stand or table in the center of the room with valve locked open. Place fogger on several layers of newspaper to prevent marring of surface. Leave treatment area at once and keep area closed for four hours before airing out. Open all doors and windows and allow to air (30 minutes). Repeat application when necessary.

TO KILL TICKS AND FLEAS: Old pet bedding should be removed before treatment and replaced with fresh, clean bedding after treatment. Pets should be treated with a registered product for flea and tick control on animals such as FLEA-B-GON® Flea Killer (aerosol) or ORTHO Pet Flea & Tick Spray (pump spray). For severe infestations, additional treatment may be necessary.

SUGGESTION: For residual control of crawling pests such as roaches, earwigs, ants, spiders, silverfish, etc. use HI-POWER® Ant, Roach & Spider Spray or ORTHO Home Pest Insect Control or FLEA-B-GON® Flea & Tick Killer prior to using this product.

STORAGE AND DISPOSAL

STORAGE: Store in a secure, preferably locked storage away from heat or open flame.

DISPOSAL: Replace cap and discard container in trash. Do not incinerate, puncture or discard in home trash compactor.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Manufactured for
Chevron Chemical Company © 1993

Group Consumer Products Division
P.O. Box 5047 San Ramon CA 94583-0947
Product 1000-112 Made in U.S.A.
Form RC425-B EPA Reg. No. 239-2626

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under 239-2626 EPA Reg. No. 239-2626
EPA Est. 9444-LA-1, 58996-MO-1
Superscript corresponds to first letter of lot number on bottom of can.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through skin. Do not breathe vapors or spray mist. Avoid contact with eyes, skin or clothing. In case of contact, flush with plenty of water. Wash thoroughly with soap and water after handling. Obtain medical attention if irritation persists. Remove pets, birds, cover fish aquariums and exposed foods before spraying. Avoid contamination of food or feedstuffs. All food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

STATEMENT OF PRACTICAL TREATMENT: If Swallowed: Call a physician or Poison Control Center immediately. Drink 1 to 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person. If on Skin or Clothing: Remove contaminated clothing and wash before reuse. Wash skin with plenty of soap and water. Get medical attention if irritation persists. If Inhaled: Remove victim to fresh air. Apply artificial respiration if indicated. If in Eyes: Flush with plenty of water. Call a physician. If irritation persists. Have container available when calling or visiting physician.

Note to Physicians: Emergency Information — call 1-800-457-2022.

PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. Do not use or store near heat, sparks or open flames. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL. PRECAUTIONARY STATEMENTS AND DIRECTIONS.

SHAKE WELL BEFORE USE. KEEP CONTAINER UPRIGHT AND POINTED AWAY FROM FACE.

PM 03

239-2626

6/29/98

P9 181