

ORTHO

KLEERAWAY™ Concentrated Weed & Grass Killer

For General Weed Control -- Kills Weeds And Grasses In 2 To 4 Weeks -- Roots & All
New, Improved Formula

Water-Based Formula

No Odor

Kills Weeds In And Around Fences, Driveways, Patios, Paths, Sidewalk Cracks, Walkways,
Trees, Shrubs, and Flower Beds

Multipurpose Grass & Broadleaf Weed Control

Use To Prepare Sites For Planting Fruit Trees, Ornamentals, and Vegetables

Can Be Applied With A Tank Sprayer, Sprinkling Can, Or Hose-End Applicator

Does Not Have Soil Activity

Is Not Active In The Soil

50% More Concentrated -- Makes xx Gallons of Spray

Concentrated -- Makes xx Gallons Of Spray (4 gallons/qt)

Treats Up To xx sq. ft.

New, Contains 50% More Active Ingredient Than Kleenup Systemic Weed & Grass Killer

Concentrated For Extra Value

Visible Results In 3 Days

Clears Away Weeds & Grasses, Roots & All

Kills To The Root

Use For Lawn Renovation

Can Reseed Lawns 7 Days After Treatment

Lawns and gardens can be reseeded or planted soon after treatment.

FOR USE IN THE HOME LAWN AND GARDEN ONLY

ACTIVE INGREDIENT


Glyphosate, in the form of its isopropylamine salt 7.5%

INERT INGREDIENTS 92.5%

Keep out of reach of children
CAUTION

See back panel for directions and precautions.

NET CONTENTS xx fl. oz. (xx qt. / xx mL)



Form xxx

BEST AVAILABLE COPY

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **Read entire label. Use only in accordance with label directions and precautionary statements.**

HOW IT WORKS

KLEERAWAY™ Concentrated Grass & Weed Killer controls weeds, grasses, and other vegetation along fences, patios, paths, sidewalks and driveways, around trees, shrubs and ornamental plantings, around buildings, and in brick and gravel walkways. When applied to plants, it is absorbed by the leaves and moves throughout the stem and roots to kill the entire plant. Visible effects generally occur within 3 days with complete kill in 2 to 4 weeks. KLEERAWAY is broken down in the soil by microbes. Once in contact with soil, it has no more weed killing activity and will not move in or on the soil to affect nearby plants. Lawns and gardens can be reseeded or planted soon after treatment.

CONTROLS COMMON WEEDS, SUCH AS:

Bahiagrass	Diffuse Lovegrass	Pennywort
Bentgrass	Evening Primrose	Perennial Ryegrass
Bermudagrass	False Dandelion	Poison Ivy
B i n d w e e d (W i l d	Fennel	Poison Oak
Morningglory)	Fescue	Prostrate Spurge
Blackberries	Fiddleneck	Primrose
Black Medic	Filaree	Puncture Vine
Bluegrass	Florida Pusley	Quackgrass
Blue Toadflax	Garden Spurge	Ragweed
Brassbuttons	Henbit	Sandspur
Bromegrass	Johnsongrass	Shepherdspurse
Broadleaf Plantain	Knotweed	Smooth Cat's Ear
Bur Clover	Lambsquarters	Sowthistle
Canada Thistle	Little Bitter Cress	Spotted Spurge
Chickweed	London Rocket	St. Augustinegrass
Common Groundsel	Mallow	Tall Fescue
Common Plantain	Maiden Cane	Tansy Ragwort
Crabgrasses	Mayweed	Torpedograss
Creeping Beggarweed	Mouseear Chickweed	White Clover
Creeping Bentgrass	Nimblewill	Whiteweed
Creeping Charlie	Oldenlandia	Wild Barley
Curly dock	Orchardgrass	Yellow Nutgrass
Dandelion	Oxalis	Zoysia
Dog Fennel	Pennsylvania Smartweed	

For additional weeds controlled by this product call 1-800-225-2883. ☐

WHEN TO APPLY

Apply when vegetation is green and actively growing. For best results, apply on a sunny day when the daytime temperature is at least 50°F. Warm, sunny weather will speed up weed control. Do not use if rain is expected within 6 hours of application or weed control may be reduced. Thick lawn grass or hard-to-control weeds (such as Bermudagrass) may require a repeat application. Apply only when the air is calm.

HOW TO APPLY

To apply with a plastic, aluminum or stainless steel tank-type sprayer, sprinkling can, or Ortho hose-end sprayers refer to Mixing Instructions below to determine the correct amount of KLEERAWAY and water to add to sprayer. **Note:** Do not use or store in galvanized or unlined steel sprayers.

APPLICATOR	MIXING INSTRUCTIONS	TREATS
Tank Sprayer or Sprinkling Can	1 cup (8 fl oz) of KLEERAWAY into 1 gallon of water	250 sq ft
ORTHO PLANT & WEED SPRAYETTE® Hose-End Sprayer	2 cups (1 pint) of KLEERAWAY into sprayer jar. Do not add water to sprayer jar.	500 sq ft
ORTHO DIAL 'n SPRAY® Hose-end Sprayer	2 cups (1 pint) of KLEERAWAY into sprayer jar. Set sprayer dial on 8 oz. Do not add water to sprayer jar.	500 sq ft

Spray weeds until foliage is wet. Avoid overspraying that results in runoff. Thoroughly rinse all application equipment when finished spraying. People and pets may re-enter treated areas after sprayed vegetation has dried.

IMPORTANT: Use a tank-type sprayer for spot treatments. Spray carefully. Avoid spray or drift contact with desirable lawn grasses, shrubs or trees. This product can kill or damage all vegetation contacted. If accidental spray contacts desirable plant foliage, **immediately** rinse the foliage with water.

BEST AVAILABLE COPY

WHERE TO APPLY

For General Weed Control: Apply along fences, paths, patios, sidewalks and driveways, around trees, shrubs, and ornamental plantings, around buildings, and in brick and gravel walkways. Use to trim and edge landscape areas, but **not recommended for spot weed control in lawns.**

For Landscaping: Apply in areas where planting of ornamentals, trees, shrubs, desert landscapes, rock gardens, flower beds or similar plantings will be made.

For Ornamentals: Apply around ornamentals, trees, or shrubs. Spray contact other than with mature bark of desirable plants may cause injury.

For Lawn Renovation: Use to eliminate old, undesirable, or weed infested lawns or to change to a more desirable grass type. For best results, skip at least one mowing prior to spraying. Delay reseeding, tilling, or sodding for 7 days after spraying.

For Vegetables, Small Fruits and Berries: The following vegetables, small fruits and berries may be planted (by seed, rooted cuttings or transplants) 7 days after spraying. For unlisted vegetables, small fruits and berries, wait 30 days after spraying to plant.

VEGETABLES: Jerusalem artichoke, asparagus, beans, beet greens, broccoli, Brussels sprouts, cabbage, cantaloupe, carrot, cauliflower, casaba melon, celery, chard (Swiss), chicory, collards, corn, crenshaw melon, cucumber, eggplant, endive, garlic, gourds, ground cherry, honeydew melon, honey ball melon, horseradish, kale, kohlrabi, leek, lentils, lettuce, mango melon, melons, muskmelon, mustard greens, okra, onion,rape greens, parsley, parsnips, peas, pepper, persian melon potato (Irish, Sweet), pumpkin, radish, rhubarb, rutabaga, spinach, squash (summer, winter), tomatillo, tomato*, turnip, watercress, watermelon, and yams.

*Tomatoes planted from seed only. Wait 30 days for rooted transplants.

SMALL FRUITS AND BERRIES: Blackberry, blueberry, boysenberry, cranberry, currant, dewberry, elderberry, gooseberry, huckleberry, loganberry, olallieberry, raspberry (black & red), and strawberry.

STORAGE & DISPOSAL

{Statement for smaller-sized containers.}

Store product only in original container in a safe place. Keep from freezing. Do not reuse empty container. Wrap in newspaper and discard in trash.

BEST AVAILABLE COPY

{Statement for larger sized containers.}

Store product only in its original container, in a secured storage area. Keep from freezing. Only purchase as much product as you need to avoid disposing of partially filled containers. Try to use all of the product or give to someone who will use it. Do not reuse empty container. Rinse thoroughly before discarding in trash. If necessary to dispose of partially filled container, securely wrap in several layers of newspaper and discard in trash. In case of a product spill or leak, using rubber gloves soak up with paper towels and discard in trash.

BEST AVAILABLE COPY

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: MAY CAUSE EYE IRRITATION. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

People and pets may re-enter treated areas after sprayed vegetation has dried.

FIRST AID: If in eyes, immediately flush with plenty of water. Get medical attention if irritation persists. In case of emergency involving this product call: (800) 454-2333 ☐

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water when disposing of equipment wash waters.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with label directions. If these terms are not acceptable, return at once unopened. This product is protected by U.S. Patent No. 4,405,531. **REFORMULATION OR REPACKAGING FOR SALE IS PROHIBITED.**

™® Trademark of Monsanto Company
©Monsanto Company 1994

- ☐ For Emergency Medical Information: (800) 454-2333
- ☐ For Product Information: (800) 225-2883

The Solaris Group
A Division of
The Agricultural Group of
Monsanto Company
P. O. Box 5008
San Ramon, Ca 94583-0808
Form xxx
EPA Reg. No. 239-XXXX
EPA Est. 239-XXXX
Made in USA

Superscript used is first letter of the lot number.

[UPC]

BEST AVAILABLE COPY