

ORTHO®

**KLEERAWAY™ Concentrated Weed & Grass Killer**

- For General Weed Control -- Kills Weeds And Grasses In 2 To 4 Weeks -- Roots & All
- New, Improved Formula
- Water-Based Formula
- No Odor
- Kills Weeds In And Around Fences, Driveways, Patios, Paths, Sidewalks, Cracks, Walkways, Trees, Shrubs, and Flower Beds
- Multipurpose Grass & Broadleaf Weed Control
- Use To Prepare Sites For Planting Fruit Trees, Ornamentals and Vegetables
- Can Be Applied With A Tank Sprayer Or Hose-End Applicator

~~Can be applied with a Big Shot, Tank Sprayer, or other tank sprayer.  
ORTHO® DIAL™ SPRAY, ORTHO SPRAY-ETTER™ Or Hose-End Applicator~~

- Does Not Have Soil Activity
- Is Not Active In The Soil
- 50% More Concentrated -- Makes 4 Gallons of Spray
- Concentrated -- Makes 4 Gallons Of Spray (4 gallons/qt)
- ~~• Treats Up To 1000 sq ft~~
- New, Contains 50% More Active Ingredient Than Kleenup Systemic Weed & Grass Killer
- Concentrated For Extra Value
- Visible Results In 3 Days
- Clears Away Weeds & Grasses, Roots & All
- Kills To The Root
- Use For Lawn Renovation
- Can Reseed Lawns 7 Days After Treatment
- ~~• Lawns and gardens can be reseeded or planted soon after treatment.~~

~~Kills over 75 Broadleaf Weeds & Grasses~~

~~Icon for water based~~

~~For use on driveways, sidewalks, gravel areas, and patios~~

~~Suitable for use around flower beds, trees, shrubs, fences, walks, & spot treatment in lawns~~

~~For outdoor use only (icon)~~

~~4.75 LBS~~

~~NET WT 4.75 LBS~~

~~KNOWLEDGE OF PESTICIDE DON'T COME BACK~~

~~NEW DESIGN WITH MEASURING CAP AND POUR SPOUT INCLUDED~~

~~NEW LABEL WITH MEASURE AND POUR~~

~~CHILD RESISTANT CAP~~

~~EASY REAS MEASURING CAP~~

~~EASY POUR SPOUT~~

~~IMPROVED PACKAGE~~

**FOR USE IN THE HOME LAWN AND GARDEN ONLY**

ACCEPTED  
MAY 16 1995

For the Federal Insecticide,  
Fungicide, and Herbicide Act,  
registered, for the pesticide  
labeled under  
EPA Reg. No. 239-2629

2710

**ACTIVE INGREDIENT**

Glyphosate, in the form of its isopropylamine salt ..... 7.5%  
**INERT INGREDIENTS** ..... 92.5%

**Keep out of reach of children**

**CAUTION**

See back panel for directions and precautions.

**NET CONTENTS** 32 fl oz (1 qt / 946 mL)

[THE FOLLOWING COPY IS FOR FIX-A-FORM BOOKLET TYPE LABELS WHICH CONSUMERS CAN OPEN, READ, AND RESEAL EASILY AT RETAIL AS WELL AS AT TIME OF USE]

**OUTSIDE BACK COVER**

**TEARAWAY CONCENTRATED WEED & GRASS KILLER PULL HERE TO OPEN**

[REDACTED]

**Peel open for use directions and further information**

**PRESS HERE TO RESEAL**

**CAUTION: May cause eye irritation. Avoid contact with skin, eyes or clothing. SEE ADDITIONAL PRECAUTIONARY STATEMENTS AND DIRECTIONS INSIDE BOOKLET**

**Medical Information: 1-800-454-2333  
Product Information: 1-800-225-2883**

**This product is protected by U.S. Patent No. 4,485,531.  
REFORMULATION OR REPACKAGING FOR SALE IS PROHIBITED.**

**® & Trademarks of Monsanto Company  
©Monsanto Company 1995**

**Manufactured for  
The Solaris Group of  
Monsanto Company  
P.O. Box 5008  
San Ramon, CA 94583-0808  
Form RS581-A / Product 8028  
EPA Reg. No. 229-2078  
EPA Est. 23874-3-56800-110-1  
Superscript used is first letter of the lot number  
Made in USA**

**[UPC]**







### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read entire label. Use only in accordance with label directions and precautionary statements.

### WHEN TO APPLY

Apply when vegetation is green and ~~is~~ actively growing. For best results, apply on a sunny day when the daytime temperature is at least 60°F. ~~Apply only when the air is calm.~~ Warm, sunny weather will speed up weed control. Do not use if rain is expected within 6 hours of application or weed control may be reduced. ~~Apply only when the air is calm.~~ Thick lawn grass or hard-to-control weeds (such as Bermudagrass) may require a repeat application. Apply ~~only when the air is calm.~~

### HOW TO APPLY

To apply with a plastic, aluminum or stainless steel tank-type sprayer or Ortho hose-end sprayers. Refer to Mixing Instructions below to determine the correct amount of KLEERAWAY and water to add to sprayer. Note: Do not use or store in galvanized or unlined steel sprayers.

| APPLICATOR  | MIXING INSTRUCTIONS   | TREATS    |
|---|---|-----------|
| Tank Sprayer                                      | 1 cup (8 fl oz) of KLEERAWAY into 1 gallon of water   | 250 sq ft |
| ORTHO PLANT & WEED SPRAYETTE®<br>Hose-End Sprayer | 2 cups (1 pint) of KLEERAWAY into sprayer jar. Do not add water to sprayer jar.                           | 500 sq ft |
| ORTHO DIAL 'n SPRAY®<br>Hose-End Sprayer          | 2 cups (1 pint) of KLEERAWAY into sprayer jar. Set sprayer dial on 8 oz. Do not add water to sprayer jar. | 500 sq ft |

~~MEASURING CAP: To open, squeeze cap sides while unscrewing. Fill cap to appropriate level for fast, easy, accurate measuring. Refer to label table below for measuring instructions. Close cap tightly after use - no need to rinse.~~

- ~~Level 1 - 1 teaspoon (50)~~
- ~~Level 2 - 1 tablespoon (150) 3 tsp~~
- ~~Level 3 - 1 oz (2 1/2 fl oz)~~
- ~~Level 4 - 2 1/2 oz (4 fl oz)~~

| APPLICATOR   | MIXING INSTRUCTIONS<br>General Weed Control<br>Aqueous                                    | MIXING INSTRUCTIONS<br>Perennial or Brush<br>and Renovation                               | AREA TO TREAT                |
|--|---|---|------------------------------|
| ORTHO<br>BIG SHOT<br>Tank Sprayer                      | Fill can to 3/4 full with water (8 oz)<br>Add to 1 gallon of water                        | Fill can to 3/4 full with water (8 oz)<br>Add to 1 gallon of water                        | 250 sq ft<br>(25 ft x 10 ft) |
| ORTHO<br>DIAMOND SPRAY<br>Hose-End Sprayer             | Fill can to 3/4 full with water (10 oz)<br>DO NOT ADD WATER<br>Spray on weeds and grasses | Fill can to 3/4 full with water (10 oz)<br>DO NOT ADD WATER<br>Spray on weeds and grasses | 500 sq ft<br>(25 ft x 20 ft) |
| ORTHO<br>PLANT NEEED<br>SPRAY-ETEC<br>Hose-End Sprayer | Fill can to 3/4 full with water (12 oz) and add to sprayer                                | Fill can to 3/4 full with water (12 oz) and add to sprayer                                | 500 sq ft<br>(25 ft x 20 ft) |

Spray weeds until foliage is wet. Avoid overspraying that results in runoff. Thoroughly rinse all application equipment when finished spraying. People and pets may reenter treated areas after sprayed vegetation has dried.

**IMPORTANT:** ~~Use a tank-type sprayer for spot treatments.~~ ~~To spot treat use a tank-type sprayer.~~ Spray carefully. Avoid spray or drift contact with desirable lawn grasses, shrubs or trees. This product can kill or damage all vegetation contacted. If accidental spray contacts desirable plant foliage, immediately rinse the foliage with water.

**WHERE TO APPLY**

**For General Weed Control:** Apply along fences, paths, patios, sidewalks and driveways, around trees, shrubs, and ornamental plantings, around buildings, and in brick and gravel walkways. Use to trim and edge landscape areas, but not recommended for spot weed control in lawns.

**For Landscaping:** Apply in areas where planting of ornamentals, trees, shrubs, desert landscapes, rock gardens, flower beds or similar plantings will be made.

**For Ornamentals:** Apply around ornamentals, trees, or shrubs. Spray contact other than with mature bark of desirable plants may cause injury. ~~Ornamentals and flowers may be reseeded or replanted the next day.~~

**For Lawn Renovation:** Use to eliminate old, undesirable, or weed infested lawns or to change to a more desirable grass type. For best results, skip at least one mowing prior to spraying. Delay reseeding, tilling, or sodding for 7 days after spraying.

[Alternative text]

**For Lawn Renovation**

- Use Klearway to kill existing weeds and grasses including the old lawn.
- For best results, apply in Spring or Fall, when daytime temperatures are at least 60° F.
- Under dry conditions, water lawn every other day for a week before using Klearway

Do not use any other herbicide treatment.

After 7 days, rake or till the soil by hand or machine to level the lawn.

Rake to the surface any clumps of debris.

Apply 1/2 lb. of a good quality lawn amendment, if needed. Level the soil.

Apply 1/2 lb. of a good quality lawn seed package or initial sod. Grass seed must have a good contact with soil.

Water the lawn thoroughly after seeding.

**For Vegetables, Small Fruits and Berries:** The following vegetables, small fruits and berries may be planted (by seed, rooted cuttings or transplants) 7 days after spraying. For unlisted vegetables, small fruits and berries, wait 30 days after spraying to plant.

**VEGETABLES:** Jerusalem artichoke, asparagus, beans, beet greens, broccoli, Brussels sprouts, cabbage, cantaloupe, carrot, cauliflower, casaba melon, celery, chard (Swiss), chicory, collards, corn, crenshaw melon, cucumber, eggplant, endive, garlic, gourds, ground cherry, honeydew melon, honey ball melon, horseradish, kale, kohlrabi, leek, lentils, lettuce, mango melon, melons, muskmelon, mustard greens, okra, onion, rape greens, parsley, parsnips, peas, pepper, persian melon potato (Irish, Sweet), pumpkin, radish, rhubarb, rutabaga, spinach, squash (summer, winter), tomatillo, tomato\*, turnip, watercress, watermelon, and yams.

\*Tomatoes planted from seed only. Wait 30 days for rooted transplants.

**SMALL FRUITS AND BERRIES:** Blackberry, blueberry, boysenberry, cranberry, currant, dewberry, elderberry, gooseberry, huckleberry, loganberry, olallieberry, raspberry (black & red), and strawberry.

Vegetables: To plant seed, vegetables, wait 7 days after spraying before seeding. For tomato transplants or unlisted vegetables, wait 30 days after spraying.

Beans, beet greens, broccoli, Brussels sprouts, cabbage, cantaloupe, carrot, cauliflower, casaba melon, celery, chard (Swiss), chicory, collards, corn, crenshaw melon, cucumber, eggplant, endive, garlic, honeydew melon, honey ball melon, horseradish, Jerusalem artichoke, kale, kohlrabi, leek, lentils, lettuce, mango melon, melons, muskmelon, mustard greens, okra, onion, rape greens, parsley, parsnips, peas, pepper, persian melon, potato, pumpkin, radish, rhubarb, rutabaga, spinach, summer squash, sweet potato, tomatillo, tomato, turnip, watercress, watermelon, winter squash and yams.

Note: Tomatoes planted from seed only. Wait 30 days for rooted transplants.

Small Fruits and Berries: All of the following may be planted (by seed, rooted cutting or transplant) 7 days after spraying. For unlisted small fruits and berries, wait 30 days after spraying.

Blackberry, blueberry, boysenberry, cranberry, currant, dewberry, elderberry, gooseberry, huckleberry, loganberry, raspberry, red raspberry, and strawberry.

**STORAGE & DISPOSAL**

*{Statement for smaller-sized containers.}*

Store product only in original container in a safe place. Keep from freezing. Do not reuse empty container. Wrap in newspaper and discard in trash.

*{Statement for larger-sized containers.}*

Store product only in original container, in a secured storage area. Keep from freezing. Only purchase as much as you will need to avoid disposing of partially filled containers. Try to use all of the product or give it to someone who will use it. Do not reuse empty container. Rinse thoroughly before discarding in trash. If necessary to dispose of partially filled container, securely wrap in several layers of newspaper and discard in trash. In case of a product spill or leak, using rubber gloves soak up with paper towels and discard in trash.

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

**CAUTION:** May cause eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

People and pets may reenter treated areas after sprayed vegetation has dried.

**FIRST AID:** If in eyes, immediately flush with plenty of water. Get medical attention if irritation persists. ~~In case of emergency involving this product call: (800) 454-2333~~ ~~Note to Physicians: Emergency information call 1-800-454-2333~~

**ENVIRONMENTAL HAZARDS**

Do not apply directly to water. Do not contaminate water when disposing of equipment wash waters.

**NOTICE:** Buyer assumes all responsibility for safety and use not in accordance with label directions. If these terms are not acceptable, return at once unopened. This product is protected by U.S. Patent No. 4,405,531. REFORMULATION OR REPACKAGING FOR SALE IS PROHIBITED.

™, ® Trademarks of Monsanto Company  
©Monsanto Company-1994 ~~1995~~

- ☛ Emergency Medical Information: 1-800- 454-2333
- ☛ Product Information: 1-800- 225-2883

Manufactured for  
**The Solaris Group of Monsanto Company**  
P. O. Box 5008  
San Ramon, CA 94583-0808  
Form RS581-A / Product 6028  
EPA Reg. No. 239-2629  
EPA Est. 239-1A-3<sup>1</sup>, 58996-MO-1<sup>A</sup>  
Superscript used is first letter of the lot number.  
Made in USA [UPC]