

2084

ORTHO® **NOW WITH MEASURING CAP**

Kleeraway™

Systemic Weed & Grass Killer

Kills Weeds & Grass – Roots & All

Concentrated – Treats Over 650 sq ft

For Use On: Sidewalks, Drives, Along Fences, & Around Trees & Shrubs

Active Ingredient
Glyphosate, in the form of its isopropylamine salt 7.5%
Inert Ingredients 92.5%

FOR USE IN THE HOME LAWN AND GARDEN ONLY

KEEP OUT OF REACH OF CHILDREN

CAUTION See back panel booklet for directions and precautions.

NET CONTENTS 16 FL OZ (1 PT) 473 mL



9-207-01

ORTHO®

Kleeraway™ Systemic Weed & Grass Killer

Kleeraway controls weeds, grasses and other vegetation growing in the yard – roots and all. Use along fences, driveways, sidewalks, brick and gravel walkways, next to trees and shrubs, and around buildings. Will not move or build up in the soil to hurt untreated plants growing nearby. Gardens including many vegetables can be reseeded or planted 3 days after treatment. Now with easy pour spout and measuring cap for fast, easy, accurate measuring. Peel open for use directions and further information.

CAUTION: May cause eye irritation. Avoid contact with skin, eyes or clothing. SEE ADDITIONAL PRECAUTIONARY STATEMENTS AND USE DIRECTIONS INSIDE BOOKLET.

Medical Information call 1-800-454-2333
Product Information call 1-800-225-2883

Manufactured for
The SOLARIS Group of
Monsanto Company
P.O. Box 5008
San Ramon CA 94583-0808
Form D-907-01 / Product 6028
EPA Reg. No. 239-2829
EPA Est. 239-1A-01 58896-110-1A
Superscript is first letter of lot number
Made in USA

71549 04410

3044

ORTHO®

NOW WITH MEASURING CAP

Kleeraway™ Systemic Weed & Grass Killer

**Kills Weeds & Grass -
Roots & All**

Concentrated - Treats
Over 650 sq ft

For Use On: Sidewalks,
Drives, Along Fences, &
Around Trees & Shrubs

Active ingredient
Glyphosate, in the form
of its isopropylamine salt 7.5%
Inert ingredients 92.5%

FOR USE IN THE HOME LAWN AND GARDEN ONLY

KEEP OUT OF REACH OF CHILDREN

CAUTION See back panel booklet for
directions and precautions.

NET CONTENTS 16 FL OZ (1 PT) 473 mL



9-907-01

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE ONLY IN ACCORDANCE WITH LABEL DIRECTIONS AND PRECAUTIONARY STATEMENTS.

HOW IT WORKS

One application controls almost all weeds, grasses and other unwanted vegetation growing in the yard. Use along fences, driveways, sidewalks, brick and gravel walkways, next to trees and shrubs, and around buildings. Use a Dial 'n Spray® to treat large areas for lawn renovation or to prepare sites for planting flower beds or vegetable gardens. One quart will treat over 1300 sq ft. Treated weeds begin to wilt in about 3 days with complete kill of the weed including the root in 2 to 4 weeks. Will not move or build up in the soil to hurt untreated plants growing nearby. Gardens including many vegetables can be reseeded or planted 3 days after treatment. Lawns may be replanted 1 week after spraying.

Measuring Cap: The cap has 4 measuring lines indicated inside.

Fill cap to appropriate line for fast, easy, accurate measuring. Close cap tightly after use - no need to rinse.

- Line 1 = 1 teaspoon (tsp)
- Line 2 = 1 Tablespoon (Tbs) = 3 tsp
- Line 3 = 1 fl oz (2 Tbs)
- Line 4 = 2 fl oz (4 Tbs)



MIXING INSTRUCTIONS

GALLONS OF SPRAY	AREA TO TREAT (SQ FT)	COMMON ANNUAL WEEDS	PERENNIALS, BRUSH & LAWN RENOVATIONS
1	250 (25 ft x 10 ft)	Fill to Line 4 in cap three times (6 oz).	Fill to Line 4 in cap four times (8 oz).

CONTROLS COMMON WEEDS, SUCH AS:

Annuals: Annual Bluegrass, Black Medick, Blue Toadflax, Brassbuttons, Bromegrass, Chickweed, Common Groundsel, Crabgrasses, Creeping Beggarweed, Dog Fennel, Diffuse Lovegrass, Evening Primrose, Fennel, Fiddleneck, Filaree, Florida Pusley, Garden Spurge, Henbit, Knotweed, Lambsquarters, Little Bitter Cress, London Rocket, Mallow, Maiden Cane, Mayweed, Mouseear Chickweed, Oxalis, Pennsylvania Smartweed, Pennywort, Prostrate Spurge, Prickly Lettuce, Primrose, Puncture Vine, Sandspur, Shepherds-purse, Smooth Cat's Ear, Sowthistle, Spotted Spurge, Tansy Ragwort and Wild Barley.

Perennials or Brush: Bahiagrass, Bentgrass, Bermudagrass, Bindweed (Wild Morningglory), Blackberries, Broadleaf Plantain, Buckhorn Plantain, Bur Clover, Canada Thistle, Common Plantain, Creeping Bentgrass, Creeping Charlie, Curly Dock, Dandelion, False Dandelion, Fescue, Fiddleneck, Johnsongrass, Kentucky Bluegrass, Numberevil, Oenothera, Orchardgrass, Oxalis, Perennial Ryegrass, Perennial Sowthistle, Poison Ivy, Poison Oak, Prostrate Spurge, Primrose, Quackgrass, Ragweed, Smooth Cat's Ear, St. Augustinegrass, Tall Fescue, Torpedograss, White Clover, Whitetop, Yellow Nutgrass and Zoysia.

WHEN TO APPLY

Apply when weeds are actively growing. For best results, apply on a sunny day when the daytime temperature is at least 60°F. Apply only when the air is calm. Warm, sunny weather will speed up weed control. Reapply if it rains within 6 hours of application. Thick lawn grass or hard-to-control weeds (such as Bermudagrass) may require a repeat application.

HOW TO APPLY

Apply with a plastic, aluminum or stainless steel tank-type sprayer, or ORTHO hose-end sprayer.

NOTE: Do not use or store in galvanized or unlined steel sprayers.

Spray weeds until foliage is wet. Avoid overspraying that results in runoff. Thoroughly rinse all application equipment when finished spraying.

IMPORTANT: To spot treat, use a tank-type sprayer. Spray carefully. Avoid spray or drift contact with desirable lawn grasses, shrubs or trees. This product can kill or damage all vegetation contacted. If accidental spray contacts desirable plant foliage, immediately rinse the foliage with water.

APPLI-CATOR	MIXING INSTRUCTIONS		AREA TO TREAT
	General Weed Control Annuals	Perennials or Brush Lawn Renovations	
ORTHO® DIAL 'n SPRAY® Hose-End Sprayer	Fill to Line 4 in cap five times (10 oz) and add to sprayer jar. DO NOT ADD WATER. Set dial to 5½ oz and spray.	Fill to Line 4 in cap eight times (16 oz) and add to sprayer jar. DO NOT ADD WATER. Set dial to 8 oz and spray.	500 sq ft (25 ft x 20 ft)

WHERE TO APPLY

For General Weed Control: Apply along fences, paths, patios, sidewalks and driveways, around trees, shrubs, and ornamental plantings, around buildings, and in brick and gravel walkways. Use to trim and edge landscape areas, but not recommended for spot weed control in lawns.

For Landscaping: Apply in areas where planting of ornamentals, trees, shrubs, desert landscapes, rock gardens, flower beds or similar plantings will be made.

For Ornamentals: Apply around ornamentals, trees, or shrubs. Spray contact other than with mature bark of desirable plants may cause injury. Ornamentals and flowers may be reseeded or replanted the next day.

For Lawn Renovation:

- Use Kleeaway to kill existing weeds and grasses including the old lawn.
- For best results, apply in Spring or Fall, when daytime temperatures are at least 60°F.
- Under dry conditions, water lawn every other day for a week before using Kleeaway.
- Do not mow for 7 days before or after treatment.
- After 7 days, prepare the soil for planting.

Vegetables: To plant listed vegetables, wait 3 days after spraying, before seeding. For tomato transplants or unlisted vegetables, wait 30 days after spraying.

Beans, Beet Greens, Broccoli, Brussels Sprouts, Cabbage, Cantaloupe, Carrot, Cauliflower, Casaba Melon, Celery, Chard (Swiss), Chicory, Collards, Corn, Crenshaw Melon, Cucumber,

Eggplant, Endive, Garlic, Honeydew Melon, Honey-Ball Melon, Horseradish, Jerusalem Artichoke, Kale, Kohlrabi, Leek, Lentils, Lettuce, Mango Melon, Melons, Muskmelon, Mustard Greens, Okra, Onion, Rape Greens, Parsley, Parsnips, Peas, Pepper, Persian Melon, Potato, Pumpkin, Radish, Rhubarb, Rutabaga, Spinach, Summer Squash, Sweet Potato, Tomatillo, Tomato*, Turnip, Watercress, Watermelon, Winter Squash and Yams.

*Note: Tomatoes planted from seed only. Wait 30 days for rooted transplants.

Small Fruits and Berries: The following listed crops may be planted (by seed, rooted cutting, or transplant) 7 days after spraying Kleeaway. For unlisted small fruits and berries, wait 30 days after spraying.

Blackberry, Black Raspberry, Blueberry, Boysenberry, Currant, Dewberry, Elderberry, Gooseberry, Huckleberry, Loganberry, Olallieberry, Red Raspberry, and Strawberry.

STORAGE AND DISPOSAL

Store product only in original container in a safe place. Keep from freezing. Do not reuse empty container. Wrap in newspaper and discard in trash.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: May cause eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

 People and pets may reenter treated areas after spray has dried. **FIRST AID:** If in eyes, immediately flush with plenty of water. Get medical attention if irritation persists. **Note to Physicians:** Emergency Information call 1-800-454-2333.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with label directions. If these terms are not acceptable, return at once unopened. This product is protected by U.S. Patent No. 4,405,531.

REFORMULATION OR REPACKAGING FOR SALE IS PROHIBITED.



Medical Information call 1-800-454-2333

Product Information call 1-800-225-2883

®/™ Trademarks of Monsanto Company
© Monsanto Company 1995

Manufactured for The SOLARIS Group of Monsanto Company
P.O. Box 5008 San Ramon CA 94583-0808
Form D-907-01 / Product 6528
EPA Reg. No. 239-2629
EPA Est. 239-1A-3, 58996-1A-0-14
Superscript is first letter of lot number
Made in USA

h70h

PM 25

239-2629

10/14

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 2-28-95



United States
Environmental Protection Agency
Washington, DC 20460



Registration
Amendment
Other

OPP Identifier Number

237784

Application for Pesticide - Section I

1. Company/Product Number	2. EPA Product Manager	3. Proposed Classification
4. Company/Product (Name) 239-2629	PM# Taylor	☐ None ☐ Restricted
5. Name and Address of Applicant (Include ZIP Code) The SOLARIS Group of Monsanto Company P. O. Box 5006 San Ramon, CA 94583-0906 ☐ Check if this is a new address	6. Expedited Review. ²⁵ In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

☐ Amendment - Explain below.	☐ Final printed labels in response to Agency letter dated _____
☐ Resubmission in response to Agency letter dated _____	☐ "Me Too" Application.
☒ Notification - Explain below.	☐ Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

NOTIFICATION Final label including New packaging text, clarify use directions with measuring cap. Reduce preplant interval for some vegetables, enhance lawn renovation language.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging ☐ Yes* ☐ No	Unit Packaging ☐ Yes ☐ No	Water Soluble Packaging ☐ Yes ☐ No	☐ Metal ☐ Plastic ☐ Glass ☐ Paper ☐ Other (Specify) _____		
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt	No. per container
3. Location of Net Contents Information ☐ Label ☐ Container		4. Size(s) Retail Container		5. Location of Label Directions ☐ On Label ☐ On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product ☐ Lithograph ☐ Paper glued ☐ Stenciled		☐ Other _____			

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)			
Name Katherine A. Buteau		Title Registration Specialist	
		Telephone No. (Include Area Code) (510) 355-3339	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.			6. Date Application Received (Stamped)
2. Signature 		3. Title Registration Specialist	
4. Typed Name Katherine A. Buteau		5. Date February 2, 1996	