

PM 25

12/15/97

239-2629

P 1/10

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 2-28-95



United States  
Environmental Protection Agency  
Washington, DC 20460

Registration  
 Amendment  
 Other

OPP Identifier Number  
259968

Application for Pesticide - Section I

1. Company/Product Number 239-2629	2. EPA Product Manager James A. Tompkins	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Kleeraway Concentrated Grass & Weed Killer	PM# 25	
5. Name and Address of Applicant (Include ZIP Code) The Solaris Group of Monsanto P.O. Box 5006 San Ramon, Ca 94593-0906 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____	<b>NOTIFICATION</b> DEC 15 1997
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.	
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.	

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification: To add additional front label claim and add the option of not using the chemical name in the ingredient statement. "This notification is consistent with the provisions of PR Notice 95-2 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product".

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Metal Plastic Glass Paper Other (Specify) _____		
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container		
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)			
Name Stephen R. Cornes	Title Registration Specialist	Telephone No. (Include Area Code) 510 355-3336	
<b>Certification</b> I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.			6. Date Application Received (Stamped)
2. Signature 		3. Title Registration Specialist	
4. Typed Name Stephen Cornes		5. Date 12/01/97	

2/10

**NOTIFICATION**

DEC 15 1997

**ORTHO®**

**KLEERAWAY™ Concentrated Weed & Grass Killer**

ABN: Kleeraway Systemic Weed & Grass Killer


- **For General Weed Control – Kills Weeds And Grasses In 2 To 4 Weeks – Roots & All**
- **New, Improved Formula**
- **Water-Based Formula**
- **No Odor**
- **Kills Weeds In And Around Fences, Driveways, Patios, Paths, Sidewalks, Cracks, Walkways, Trees, Shrubs, and Flower Beds**
- **Multipurpose Grass & Broadleaf Weed Control**
- **Use To Prepare Sites For Planting Fruit Trees, Ornamentals and Vegetables**
- **Can Be Applied With A Tank Sprayer Or Hose-End Applicator**
- **Can Be Applied With A BIG SHOT™ Multi-Purpose Sprayer or other tank sprayer.**

ORTHO® DIAL 'n SPRAY®, ORTHO SPRAY-ETTE® Or Hose-End Applicator

- **Does Not Have Soil Activity**
- **Is Not Active In The Soil**
- **50% More Concentrated -- Makes 4 Gallons of Spray**
- **Concentrated -- Makes 4 Gallons Of Spray (4 gallons/qt)**
- **Treats Up To 1000 sq ft**
- **New, Contains 50% More Active Ingredient Than Kleenup Systemic Weed & Grass Killer**
- **Concentrated For Extra Value**
- **Visible Results In 3 Days**
- **Clears Away Weeds & Grasses, Roots & All**
- **Kills To The Root**
- **Use For Lawn Renovation**
- **Can Reseed Lawns 7 Days After Treatment**
- ~~• **Lawns and gardens can be reseeded or planted soon after treatment.**~~
- **Kills over 75 Broadleaf Weeds & Grasses**
- **Icon: for water based**
- **For use on driveways, sidewalks, gravel areas, and patios**
- **Suitable for use around flower beds, trees, shrubs, fences, walks, & spot treatment in lawns**
- **For outdoor use only (icon)**
- **Value pack**
- **Treats over 1300 sq ft.**
- **Kills the root so the weeds don't come back**
- **NEW / NOW WITH MEASURING CAP AND POUR SPOUT INCLUDED**
- **NOW EASIER TO MEASURE AND POUR**
- **CHILD RESISTANT CAP**
- **FAST & EASY MEASURING CAP**
- **EASY POUR SPOUT**
- **IMPROVED PACKAGE**
- **Concentrate**
- **Kills Weeds & Grass – Roots and all**

[11/26/97 Notification] Contains No diquat

**FOR USE IN THE HOME LAWN AND GARDEN ONLY**



ACTIVE INGREDIENT

Glyphosate, in the form of its isopropylamine salt .....7.5%

INERT INGREDIENTS .....92.5%

[11/26/97 Notification]

(OR)

ACTIVE INGREDIENT

Glyphosate, 7.5%

INERT INGREDIENTS .....92.5%

Keep out of reach of children

CAUTION

See back panel (booklet) for directions and precautions.

NET CONTENTS 32 fl oz (1 qt / 946 mL)

[THE FOLLOWING COPY IS FOR FIX-A-FORM BOOKLET TYPE LABELS WHICH CONSUMERS CAN OPEN, READ, AND RESEAL EASILY AT RETAIL AS WELL AS AT TIME OF USE]

[OUTSIDE BACK COVER]

KLEERAWAY CONCENTRATED WEED & GRASS KILLER

PULL HERE

TO OPEN LABEL

KLEERAWAY Concentrated Weed & Grass Killer controls almost all weeds, grasses and other unwanted vegetation growing in the yard. Use along fences, driveways, side walks, brick and gravel walkways, next to trees and shrubs, and around buildings. Use a Dial 'n Spray to treat large areas for lawn renovation or to prepare sites for planting plant flower beds or vegetable gardens. One quart will treat over 1300 sq ft. Treated weeds begin to wilt in about 3 days with complete kill of the weed including the root in 2 to 4 weeks. Will not move or build up in the soil to hurt untreated plants growing nearby. Gardens including many vegetables can be reseeded or planted 3 days after treatment. Lawns may be replanted 1 week after spraying.

Controls weeds, grasses, and other vegetation along fences, patios, paths, sidewalks and driveways, around trees, shrubs and ornamental plantings around buildings, and in brick and gravel walkways.

Peel open for use directions and further information

PRESS (HERE) TO RESEAL

CAUTION: May cause eye irritation. Avoid contact with skin, eyes or clothing. SEE ADDITIONAL PRECAUTIONARY STATEMENTS AND USE DIRECTIONS INSIDE BOOKLET.

4/10

**☎ Medical Information: 1-800- 454-2333**  
**Product Information: 1-800- 225-2883**

This product is protected by U.S. Patent No. 4,405,531.  
REFORMULATION OR REPACKAGING FOR SALE IS PROHIBITED.

™, ® Trademarks of Monsanto Company  
©Monsanto Company 1995

Manufactured for  
The Solaris Group of  
Monsanto Company  
P. O. Box 5008  
San Ramon, CA 94583-0808  
Form RS581-A / Product 6028  
EPA Reg. No. 239-2629  
EPA Est. 239-1A-3<sup>1</sup>, 58996-MO-1<sup>A</sup>  
Superscript used is first letter of the lot number.  
Made in USA  
[UPC]


### HOW IT WORKS

KLEERAWAY™ Concentrated Grass & Weed Killer controls weeds, grasses, and other vegetation along fences, patios, paths, sidewalks and driveways, around trees, shrubs and ornamental plantings, around buildings, and in brick and gravel walkways. When applied to plants, it is absorbed by the leaves and moves throughout the stem and roots to kill the entire plant. Visible effects generally occur within 3 days with complete kill in 2 to 4 weeks. KLEERAWAY is broken down in the soil by microbes. Once in contact with soil, it has no more weed killing activity and will not move in or on the soil to affect nearby plants. Lawns and gardens can be reseeded or planted soon after treatment.

(OR)

One application controls almost all weeds, grasses and other unwanted vegetation growing in the yard. Use along fences, driveways, side walks, brick and gravel walkways, next to trees and shrubs, and around buildings. Use a Dial 'n Spray to treat large areas for lawn renovation or to prepare sites for planting plant flower beds or vegetable gardens. One quart will treat over 1300 sq ft. Treated weeds begin to wilt in about 3 days with complete kill of the weed including the root in 2 to 4 weeks. Will not move or build up in the soil to hurt untreated plants growing nearby. Gardens including many vegetables can be reseeded or planted 3 days after treatment. Lawns may be replanted 1 week after spraying.

☎ For additional weeds controlled by this product call 1-800-225-2883.



**CONTROLS COMMON WEEDS, SUCH AS:**

- |                                   |                               |                           |
|-----------------------------------|-------------------------------|---------------------------|
| <u>Bahiagrass</u>                 | <u>Diffuse Lovegrass</u>      | <u>Pennywort</u>          |
| <u>Bentgrass</u>                  | <u>Evening Primrose</u>       | <u>Perennial Ryegrass</u> |
| <u>Bermudagrass</u>               | <u>False Dandelion</u>        | <u>Poison Ivy</u>         |
| <u>Bindweed(Wild Momingglory)</u> | <u>Fennel</u>                 | <u>Poison Oak</u>         |
| <u>Blackberries</u>               | <u>Fescue</u>                 | <u>Prostrate Spurge</u>   |
| <u>Black Medic</u>                | <u>Fiddleneck</u>             | <u>Primrose</u>           |
| <u>Bluegrass</u>                  | <u>Filaree</u>                | <u>Puncture Vine</u>      |
| <u>Blue Toadflax</u>              | <u>Florida Pusley</u>         | <u>Quackgrass</u>         |
| <u>Brassbuttons</u>               | <u>Garden Spurge</u>          | <u>Ragweed</u>            |
| <u>Bromegrass</u>                 | <u>Henbit</u>                 | <u>Sandspur</u>           |
| <u>Broadleaf Plantain</u>         | <u>Johnsongrass</u>           | <u>Shepherdspurge</u>     |
| <u>Bur Clover</u>                 | <u>Knotweed</u>               | <u>Smooth Cat's Ear</u>   |
| <u>Canada Thistle</u>             | <u>Lambsquarters</u>          | <u>Sowthistle</u>         |
| <u>Chickweed</u>                  | <u>Little Bitter Cress</u>    | <u>Spotted Spurge</u>     |
| <u>Common Groundsel</u>           | <u>London Rocket</u>          | <u>St. Augustinegrass</u> |
| <u>Common Plantain</u>            | <u>Mallow</u>                 | <u>Tall Fescue</u>        |
| <u>Crabgrasses</u>                | <u>Maiden Cane</u>            | <u>Tansy Ragwort</u>      |
| <u>Creeping Beggarweed</u>        | <u>Mayweed</u>                | <u>Torpedograss</u>       |
| <u>Creeping Bentgrass</u>         | <u>Mouseear Chickweed</u>     | <u>White Clover</u>       |
| <u>Creeping Charlie</u>           | <u>Nimblewill</u>             | <u>Whiteweed</u>          |
| <u>Curly dock</u>                 | <u>Oldenlandia</u>            | <u>Wild Barley</u>        |
| <u>Dandelion</u>                  | <u>Orchardgrass</u>           | <u>Yellow Nutgrass</u>    |
| <u>Dog Fennel</u>                 | <u>Oxalis</u>                 | <u>Zoysia</u>             |
|                                   | <u>Pennsylvania Smartweed</u> |                           |

 For additional weeds controlled by this product call 1-800-225-2883.

*(OR)*

**CONTROLS COMMON WEEDS, SUCH AS:**

Annuals Weeds

- |                            |                               |                             |
|----------------------------|-------------------------------|-----------------------------|
| <u>Black Medic</u>         | <u>Filaree</u>                | <u>Pennywort</u>            |
| <u>Annual Bluegrass</u>    | <u>Florida Pusley</u>         | <u>Perennial Sowthistle</u> |
| <u>Blue Toadflax</u>       | <u>Garden Spurge</u>          | <u>Prostrate Spurge</u>     |
| <u>Brassbuttons</u>        | <u>Henbit</u>                 | <u>Prickly Lettuce</u>      |
| <u>Bromegrass</u>          | <u>Knotweed</u>               | <u>Primrose</u>             |
| <u>Chickweed</u>           | <u>Lambsquarters</u>          | <u>Puncture Vine</u>        |
| <u>Common Groundsel</u>    | <u>Little Bitter Cress</u>    | <u>Sandspur</u>             |
| <u>Crabgrasses</u>         | <u>London Rocket</u>          | <u>Shepherdspurge</u>       |
| <u>Creeping Beggarweed</u> | <u>Mallow</u>                 | <u>Smooth Cat's Ear</u>     |
| <u>Dog Fennel</u>          | <u>Maiden Cane</u>            | <u>Sowthistle</u>           |
| <u>Diffuse Lovegrass</u>   | <u>Mayweed</u>                | <u>Spotted Spurge</u>       |
| <u>Evening Primrose</u>    | <u>Mouseear Chickweed</u>     | <u>Tansy Ragwort</u>        |
| <u>Fennel</u>              | <u>Oxalis</u>                 | <u>Wild Barley</u>          |
| <u>Fiddleneck</u>          | <u>Pennsylvania Smartweed</u> |                             |

Perennials or Brush

Bahiagrass

Bentgrass

Bermudagrass

Bindweed(Wild

Morningglory)

Blackberries

Broadleaf Plantain

Buckhorn Plantain

Bur Clover

Canada Thistle

Common Plantain

Creeping Bentgrass

Creeping Charlie

Curly dock

Dandelion

False Dandelion

Fescue

Fiddleneck

Johnsongrass

Kentucky Bluegrass

Nimblewill

Oldenlandia

Orchardgrass

Oxalis

Perennial Ryegrass

Poison Ivy

Poison Oak

Prostrate Spurge

Primrose

Quackgrass

Ragweed

Smooth Cat's Ear

St. Augustinegrass

Tall Fescue


Torpedograss

White Clover

Whitetop

Yellow Nutgrass

Zoysia



**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **Read entire label. Use only in accordance with label directions and precautionary statements.**

**WHEN TO APPLY**

Apply when ~~vegetation is green and weeds are actively growing.~~ [2/2/96 Notification] (or) Apply when vegetation is green and actively growing. For best results, apply on a sunny day when the daytime temperature is at least 60°F. Apply only when the air is calm. Warm, sunny weather will speed up weed control. Do not use if rain is expected within 6 hours of application or weed control may be reduced. Reapply if it rains within 6 hours of application. Thick lawn grass or hard-to-control weeds (such as Bermudagrass) may require a repeat application. Apply only when the air is calm.

**HOW TO APPLY**

To apply with a plastic, aluminum or stainless steel tank-type sprayer or Ortho hose-end sprayers. Refer to Mixing Instructions below to determine the correct amount of KLEERAWAY and water to add to sprayer. **Note:** Do not use or store in galvanized or unlined steel sprayers.

[2/2/96 Notification]

<u>APPLICATOR</u>	<u>MIXING INSTRUCTIONS</u>	<u>TREATS</u>
<u>Tank Sprayer</u>	<u>1 cup (8 fl oz) of KLEERAWAY into 1 gallon of water</u>	<u>250 sq ft</u>
<u>ORTHO PLANT &amp; WEED SPRAY-ETTE Hose-End Sprayer</u>	<u>2 cups (1 pint) of KLEERAWAY into sprayer jar. Do not add water to sprayer jar.</u>	<u>500 sq ft</u>
<u>ORTHO DIAL 'n SPRRAY Hose-End Sprayer</u>	<u>2 cups (1 pint) of KLEERAWAY into sprayer jar. Set sprayer dial on 8 oz. Do not add water to sprayer jar.</u>	<u>500 sq ft</u>

MEASURING CAP: To open: squeeze cap sides while unscrewing. Fill cap to appropriate level for fast, easy, accurate measuring. Refer to label / table below for measuring instructions. Close cap tightly after use - no need to rinse.

- Level 1 = 1 teaspoon (tsp)
- Level 2 = 1 Tablespoon (Tbs) = 3 tsp
- Level 3 = 1 fl oz (2 Tbs)
- Level 4 = 2 fl oz (4 Tbs)



APPLICATOR	MIXING INSTRUCTIONS	MIXING INSTRUCTIONS	AREA TO TREAT
	General Weed Control Annuals	Perennials or Brush Lawn Renovation	
ORTHO BIG SHOT™ Tank Sprayer	Fill cap to Level 4 three times (6 oz). Add to 1 gallon of water.	Fill cap to Level 4 four times (8 oz). Add to 1 gallon of water.	250 sq ft (25 ft x 10 ft)
ORTHO DIAL 'n SPRAY® Hose- End sprayer	Fill cap to Level 4 five times (10 oz) and add to sprayer jar. <b>DO NOT ADD WATER.</b> Set dial to 5 1/3 oz and spray.	Fill cap to Level 4 eight times (16 oz) and add to sprayer jar. <b>DO NOT ADD WATER.</b> Set dial to 8 oz and spray.	500 sq ft (25 ft x 20 ft)
ORTHO PLANT & WEED SPRAY-ETTE® Hose-End Sprayer	Fill cap to Level 4 six times (12 oz) and add to sprayer jar.	Fill cap to Level 4 eight times (16 oz) and add to sprayer jar.	500 sq ft (25 ft x 20 ft)

Spray weeds until foliage is wet. Avoid overspraying that results in runoff. Thoroughly rinse all application equipment when finished spraying. People and pets may reenter treated areas after sprayed vegetation [2/2/96] (or) Spray has dried.

**IMPORTANT:** Use a tank-type sprayer for spot treatments. (or) To spot treat, use a tank-type sprayer. Spray carefully. Avoid spray or drift contact with desirable lawn grasses, shrubs or trees. This product can kill or damage all vegetation contacted. If accidental spray contacts desirable plant foliage, **immediately** rinse the foliage with water.

**WHERE TO APPLY**

**For General Weed Control:** Apply along fences, paths, patios, sidewalks and driveways, around trees, shrubs, and ornamental plantings, around buildings, and in brick and gravel walkways. Use to trim and edge landscape areas, but **not recommended for spot weed control in lawns.**

**For Landscaping:** Apply in areas where planting of ornamentals, trees, shrubs, desert landscapes, rock gardens, flower beds or similar plantings will be made.

**For Ornamentals:** Apply around ornamentals, trees, or shrubs. Spray contact other than with mature bark of desirable plants may cause injury. Ornamentals and Flowers - may be reseeded or replanted the next day.

**For Lawn Renovation:** Use to eliminate old, undesirable, or weed infested lawns or to change to a more desirable grass type. For best results, skip at least one mowing prior to spraying. Delay reseeding, tilling, or sodding for 7 days after spraying.

[Alternative text]

**For Lawn Renovation:**

- Use Kleeaway to kill existing weeds and grasses including the old lawn.
- For best results, apply in Spring or Fall, when daytime temperatures are at least 60° F.

- Under dry conditions, water lawn every other day for a week before using Kleeaway
- Do not mow for 7 days before or after treatment.
- After 7 days, prepare the soil for planting by raking or rototilling the lawn.
- Rake up and remove loosened thatch or debris.
- Mix in starter fertilizer and other amendments, if needed. Level the soil.
- Apply seed according to directions on seed package, or install sod. Grass seed must have a good contact with soil to germinate and grow.
- Keep area moist for 2 weeks to establish new lawn, then water as needed.

**For Vegetables, Small Fruits and Berries:** The following vegetables, small fruits and berries may be planted (by seed, rooted cuttings or transplants) 7 days after spraying. For unlisted vegetables, small fruits and berries, wait 30 days after spraying to plant.

VEGETABLES: Jerusalem artichoke, asparagus, beans, beet greens, broccoli, Brussels sprouts, cabbage, cantaloupe, carrot, cauliflower, casaba melon, celery, chard (Swiss), chicory, collards, corn, crenshaw melon, cucumber, eggplant, endive, garlic, gourds, ground cherry, honeydew melon, honey ball melon, horseradish, kale, kohlrabi, leek, lentils, lettuce, mango melon, melons, muskmelon, mustard greens, okra, onion, rape greens, parsley, parsnips, peas, pepper, persian melon potato (Irish, Sweet), pumpkin, radish, rhubarb, rutabaga, spinach, squash (summer, winter), tomatillo, tomato\*, turnip, watercress, watermelon, and yams.

\*Tomatoes planted from seed only. Wait 30 days for rooted transplants.

SMALL FRUITS AND BERRIES: Blackberry, blueberry, boysenberry, cranberry, currant, dewberry, elderberry, gooseberry, huckleberry, loganberry, olallieberry, raspberry (black & red), and strawberry.

(OR)

Vegetables - To plant listed vegetables, wait 3 days after spraying, before seeding. For tomato transplants or unlisted vegetables, wait 30 days after spraying.

Beans, beet greens, broccoli, Brussels sprouts, cabbage, cantaloupe, carrot, cauliflower, casaba melon, celery, chard (Swiss), chicory, collards, corn, Crenshaw melon, cucumber, eggplant, endive, garlic, honeydew melon, honey ball melon, horseradish, Jerusalem artichoke, kale, kohlrabi, leek, lentils, lettuce, mango melon, melons, muskmelon, mustard greens, okra, onion, rape greens, parsley, parsnips, peas, pepper, persian melon, potato, pumpkin, radish, rhubarb, rutabaga, spinach, summer squash, sweet potato, tomatillo, tomato\*, turnip, watercress, watermelon, winter squash and yams.

\*Note: Tomatoes planted from seed only. Wait 30 days for rooted transplants.

Small Fruits and Berries - The following listed crops may be planted (by seed, rooted cutting, or transplant) 7 days after spraying Kleeaway. For unlisted small fruit and berries, wait 30 days after spraying.

Blackberry, black raspberry, blueberry, boysenberry, currant, dewberry, elderberry, gooseberry, huckleberry, loganberry, olallieberry, red raspberry, and strawberry.

**STORAGE & DISPOSAL**

{Statement for smaller-sized containers.}

Store product only in original container in a safe place. Keep from freezing. Do not reuse empty container. Wrap in newspaper and discard in trash.

{Statement for larger-sized containers.}

Store product only in original container, in a secured storage area. Keep from freezing. Only purchase as much as you will need to avoid disposing of partially filled containers. Try to use all of the product or give it to someone who will use it. Do not reuse empty container. Rinse thoroughly before discarding in trash. If necessary to dispose of partially filled container, securely wrap in several layers of newspaper and discard in trash. In case of a product spill or leak, using rubber gloves soak up with paper towels and discard in trash.

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

**CAUTION:** May cause eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

People and pets may reenter treated areas after sprayed-vegetation has dried.

**FIRST AID:** If in eyes, immediately flush with plenty of water. Get medical attention if irritation persists. ~~In case of emergency involving this product call: (800) 454-2333~~ **Note to Physicians:** Emergency Information call 1-800-454-2333.

**ENVIRONMENTAL HAZARDS**

Do not apply directly to water. Do not contaminate water when disposing of equipment wash waters.

**NOTICE:** Buyer assumes all responsibility for safety and use not in accordance with label directions. If these terms are not acceptable, return at once unopened. This product is protected by U.S. Patent No. 4,405,531.

**REFORMULATION OR REPACKAGING FOR SALE IS PROHIBITED.**

™, ® Trademarks of Monsanto Company

©Monsanto Company-1994 1995

**☎ Emergency Medical Information: 1-800- 454-2333**

**☎ Product Information: 1-800- 225-2883**

Manufactured for  
**The Solaris Group** of Monsanto Company  
P. O. Box 5008  
San Ramon, CA 94583-0808  
Form RS581-A / Product 6028  
EPA Reg. No. 239-2629  
EPA Est. 239-1A-3<sup>I</sup>, 58996-MO-1<sup>A</sup>  
Superscript used is first letter of the lot number.

Made in USA [UPC] [11/26/97 Notification] Solaris®

