Roundup® Concentrate Weed & Grass Killer

[graphics of weeds dying in 1-14 days]

No odor

Water - based formula

Mix with water to make up to 10 / 21gallons of spray solution (varies with qt / gal container size) Covers up to 300 sq ft per gallon of spray, 75 sq ft per qt, 55 sq ft per 24 oz Does not have soil activity,

Controls existing weeds, is not a preemergent

Kills unwanted weeds and grasses, roots and all, kills to the root, kills weeds roots and all Use in / Apply with a tank sprayer, ORTHO DIAL 'n SPRAY or other ORTHO hose-end sprayers Use to prepare sites for large plantings, for planting fruit trees, ornamentals, vegetables, garden sites and to renovate lawns

Kills / spray weeds in flower beds and around fences, trees, shrubs, driveways, walkways and shrubs, in and around fences, patios, paths, sidewalk cracks, walkways,

Economical- mix 6 to 12 Tablespoons (3 - 6 oz) per gallon, Concentrated For Extra Value Satisfaction guaranteed or your money back with proof of purchase Use to refill Roundup Ready-To-Use

[animal logo] - American Zoological Association Species Survival Plan For General Weed Control - Kills Weeds And Grasses In 2 To 4 Weeks - Roots & All New, Improved Formula

Multipurpose Grass & Broadleaf Weed Control
Visible Results In 7 Days
Can Reseed or Sod Lawns 7 Days After Treatment
Lawns and gardens can be reseeded or planted soon after treatment.


FOR USE IN THE HOME LAWN AND GARDEN ONLY

Keep out of reach of children

CAUTION Read back label for additional precautionary statements
[Fix-a-Form label] See back panel booklet for additional precautionary statements
Active Ingredient

Net 16 fl oz (1 pt) 473mL, 32 fl oz (1 qt) 946mL, or 64 fl oz (1/2 gal) 1.89 L Net 250mL, 500rnL, 750 mL, 1L, or 1.89 L

BEST AVAILABLE COPY



Roundup® Concentrate Weed & Grass Killer PULL HERE TO OPEN LABEL

Roundup[®] Concentrate Weed & Grass Killer is an all purpose weed and grass killer. It completely kills even the toughest weeds and grasses. Use around trees, shrubs, vegetable gardens and flower beds. Apply along driveways, sidewalks, fences and around patios and buildings. Use for large jobs such as lawn renovation or clearing brushy areas

Peel open for use directions and further information

PRESS HERE TO RESEAL

CAUTION: May cause eye irritation. Avoid contact with skin, eyes or clothing. SEE ADDITIONAL PRECAUTIONARY STATEMENTS AND DIRECTIONS INSIDE BOOKLET.

Medical Information call 1-314-694-4000. Call collect day or night. Product Information call 1-800-225-2883

This product is protected by U.S. Patent No. 4,405,531. Other patents pending. No license granted under any non-U.S. patent(s).

REFORMULATION OR REPACKAGING FOR SALE IS PROHIBITED

®Trademark of Monsanto Company
©MONSANTO COMPANY 1994
The SOLARIS Group of
Monsanto Company
P.O. Box 5008
San Ramon CA 94583-0808
Form FS- xxx-A Product
EPA Reg. No. 239-xxxx
EPA Est. 239-IA-3¹, 524-LA-1¹, 58996-MO-1^M
Superscript is first letter of lot number
Made in USA





Roundup[®] Concentrate Weed & Grass Killer is an all purpose weed and grass killer. It completely kills even the toughest weeds and grasses. Use around trees, shrubs, vegetable gardens and flower beds. Apply along driveways, sidewalks, fences and around patios and buildings. Use for large jobs such as lawn renovation or clearing brushy areas.

HOW IT WORKS

Roundup is absorbed by green, growing plant tissue. It moves throughout the plant to kill tough weeds and grasses. It works by stopping formation of an amino acid found only in plants. Visible effects usually occur within 1 week with complete kill in 2 to 4 weeks. Roundup is broken down in the soil by microbes. Once in contact with the soil, it has no more weed killing activity. Roundup will not move in or on the soil to affect nearby plants so you can use it over the root zone of desirable plants. Treated areas can be replanted as soon as 1 week after treatment.

CONTROLS COMMON WEEDS, SUCH AS:

Dandelion

Alder **Annual Ryegrass** Annual Bluegrass Bahiagrass **Barnvardgrass** Beggarweed **Bentgrass** Bermudagrass Black Medic Blackberries Blue Toadflax **Brassbuttons Broadleaf Plantain Bromegrass** Bur Clover Canada Thistle Cherry species Chickweed Common Groundsel Common Ragweed Common Plantain Crabgrass

Creeping Beggarweed Creeping Bentgrass

Creeping Charlie

Curly dock

Dallisgrass Dewberry Diffuse Lovegrass Dog Fennel Elderberry Evening Primrose False Dandelion Fennel Fescue species Fiddleneck Field Pennycress Field Sandbur Field Bindweed (Wild Morningglory) Filaree Florida Pusley **Foxtail** Garden Spurge Henbit Honeysuckle **Johnsongrass** Kentucky Bluegrass Knotweed Kudzu

London Rocket Maiden Cane Mallow Mayweed Mouseear Chickweed Multiflora Rose Nimblewill Nutsedge Oak species Oldenlandia Orchardgrass Oxalis Pennsylvania Smartweed Pennywort Perennial Ryegrass Poison Oak Poison Ivy Prickly Lettuce Primrose Prostrate Spurge Puncture Vine Purple Nutsedge Quackgrass Ragweed Raspberry

Little Bitter Cress

Red Clover Redroot Pigweed Sandspur Shepherdspurse Smooth Cat's Ear Smooth Pigweed Smooth Bromegrass Sowthistle Spotted Spurge St. Augustinegrass Sumac Tall Fescue Tansy Ragwort Tansy Mustard Timothy Torpedograss Trumpetcreeper Vaseygrass White Clover Whitetop Wild Barley Willow

Yellow Nutgrass

Zoysia

■ For additional weeds controlled by this product call 1-800-225-2883.

Lambsquarters

DIRECTIONS FOR USE

4.26

It is a violation of Federal law to use this product in any manner inconsistent with its labeling. READ ENTIRE LABEL. USE ONLY ACCORDING TO LABEL DIRECTIONS OBSERVING ALL PRECAUTIONS.

WHEN TO APPLY

Apply to green, actively, growing plants only when air is calm. Warm sunny weather and daytime temperature above 60°F will speed up weed control. Do not use if rain is expected within 6 hours of application as weed control may be reduced. For best results, apply when weeds are smaller than 6 inches and before seedheads have formed. Retreatment may be necessary for renovating lawn grasses, brush control or killing newly appearing weeds.

WHERE TO APPLY

For General Weed Control: Apply along fences, paths, patios, sigewalks and driveways, around trees, shrubs, and ornamental plantings and flower beds, around buildings, and in brick and gravel walkways. Use to trim and edge landscape areas. Do NOT use for spot weed control in lawns as desirable lawn grasses will be killed.

For Landscaping: Apply in areas where planting of ornamentals, trees, shrubs, desert landscapes, rock gardens, flower beds or similar plantings will be made.

For Ornamentals: Apply carefully around existing ornamentals, trees or shrubs. Spray contact other than with mature bark of desirable plants may cause injury. If any spray accidental gets on nearby plants, wash off immediately with water.

For Lawn Renovation: Use to eliminate old, undesirable or weed infested lawns or to change to a more desirable grass type. Apply to kill lawn grasses and weeds prior to reseeding, planting sod or rototilling. For best results, wait one week after mowing before spraying. Delay reseeding, tilling, or planting sod for 7 days after spraying. Thick lawn grasses or hard-to-control weed species such as Bermudagrass and Zoysia may require a repeat treatment.

For Brush Control: Apply when brush is green and growing. If plants are taller than 5 feet, cut back and soray regrowth. Control of brush sprayed in the fall, may not be fully apparent until the following season. Hard-to-control species such as Poison Oak may require a repeat treatment.

For Vegetables, Small Fruits and Berries: The listed vegetables, small fruits and berries may be planted by seed, rooted cuttings or transplants, 7 days after spraying. Wait 30 days for any unlisted vegetables, small fruits or berries.

VEGETABLES: Asparagus, beans, beet greens, broccoli, Brussels sprouts, cabbage, cantaloupe, carrot, cauliflower, casaba melon, celery, chard (Swiss), chicory, collards, corn, Crenshaw melon, cucumber, eggplant, endive, garlic, gourds, ground cherry, honeydew melon, honey ball melon, horseradish, Jerusalem artichoke, kale, kohlrabi, leak, lentils, lettuce, mango melon, melons, muskmelon, mustard greens, okra, chich, rape greens, parsley, parsnips, peas, pepper, persian melon, potato, pumpkin, radish, rhubarb, rutabaga, spinach, summer squash, sweet potato, tomatillo, tomato*, turnip, waterress, watermelon, winter squash and yams.

SMALL FRUITS AND BERRIES: Blackberry, black raspberry, blueberry, boysenberry, cranberry, currant, dewberry, elderberry, gooseberry, huckleberry, loganberry, orallieberry, red raspberry, and strawberry

*Note: Tomatoes planted from seed only. Wait 30 days for rooted transplants.

grapevines, allow 21 days before eating the fruits or nuts

HOW TO APPLY

Use a plastic, aluminum or stainless steel tank sprayer, ORTHO DIAL' n SPRAY or other ORTHO hose-end sprayer or hand-trigger sprayer to apply this product. Do not use or store solutions of this product in galvanized steel or unlined steel sprayers. Applying this product through any type of irrigation system or with a sprinkling can result in poor or erratic weed control

Use the following table to determine the correct amount of spray to make for treatment area.

tsp = teaspoon

)

Tbs = Tablespoon 2 Tbs = 1 oz

APPLICATOR	MIXING INSTRUCTIONS Easy-to-control weeds	MIXING INSTRUCTIONS Hard-to-control weeds	AREA TO TREAT
Tank Sprayer	Use 6 Tbs in 1 gal of water.	Use 12 Tbs in 1 gal of water	300 sq ft (30 ft x 10 ft)
ORTHO DIAL 'n SPRAY Hose-End sprayer	Add 6 Tbs Roundup to sprayer jar. DO NOT ADD WATER. Set dial to 3 oz and spray.	Add 12 Tbs Roundup to sprayer jar. DO NOT ADD WATER. Set dial to 5 oz and spray.	300 sq ft
ORTHO Hose-End Sprayer or others	Add 12 oz Roungup to sprayer jar. Fill to the 4 gal mark and spray.	Add 20 oz Roundup to sprayer jar. Fill to the 4 gal mark and spray	1200 sq ft (30 ft x 40 ft)
Hand trigger sprayers	Use 4 tsp in 24 cz water	Use 2 1/2 Tbs in 24 oz water	Use for spot treatments or single weeds

Spray weeds until wet. If spray accidently contacts desirable plants, wash off immediately. Rinse sprayer and flush all sprayer components with water 3 times after use to remove residues. Apply rinse water to other undesirable plants.

This product can be used to refill Roundup Ready-To-Use Weed & Grass Killer, carefully following label instructions.

1,2k

STORAGE: Store this product only in its original container and in a secured storage area. Protect container from freezing. DISPOSAL: Securely wrap partially filled or empty container in several layers of newspaper and discard in trash. Do not reuse container. SPILL OR LEAK: In case of spill or leak, while wearing rubber gloves soak up spill with paper towels and discard in trash.

PRECAUTIONARY STATEMENTS Hazards to Humans & Domestic Animals

CAUTION: May cause eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

[Child/pet icon] People and pets may reenter treated areas after sprayed vegetation has dried.

FIRST AID: IF IN EYES, immediately flush with plenty of water. Get medical attention if irritation persists.

■ Medical Information call 1-314-694-4000. Call collect day or night.

Product Information call 1-800-225-2883

Environmental Hazards

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

This product is protected by U.S. Patent No. 4,405,531. Other patents pending. No license granted under any non-U.S. patent(s).

REFORMULATING OR REPACKAGING FOR SALE IS PROHIBITED

©Trademark of Monsanto Company
©MONSANTO COMPANY (year of copyright)
The SOLARIS Group of
Monsanto Company
P.O. Box 5008
San Ramon CA 94583-0808
Form FS- xxx-A Product
EPA Reg. No. 239-xxxx
EPA Est. 239-IA-3^I, 524-LA-1^L, 58996-MO-1^M
Superscript is first letter of lot number
Made in USA

2391 ficancilli (sim. to EPA REG NO 524 370)

November 18 1994