

PM05

**FRONT PANEL**

239-2637

1 of 6

**Roundup® Super Concentrate Weed & Grass Killer**

*[graphics of weeds dying in 1-14 days]*

No odor

Water - based formula

Mix with water to make up to 21 / 85 gallons of spray solution *(varies with qt / gal container size)*

Covers up to 300 sq ft per gallon of spray, 75 sq ft per qt, 55 sq ft per 24 oz

Does not have soil activity,

Controls existing weeds, is not a preemergent

Kills unwanted weeds and grasses, roots and all, kills to the root, kills weeds roots and all

Use in / Apply with a tank sprayer, ORTHO DIAL 'n SPRAY or other ORTHO hose-end sprayers

Use to prepare sites for large plantings, for planting fruit trees, ornamentals, vegetables, garden sites and to renovate lawns

Kills / spray weeds in flower beds and around fences, trees, shrubs, driveways, walkways and shrubs, in and around fences, patios, paths, sidewalk cracks, walkways,

Economical- mix 3 to 5 tablespoons (1½ - 2½ oz) per gallon, Concentrated For Extra Value

Satisfaction guaranteed or your money back with proof of purchase

Use to refill Roundup Ready-To-Use

) *[animal logo]* - American Zoological Association Species Survival Plan

For General Weed Control - Kills Weeds And Grasses In 2 To 4 Weeks - Roots & All

New, Improved Formula

Multipurpose Grass & Broadleaf Weed Control

Visible Results In 7 Days

) Can Reseed or Sod Lawns 7 Days After Treatment

Lawns and gardens can be reseeded or planted soon after treatment.

**FOR USE IN THE HOME LAWN AND GARDEN ONLY**

Keep out of reach of children

**WARNING** Read back label for additional precautionary statements



) *[Fix-a-Form label]* See back panel booklet for additional precautionary statements

Active Ingredient

Glyphosate, in the form of its isopropylamine salt ..... 41.0%

Inert Ingredients ..... 59.0%

Net 32 fl oz (1 qt) 946mL, or 128 fl oz (1 gal) 3.7 L



**Roundup® Super Concentrate Weed & Grass Killer** PULL HERE TO OPEN LABEL

Roundup® Super Concentrate Weed & Grass Killer is an all purpose weed and grass killer. It completely kills even the toughest weeds and grasses. Use around trees, shrubs, vegetable gardens and flower beds. Apply along driveways, sidewalks, fences and around patios and buildings. Use for large jobs such as lawn renovation or clearing brushy areas.

Peel open for use directions and further information

PRESS HERE TO RESEAL

**WARNING:** Causes substantial but temporary eye injury. Do not get in eyes or on clothing. SEE ADDITIONAL PRECAUTIONARY STATEMENTS AND DIRECTIONS INSIDE BOOKLET.

▣ **Medical Information call 1-314-694-4000. Call collect day or night.**  
**Product Information call 1-800-225-2883**

This product is protected by U.S. Patent No. 4,405,531. Other patents pending. No license granted under any non-U.S. patent(s).

REFORMULATION OR REPACKAGING FOR SALE IS PROHIBITED

®Trademark of Monsanto Company

©MONSANTO COMPANY 1994

The SOLARIS Group of

Monsanto Company

P.O. Box 5008

San Ramon CA 94583-0808

Form FS- xxx-A Product

EPA Reg. No. 239-~~xxx~~ *EAGT*

EPA Est. 239-IA-3<sup>1</sup>, 524-LA-1<sup>4</sup>, 58996-MO-1<sup>M</sup>

Superscript is first letter of lot number

Made in USA

[Inside, back booklet]

Roundup® Super Concentrate Weed & Grass Killer is an all purpose weed and grass killer. It completely kills even the toughest weeds and grasses. Use around trees, shrubs, vegetable gardens and flower beds. Apply along driveways, sidewalks, fences and around patios and buildings. Use for large jobs such as lawn renovation or clearing brushy areas.

## HOW IT WORKS

Roundup is absorbed by green, growing plant tissue. It moves throughout the plant to kill tough weeds and grasses. It works by stopping formation of an amino acid found only in plants. Visible effects usually occur within 1 week with complete kill in 2 to 4 weeks. Roundup is broken down in the soil by microbes. Once in contact with the soil, it has no more weed killing activity. Roundup will not move in or on the soil to affect nearby plants so you can use it over the root zone of desirable plants. Treated areas can be replanted as soon as 1 week after treatment.

## CONTROLS COMMON WEEDS, SUCH AS:

Alder	Dandelion	Little Bitter Cress	Red Clover
Annual Ryegrass	Dallisgrass	London Rocket	Redroot Pigweed
Annual Bluegrass	Dewberry	Maiden Cane	Sandspur
Bahiagrass	Diffuse Lovegrass	Mallow	Shepherdspurse
Barnyardgrass	Dog Fennel	Mayweed	Smooth Cat's Ear
Beggarweed	Elderberry	Mouseear Chickweed	Smooth Pigweed
Bentgrass	Evening Primrose	Multiflora Rose	Smooth Bromegrass
Bermudagrass	False Dandelion	Nimblewill	Sowthistle
Black Medic	Fennel	Nutsedge	Spotted Spurge
Blackberries	Fescue species	Oak species	St. Augustinegrass
Blue Toadflax	Fiddleneck	Oldenlandia	Sumac
Brassbuttons	Field Pennycress	Orchardgrass	Tall Fescue
Broadleaf Plantain	Field Sandbur	Oxalis	Tansy Ragwort
Bromegrass	Field Bindweed (Wild	Pennsylvania Smartweed	Tansy Mustard
Bur Clover	Morningglory)	Pennywort	Timothy
Canada Thistle	Filaree	Perennial Ryegrass	Torpedograss
Cherry species	Florida Pusley	Poison Oak	Trumpetcreeper
Chickweed	Foxtail	Poison Ivy	Vaseygrass
Common Groundsel	Garden Spurge	Prickly Lettuce	White Clover
Common Ragweed	Henbit	Primrose	Whitetop
Common Plantain	Honeysuckle	Prostrate Spurge	Wild Barley
Crabgrass	Johnsongrass	Puncture Vine	Willow
Creeping Beggarweed	Kentucky Bluegrass	Purple Nutsedge	Yellow Nutgrass
Creeping Bentgrass	Knotweed	Quackgrass	Zoysia
Creeping Charlie	Kudzu	Ragweed	
Curly dock	Lambsquarters	Raspberry	

• For additional weeds controlled by this product call 1-800-225-2883.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling. **READ ENTIRE LABEL. USE ONLY ACCORDING TO LABEL DIRECTIONS OBSERVING ALL PRECAUTIONS.**

### WHEN TO APPLY

Apply to green, actively, growing plants only when air is calm. Warm sunny weather and daytime temperature above 60°F will speed up weed control. Do not use if rain is expected within 6 hours of application as weed control may be reduced. For best results, apply when weeds are smaller than 6 inches and before seedheads have formed. Retreatment may be necessary for renovating lawn grasses, brush control or killing newly appearing weeds.

### WHERE TO APPLY

**For General Weed Control:** Apply along fences, paths, patios, sidewalks and driveways, around trees, shrubs, and ornamental plantings and flower beds, around buildings, and in brick and gravel walkways. Use to trim and edge landscape areas. Do NOT use for spot weed control in lawns as desirable lawn grasses will be killed.

**For Landscaping:** Apply in areas where planting of ornamentals, trees, shrubs, desert landscapes, rock gardens, flower beds or similar plantings will be made.

**For Ornamentals:** Apply carefully around existing ornamentals, trees or shrubs. Spray contact other than with mature bark of desirable plants may cause injury. If any spray accidental gets on nearby plants, wash off immediately with water.

**For Lawn Renovation:** Use to eliminate old, undesirable or weed infested lawns or to change to a more desirable grass type. Apply to kill lawn grasses and weeds prior to reseeding, planting sod or rototilling. For best results, wait one week after mowing before spraying. Delay reseeding, tilling, or planting sod for 7 days after spraying. Thick lawn grasses or hard-to-control weed species such as Bermudagrass and Zoysia may require a repeat treatment.

**For Brush Control:** Apply when brush is green and growing. If plants are taller than 5 feet, cut back and spray regrowth. Control of brush sprayed in the fall, may not be fully apparent until the following season. Hard-to-control species such as Poison Oak may require a repeat treatment.

**For Vegetables, Small Fruits and Berries:** The listed vegetables, small fruits and berries may be planted by seed, rooted cuttings or transplants, 7 days after spraying. Wait 30 days for any unlisted vegetables, small fruits or berries.

**VEGETABLES:** Asparagus, beans, beet greens, broccoli, Brussels sprouts, cabbage, cantaloupe, carrot, cauliflower, casaba melon, celery, chard (Swiss), chicory, collards, corn, Crenshaw melon, cucumber, eggplant, endive, garlic, gourds, ground cherry, honeydew melon, honey ball melon, horseradish, Jerusalem artichoke, kale, kohlrabi, leek, lentils, lettuce, mango melon, melons, muskmelon, mustard greens, okra, onion, rape greens, parsley, parsnips, peas, pepper, persian melon, potato, pumpkin, radish, rhubarb, rutabaga, spinach, summer squash, sweet potato, tomatillo, tomato\*, turnip, watercress, watermelon, winter squash and yams.

**SMALL FRUITS AND BERRIES:** Blackberry, black raspberry, blueberry, boysenberry, cranberry, currant, dewberry, elderberry, gooseberry, huckleberry, loganberry, olallieberry, red raspberry, and strawberry.

**\*Note:** Tomatoes planted from seed only. Wait 30 days for rooted transplants.

**For Fruit and Nut Trees:** If used to control undesirable plants around fruit or nut trees or grapevines, allow 21 days before eating the fruits or nuts.

### HOW TO APPLY

Use a plastic, aluminum or stainless steel tank sprayer, ORTHO DIAL 'n SPRAY or other ORTHO hose-end sprayer or hand-trigger sprayer to apply this product. Do not use or store solutions of this product in galvanized steel or unlined steel sprayers. Applying this product through any type of irrigation system or with a sprinkling can result in poor or erratic weed control.

Use the following table to determine the correct amount of spray to make for treatment area.

tsp = teaspoon      Tbs = Tablespoon    2 Tbs = 1 oz

APPLICATOR	MIXING INSTRUCTIONS Easy-to-control weeds	MIXING INSTRUCTIONS Hard-to-control weeds	AREA TO TREAT
Tank Sprayer	Use 3 Tbs in 1 gal of water.	Use 5 Tbs in 1 gal of water	300 sq ft (30 ft x 10 ft)
ORTHO DIAL 'n SPRAY Hose-End sprayer	Add 3 Tbs Roundup to sprayer jar. <b>DO NOT ADD WATER.</b> Set dial to 1 1/2 oz and spray.	Add 5 Tbs Roundup to sprayer jar. <b>DO NOT ADD WATER.</b> Set dial to 2 1/2 oz and spray.	300 sq ft
ORTHO Hose-End Sprayer or others	Add 6 oz Roundup to sprayer jar. Fill to the 4 gal mark and spray.	Add 10 oz Roundup to sprayer jar. Fill to the 4 gal mark and spray	1200 sq ft (30 ft x 40 ft)
Hand trigger sprayers	Use 2 tsp in 24 oz water	Use 1 Tbs in 24 oz water	Use for spot treatments or single weeds

Spray weeds until wet. If spray accidentally contacts desirable plants, wash off immediately. Rinse sprayer and flush all sprayer components with water 3 times after use to remove residues. Apply rinse water to other undesirable plants.

This product can be used to refill Roundup Ready-To-Use Weed & Grass Killer, carefully following label instructions.

STORAGE AND DISPOSAL

**STORAGE:** Store this product only in its original container and in a secured storage area. Protect container from freezing. **DISPOSAL:** Securely wrap partially filled or empty container in several layers of newspaper and discard in trash. Do not reuse container. **SPILL OR LEAK:** In case of spill or leak, while wearing rubber gloves soak up spill with paper towels and discard in trash.

**PRECAUTIONARY STATEMENTS**  
**Hazards to Humans & Domestic Animals**

**WARNING:** Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Wear safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

[Child/pet icon] People and pets may reenter treated areas after sprayed vegetation has dried.

**FIRST AID: IF IN EYES,** immediately hold eyelids open and flush with a steady stream of water for 15 minutes. Get medical attention if irritation persists.

☐ **Medical Information call 1-314-694-4000. Call collect day or night.**  
**Product Information call 1-800-225-2883**

**Environmental Hazards**

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

**NOTICE:** Buyer assumes all responsibility for safety and use not in accordance with directions.

This product is protected by U.S. Patent No. 4,405,531. Other patents pending. No license granted under any non-U.S. patent(s).

**REFORMULATING OR REPACKAGING FOR SALE IS PROHIBITED**

©Trademark of Monsanto Company  
©MONSANTO COMPANY (year of copyright)  
The SOLARIS Group of  
Monsanto Company  
P.O. Box 5008  
San Ramon CA 94583-0808  
Form FS- xxx-A Product  
EPA Reg. No. 239-~~xxx~~ *EAGIT*  
EPA Est. 239-IA-3<sup>l</sup>, 524-LA-1<sup>l</sup>, 58996-MO-1<sup>M</sup>  
Superscript is first letter of lot number  
Made in USA