· 7/14/95	PH 25	239-2637	19 119		
Please read instructions on reverse before completing form.			0060. Approval expires 2-28-95		
SEPA Environmental Prote Washington, DO	tes ction Agency	Registration Amendment Other	OPP Identifier Number		
Application for Pesticide - Section I					
1. Company/Product Number 2. EPA Product 239-2637 R. Tay:		•	3. Proposed Classification		
4. Company/Product (Name)	PM#	PM# Restricted			
Roundup Super Concentrate Weed & Grass Killer 25  5. Name and Address of Applicant (Include ZIP Code) The SOLARIS Group of Monsanto Company P. O. Box 5006 San Ramon, CA 94583-0906  FPA Reg. No.					
Check if this is a new address	Product Nan	ne			
	Section - II				
Amendment - Explain below.  Resubmission in response to Agency letter dated   Final printed labels in response to Agency letter dated   Me Too" Application.  Notification - Explain below.    Other - Explain below.    Explanation: Use additional page(s) if necessary. (For section 1 and Section II.)  NOTIFICATION  To add additional front panel statement   Built-in measuring cap					
	Section III	<del></del>	<u></u>		
Section - III  1. Material This Product Will Be Packaged In:					
Child-Resistant Packaging  Yes*  No  * Certification must be submitted  Unit Packaging  Yes  No  If "Yes" Unit Packaging wgt.		Per Pag	etal estic		
3. Location of Net Contents Information 4. Size(s) Retail Container 5. Location of Label Directions On Label On Labeling accompanying product					
6. Manner in Which Label is Affixed to Product Lithograph Paper glued Stenciled					
Section - IV					
1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)					
Name  Katherine A. Buteau	Title Registration		(510) 355-3339		
Certification  I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete.  I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or the both under applicable law.  6/ Date Application RiceXed  (Stamped)					
2, Signature 3. Title					
Katherne Worten	<del></del>	Registration Specialist			
4. Typed Name	5. Date	1995			

# **FRONT PANEL**

# Roundup® Super Concentrate Weed & Grass Killer

[New packaging claims to support our new package] NEW! MEASURING CAP AND POUR SPOUT INCLUDED NEW! LARGER SIZE Covers xx sq ft Now easier to measure and pour Child resistant Cap Kills the root so weeds don't come back No root. No weed. No problem. Builds Messumo Van

No odor

Water - based formula

Mix with water to make up to 21 / 85 gallons of spray solution. [varies with at / gal container size] Covers up to 300 sq rt per gallon of spray, 75 sq ft per qt, 55 sq ft per 24 oz Does not have soil activity.

Controls existing weeds, is not a preemergent

Kills unwanted weeds and grasses, roots and all, kills to the root, kills weeds roots and all Use in / Apply with a BIG SHOT™ Multi-Purpose Sprayer or other tank sprayer, ORTHO® DIAL 'n SPRAY®, ORTHO SPRAY-ETTE® or other ORTHO hose-end sprayers

Use to prepare sites for large plantings, for planting flower beds, for planting fruit trees, ornamentals, vegetables, garden sites and to renovate lawns

Kills / spray weeds in flower beds and around fences, trees, shrubs, driveways, walkways and shrubs, in and around fences, patios, paths, sidewalk cracks, walkways,

Economical- mix 3 to 5 tablespoons (1½ - 2½ oz) per gallon, Concentrated For Extra Value Satisfaction guaranteed or your money back with proof of purchase Use to refill Roundup Ready-To-Use [animal logo] - American Zoological Association Species Survival Plan For General Weed Control - Kills Weeds And Grasses In 2 To 4 Weeks - Roots & All New, Improved Formula Completely kills even the toughest weeds and grasses Multipurpose Grass & Broadleaf Weed Control Visible Results In 7 Days Can Reseed or Sod Lawns 7 Days After Treatment Lawns and gardens can be reseeded or planted soon after treatment.

KEEP OUT OF REACH OF CHILDREN

**WARNING** Read precautions and directions on back label.

[Fix-a-Form label] See back panel booklet for additional precautionary statements	
Active Ingredient	
Glyphosate, N-(phosphonomethyl)glycine in the form of its isopropylamine salt	41.0%
Inert Ingredients	59.0%

Net 32 fl oz (1 qt) 946mL, 53.7 fl oz (.42gal) 1.5 L or 128 fl oz (1 gal) 3.7 L

Ornamental gardens can be reseeded or planted 1 day after treatment

# Roundup® Super Concentrate Weed & Grass Killer PULL HERE TO OPEN LABEL

Roundup<sup>®</sup> Super Concentrate will kill almo, all annual and perennial weeds, grasses and other unwanted plants. Mix Roundup Super Concentrate with water and use on driveways and walkways, or around fences, trees, flower beds, shrubs and other areas in your yard. Roundup can also be used for large jobs such as lawn renovation, vegetable and tower garden preparation. Roundup kills weeds by stopping the production of a substance found only in plants. Any Roundup not absorbed by the plant breaks down into natural materials. Roundup will not move in or on the soil to untreated plants.

Peel open for use directions and further information

PRESS HERE TO RESEAL

WARNING: Causes substantial but temporary eye injury. Do not get in eyes or on clothing. SEE ADDITIONAL PRECAUTIONARY STATEMENTS AND DIRECTIONS INSIDE BOOKLET.

■ Medical information call collect 1-314-694-4000.
Product information call 1-800-225-2883

This product is protected by U.S. Patent No. 4,405,531. Other patents pending. No license granted under any non-U.S. patent(s).

REFORMULATION OR REPACKAGING FOR SALE IS PROHIBITED

®Trademark of Monsanto Company
©MONSANTO COMPANY 1995
The SOLARIS Group of Monsanto Company
P.O. Box 5008
San Ramon CA 94583-0808
Form RS853-A / Product 6042
EPA Reg. No. 239-2637
EPA Est. 239-IA-3<sup>I</sup>, 524-LA-1<sup>L</sup>, 56100-LA-1<sup>G</sup>
Superscript is first letter of lot number
Made in USA

Roundup Super Concentrate will kill almost all annual and perennial weeds, grasses and other unwanted plants. Mix Roundup Super Concentrate with water and use on driveways and walkways, or around fences, trees, flower beds, shrubs and other areas in your yard. Roundup can also be used for large jobs such as lawn renovation, vegetable and flower garden preparation. Roundup kills weeds by stopping the production of a substance found only in plants. Any Roundup not absorbed by the plant breaks down into natural materials. Roundup will not move in or on the soil to untreated plants.

## CONTROLS WEEDS AND GRASSES INCLUDING:

# General Weed Control (Annuals)

Annual Ryegrass
Annual Bluegrass
Barnyardgrass
Beggarweed
Black Medic
Blue Toadflax
Brassbuttons
Bromegrass
Bur Clover
Chickweed

Chickweed
Common Groundsel
Common Plantain
Craborass

Creeping Beggarweed
Diffuse Lovegrass
Dog Fennel
Evening Primrose
False Dandelion
Fiddleneck
Field Pennycress
Field Sandbur

Filaree Florida Pusley Foxtail

Garden Spurge Henbit

Elderberry

Knotweed
Lambsquarters
Little Bitter Cress
London Rocket
Maiden Cane
Mallow
Mayweed

Mouseear Chickweed

Oxalis
Pennsylvania
Smartweed
Prickly Lettuce

Prostrate Spurge Puncture Vine Redroot Pigweed

Sandspur Shepherdspurse Smooth Cat's Ear

Smooth Pigweed Sowthistle Spotted Spurge St. Augustinegrass Tansy Ragwort Tansy Mustard

# Tough Weed Control (Perennials, Brush)

Alder
Bahiagrass
Bentgrass
Bermudagrass
Blackberries
Broadleaf Plantain
Canada Thistle
Cherry species
Common Ragweed
Creeping Bentgrass
Creeping Charlie
Curly dock
Dandelion
Dallisgrass
Dewberry

False Dandelion
Fescue species
Field Bindweed (Wild
Morningglory)
Honeysuckle
Johnsongrass
Kentucky Bluegrass
Kudzu;
Multiflora Rose
Nimblewill
Nutsedge
Oak species
Oldenlandia
Orchardgrass

Oxalis
Pennywort
Perennial Ryegrass
Poison Oak
Poison Ivy
Primrose
Purple Nutsedge
Quackgrass
Ragweed
Raspberry
Red Clover
Smooth Bromegrass
St. Augustinegrass
Sumac

Tall Fescue
Timothy
Torpedograss
Trumpetcreeper
Vaseygrass
White Clover
Whitetop
Wild Barley
Willow
Yellow Nutgrass
Zoysia

▼ For additional weeds controlled by this product call 1-800-225-2883.

3

## **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL. USE ONLY ACCORDING TO LABEL DIRECTIONS OBSERVING ALL PRECAUTIONS.

#### WHEN TO USE

Use anytime weeds and grasses are actively growing. Tréated weeds usually show initial symptoms within 1 week and complete kill in 1 to 2 weeks. Larger more established weeds may take up to 4 weeks for a complete kill. Roundup works best in warm sunny weather with daytime temperature above 60° F. For best results, apply when weeds are small and before seedheads have formed. Reapply, if it rains within 6 hours after application. If hard-to-control weeds are not killed within 4 weeks, reapply.

## WHERE TO USE

For General Weed Control: Use along fences, paths, patios, sidewalks and driveways, around trees, shrubs, and ornamental plantings and flower beds, around buildings, and in brick and gravel walkways. Use to trim and edge landscape areas. Do NOT use for spot weed control in lawns since Roundup kills all green plants, including lawn grass.

For Spot Spraying: Use on actively growing weeds in and around flower beds, ornamental trees, fruit and nut trees, grapevines, shrubs, fences, driveways and walkways. Spray when air is calm. Make sure Roundup does not contact the leaves, green stems, or exposed roots of plants you don't want to kill. If necessary, use cardboard or plastic to shield plants. Roundup will not move in or on the soil to untreated plants. If Roundup is used to control weeds around fruit or nut trees or grapevines, allow 21 days before eating the fruit or nuts.

For Landscaping: Use to prepare areas for planting of ornamentals, trees, shrubs, desert landscapes, rock gardens, flower beds or similar plantings. Treated areas can be replanted 1 day after treatment.

#### For Lawn Renovation:

- Use Roundup to kill existing weeds and grasses including the old lawn.
- For best results, apply in Spring or Fall, when daytime temperatures are at least 60° F.
- Under dry conditions, water lawn every other day for a week before using Roundup
- Do not mow for 7 days before or after treatment.
- After 7 days, prepare the soil for planting by raking or rototilling the lawn.
   Rake up and remove loosened thatch or debris.
- Mix in starter fertilizer and other amendments, if needed. Level the soil.
- Apply seed according to directions on seed package, or install sod. Crass seed must have a
  good contact with soil to germinate and grow.
- Keep area moist for 2 weeks, to establish new lawn, then water as needed.

For Brush Control: Use when brush is green and growing. If plants are tailer than 5 feet, cut back and spray regrowth. Brush sprayed in the fall may not be fully controlled until the following season. Hard-to-control species such as Blackberry, Kudzu, or Poison Oak may require a second application.

# STUMP TREATMENT

Stumps can be treated to prevent regrowth. For best results, treat when the vegetation is actively growing and within 5 minutes of being cut down.

- Cut the stump close to the soil surface.
- Drive 4-5 nail holes into the stump.
- Flood the stump with undiluted product.

This treatment will control or suppress many types of woody brush and trees, such as alder, bluegum eucalyptus, madrone, oak, giant reed, saltcedar, sweetgum, and tan oak.

#### HOW TO USE

IMPORTANT: Roundup is an all-purpose weed and grass killer which will kill almost all plants contacted. If necessary, use cardboard or plastic to shield desirable plants. If plants are accidently sprayed, rinse off immediately with water. Spray when air is calm. Spray to evenly wet the weed.

To apply this product use

- Plastic, aluminum or stainless steel tank sprayer.
- ORTHO DIAL' n SPRAY ®
- ORTHO SPRAY-ETTE®
- Other hose-end sprayer recommended for weed killers
- Hand-trigger sprayer

Do not use or store solutions of this product in galvanized steel or unlined steel sprayers, or apply through any type of irrigation system or with a sprinkling can.

Rinse sprayer and flush all sprayer components with water 3 times after use. Spray rinse water on bare soil or gravel. After very through cleaning, sprayer may be used to apply other products.

Measuring Cap: To open, squeeze cap sides at the points indicated while unscrewing. The measuring cap has four levels indicated inside. The following table and the measuring cap should be used to determine the amount of Roundup you need. Close cap tightly after use. No need to rinse.

Level 1 = 1 teaspoon (tsp)

Level 2 = 1 Tablespoon (Tbs) = 3 tsp

Level 3 = 1 floz (2 Tbs)

Level 4 = 2 floz (4 Tbs)

APPLICATOR	MIXING INSTRUCTIONS General Weed Control Annuals	MIXING INSTRUCTIONS  Tough Weed Control  Perennials or Brush  Lawn Renovation	AREA TO TREAT
Tank Sprayer	Fill cap to Level 2 three times (3 Tbs). Add to 1 gallon of water.	Fill cap to Level 2 five times (5 Tbs). Add to 1 gallon of water.	300 sq ft (30 ft x 10 ft)
ORTHO DIAL 'n SPRAY® Hose- End sprayer	Fill cap to Level 2 three times (3 Tbs) and add to sprayer jar.  DO NOT ADD WATER.  Set dial to 1 1/2 oz and spray.	Fill cap to Level 2 five times (5 Tbs) and add to sprayer jar.  DO NOT ADD WATER.  Set dial to 2 1/2 oz and spray.	300 sq ft
ORTHO SPRAY-ETTE®	Fill cap to Level 4 three times (6 oz ) and add to sprayer jar. Fill to the 4 gallon mark and spray.	Fill cap to Level 4 five times (10 oz ) and add to sprayer jar. Fill to the 4 gal mark and spray.	1,200 sq ft (30 ft x 40 ft)
Hand trigger sprayers	Fill cap to Level 1 two times (2 tsp). Add to 24 oz of water.	Fill cap to Level 2 one time (1 Tbs). Acd to 24 oz of water.	Use for spect treatments or single weeds

This product can be used to refill Roundup Ready-To-Use Weed & Grass Killer.

# RE-SEEDING AND REPLANTING IN SPRAYED AREAS

Ornamentals and Flowers - May be reseeded or replanted the next day.

Vegetables - To plant listed vegetables, wait 3 days after spraying, before seeding. For tomato transplants or unlisted vegetables, wait 30 days after spraying.

Crenshaw melon mango melon rhubarb beet greens cucumber melońs rutabaga broccoli eggplant muskmelon spinach Brussels sprouts endive mustard greens summer squash cabbage garlic . okra sweet potato cantaloupe honeydew melon onion tomatillo carrot honey ball melon rape greens tomato\* cauliflower horseradish parsley turnip casaba melon Jerusalem artichoke parsnips watercress celery kale watermelon peas,pepper chard (Swiss) kohlrabi persian melon winter squash chicory leek potato yams collards lentils pumpkin corn lettuce radish

Small Fruits and Berries: The following listed crops may be planted (by seed, rooted cutting, or transplant) 7 days after spraying Roundup. For unlisted small fruit and berries, wait 30 days after spraying.

Blackberry, black raspberry, blueberry, boysenberry, currant, dewberry, elderberry, gooseberry, huckleberry, loganberry, olallieberry, red raspberry and strawberry.

Fruit and Nut Trees or Grapevines: If Roundup is used to control weeds around fruit or nut trees or grapevines, allow 21 days before eating the fruits or nuts.

2392637 wp1

EPA ACCEPTED 5/16/95 July 7, 1995

MAY 16, 1995

<sup>\*</sup>Note: Tomatoes planted from seed only. Wait 30 days for rooted transplants.

#### STORAGE AND DISPOSAL

STORAGE: Store this product only in its original container and in a secured storage area. Protect container from freezing. DISPOSAL: Securely wrap partially filled or empty container in several layers of newspaper and discard in trash. Do not reuse container. SPILL OR LEAK: In case of spill or leak, soak up spill with paper towels and discard in trash.

# PRECAUTIONARY STATÉMENTS Hazards to Humans & Domestic Animals

WARNING: Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Wear safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. [Child/pet icon] People and pets may reenter treated areas after spray has dried.

FIRST AID: If in eyes, immediately hold eyelids open and flush with a steady stream of water for 15 minutes. Get medical attention if irritation persists. In case of emergency involving this product, call collect, day or night, (314) 694-4000.

#### **Environmental Hazards**

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

NOTICE: BUYER ASSUMES ALL RESPONSIBILITY FOR SAFETY AND USE NOT IN ACCORDANCE WITH DIRECTIONS.

This product is protected by U.S. Patent No. 4,405,531. Other patents pending. No license granted under any non-U.S. patent(s).

REFORMULATION OR REPACKAGING FOR SALE IS PROHIBITED

Medical Information call collect 1-314-694-4000.

Product Information call 1-800-225-2883

©Trademark of Monsanto Cornpany
©MONSANTO COMPANY 1995
The SOLARIS Group of Monsanto Company
P.O. Box 5008
San Ramon CA 94583-0808
Form RS853-A
///
// Product 6042
EPA Reg. No. 239-2637
EPA Est. 239-IA-3<sup>1</sup>, 524-LA-1<sup>L</sup>, 56100-LA-1<sup>G</sup>
Superscript is first letter of lot number
Made in USA