239-2640 Form Approved, OMB No. 2070-0060, Approval expires 2-28-95 Please read instructions on reverse before completing form. **OPP Identifier Number** Registration United States **Environmental Protection Agency Amendment** 225848 Washington, DC 20460 Other **Application for Pesticide - Section 1** 2. EPA Product Manager 3. Proposed Classification 1. Company/Product Number J. Miller 239-2640 None x Restricted 4. Company/Product (Name)
GREENSWEEP Weed & Feed 20-0-0 23 5. Name and Address of Applicant (Include ZIP Code) 6. Expedited Review. In accordance with FIFRA Section 3(c)(3) The SOLARIS Group of (b)(i), my product is similar or identical in composition and labeling Monsanto Company P. O. Box 5006 San Ramon, CA 94583-0906 EPA Reg. No. Check if this is a new address **Product Name** Section - II Amendment - Explain below. Final printed labels in response to Agency letter dated "Me Too" Application. Resubmission in response to Agency letter dated Notification - Explain below. Other - Explain below. Explanation: Use additional page(s) if necessary. (For section I and Section II.) NOTIFICATION PER NOTICE 95-2 To modify, clarify and streamline the label for homeowner users. Added copy for peel/ reseal booklet directions, added child/pet icons and provided tables for mixing product through hose-end applicators. Placement of the method of analysis was discussed with the PM prior to submission. Section - III 1. Material This Product Will Be Packaged In: Water Soluble Packaging Child-Resistant Packaging **Unit Packaging** 2. Type of Container Metal Yes Yes Yes Plastic No No Glass Paper if "Yes" If "Yes" No. per * Certification must Unit Packaging wgt. container Package wgt container Other (Specify) be submitted 3. Location of Net Contents Information 4. Size(s) Retail Container 5. Location of Label Directions On Label Container Label On Labeling accompanying product 6. Manner in Which Label is Affixed to Product Lithograph Other Paper glued Stenciled Section - IV 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) Name Title Telephone No. (Include Area Code) Katherine A. Buteau Registration Specialist (510) 355-3339 6. Date Application Certification Received I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or (Stamped) both under applicable law.

3. Title

5. Date

EPA Form 8570-1 (Rev. 8-94) Previous editions are obsolete.

4. Typed Name Katherine A. Butea

2. Signature

Registration Specialist

August 29, 1995

GREENSWEEP® WEED & FEED
20-0-0
[ABN ORTHO® YARD BASICS™ LAWN WEED & FEED]
LIQUID LAWN CARE
READY-TO-USE NO MIXING

TREATS (COVERS) 4,250 UP TO 10,000 SQ FT-IN-A-MATTER OF MINUTES

Read directions for different grasses.

Water icon] water based

Fertilizes your lawn

Do not use on Floratam Lawns

[READY-SPRAY™ APPLICATOR ONLY]Ready-To-Use concentrate mixes automatically with water through the attached hose-end sprayer.

Attach to a garden hose, turn on water, and spray.

A Quick and Easy Way to a Beautiful / Quality Lawn.

A-Quick and Easy Way to a Quality-Lawn.

Gives your lawn a quick boost of important nutrients introgen, while controlling broadleaf weeds
Gives your lawn a quick leeding while controlling broadleaf weeds

Active Ingredients:

Isomer Specific AOAC Method No. 6.321, Equivalent to:

2,4 Dichlorophenoxyecetic Acid	-1.9%, .18 lb./gal .
-**2-(2-Methyl-4-Chlorophenoxy)propionic-Acid-mananamanamanamanamana	-1.9%,,18-lb./gal.
***2-(2,4-Dichlorophenoxy)propionic Acid management and management	1.9%,.18 lb./gal.

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL BOOKLET FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND STATEMENT OF PRACTICAL TREATMENT

NET CONTENTS: 1/2 GAL. (64 Fl. Oz.) 1.89mL 1 QT. (32 Fl. Oz) 946 mL NET WEIGHT: 4.6 LBS.

2.3 LBS.

[Back Panel]

[The following copy is for fix-a-form booklet type labels which consumers can open, read and reseal easily at retail as well as at time of use]

Use on Bigggrass Fascus Rysgrasses Bantgrass Bahta Common Bannada Common St. Augustine Centipede and Zoysis grasses.

For grass living only Controls broadlest weeds and gives your fawn a quick feeding. When used as directed this product will supplement your requisit splitters, Cogram, Do and use this product on or bround flower or respetable bade shrutes from or ornamental plantings. To not spray on Buralograss Dichondra Lippia, or on grasses where desirable Clovers are present Do not use on Foretars of other improves varieties of S. Augustinepress.

CAUTION: Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin or clothing. SEE ADDITIONAL PRECAUTIONARY STATEMENTS AND DIRECTIONS INSIDE BOOKLET.

PULL HERE TO OPEN LABEL PRESS HERE TO RESEAL.

This product contains:

in the surround that the transfer is the surround of the surro	
0.45 V.50 C.50 (1.00 (1.	######################################
72.4-Dichierophenoxyscelic Acid	
*72-12-Methyl-4-Chlorophenoxy)propionio Acid	//////////////////////////////////////
lilla its its in the State to all a block and the state of the block and the state of the commence of the state of the sta	
772-(2.4-Dichlorophenoxy)propionic AEId	
2-(24-Ukiniotophanoxy)propionic Acid	######################################

somer Specific ADAC Method No. 6.321.	
na ann am tha	

= In case of emergency involving this product call collect day or night, 314-594-4000.

Madical information (a) (400-151-233) Product information (a) (-800-225-2883)

ORTHO ®, YardBasics™ SOLARIS™, Trademarks of Monsanto Company GREENSWEEP® is a registered trademark used under license. © MONSANTO Company 1995

Manufactured for
The SOLARIS Group of
Monsanto Company
P.O. Box 5008
San Ramon CA 94583-0808
Form S-779-AB // Product
EPA REG. NO. 239-2640
EPA EST. NO. 239-IA-3¹, 47427-OH-2²,
Superscript is first letter of lot number
Made in USA

State of the Control of the Control

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT, USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

USE PRECAUTIONS

IMPORTANT: If lawn needs watering, water thoroughly 24 hours before application. Do not cut grass 1 to 2 days before and after application. Do not water for 48 hours after application. Watering will wash off weed killing material. Spray when air is calm to avoid spray drift that might injure desirable ornamental plants. Do not apply when temperatures exceed 85° F. Shake well. Apply only the recommended amount for the area to be covered. Do not exceed recommended rates because damage to turk may occur. Exceeding recommended rates may damage turk. Do not out grass 1 to 2 days before and after application. Do not reseed, and or plug lawns or plant stolons for 3 to 4 weeks after use. Do not apply to newly seeded grasses until they have been moved three times. Spray when weeds are actively growing. -except for Warm Season Grasses.

4150 to 6666 eq ft	Coverage for Cool-Season Gracese such as Bluegrass, Fescus, Ryegrasses and Sentgrasses. When
	applying to Bent-grass, height of grass should be 1-1/2" or more.
8500 to 10, 000 eq ft	— Coverage for Warm Season Grasses such as Bahia, Common Bermuda, Common St. Augustine,
	Centipede, and Zoyeia. Some temporary injury may occur with these grasses. In Spring, do not apply
	until grass has reached full green up. In Fall, exercise care when grass is going into dormancy.
	Note: Some hybrid Bermude grasses may be sensitive to this product. Contact your local Extension
	Service-weed-control-specialist.

For Co. | Season Grasses auch as Bluegrass Fescue, Ryegrasses and Bentgrass, Liguari covers 1300 ag it When applying to Bangrass, grass height should be 1.1/2 for more.

For Warm Sasson Grasses such as Bahla, Common Barmuda, Common St. Augustine, Cantipede, and Zoyala, 1 quart covers 5000 sq. it. Some temporary injury may occur with these grasses, in Spring do not apply until grass has reached full green up. In Fall, do rule use when grass is going into domancy. Note: Some hybrid Bermuda grasses may be sensitive to this product. Contact your local Extension Service weed control specialist.

COVERAGE MEASURING GUIDE				
APPROXIMATE Amount used	COOL SEASON GRASSES	AREA DIMENSIONS	WARM SEASON GRASSES	AREA DIMENSIONS
II	825/SQ ET	16 X 59	1250/SQ FT	25/8/30
1/2	1650 SO ET	35 X 50	2509 SQ Et	5008050
SIA	2500 SQ ET	50 X 50	3750 SQ ET	75/X/50
EMPTY	3300 SQ FT	56 X 50	5000 SQ FT	100 X 50

239-2640.wip EPA Accepted 9/17/94 Form S779-AB////August 28, 1995

[READY-SPRAY™ APPLICATOR ONLY]

Connect attached spray nozzle to garden hose. Turn water control "ON/OFF" valve on top of sprayer nozzle to "OFF" position. Turn on water at faucet. Extend hose to farthest area to be treated and work backwards towards faucet so that you do not walk over treated areas. Using a coin or key, rotate the small product control valve located near front of nozzle to the "OPEN" positior. To BEGIN spraying, point spray nozzle towards lawn and turn water control valve to "ON" position. The sprayer automatically mixes the product into the spray stream. Walk at a steady pace while spraying, using an even sweeping motion, side and lightly overlapping treated areas. Refer to measuring scale on side of container to guide coverage. To STOP spraying, turn water control "ON/OFF" valve on spray nozzle to "OFF" position. Rotate small product control valve back to closed position. Turn off water at faucet. To relieve pressure, turn water control "ON/OFF" valve to the "ON" position before removing nozzle from hose, being careful to point nozzle away from you.

HOW TO APPLY

- No Mix, No Messure.
- Make sure ON/OFF valve is in OFF position
- Shake well before applying.
- Connect spray nozzle to hose.
- Turn on the water at the tap.
- When ready to treat, point in direction away from face and body and pull the tab toward the hose end connection. Turn the ON/OFF valve to the ON position. The water mixes automatically with this product at the proper ratio.
- Walk and spray at a steady pace. Marks on side of bottle/ label/indicate the number of square feet covered in 1,000's of approximate area covered.

Weeds will begin to curt within a few days. Some hard-to-control broadleaf weeds may require a second treatment in 3-4 weeks. The maximum number of broadcast applications per treatment site is 2 per year.

COVERAGE MEASURING GUIDE

Marks on left-side panel of bottle indicate square feet-covered: (Not to Scale)

1666 Sq. Ft.	2500 Sq. FL	1063 Sq. Ft.
3333 Sq. Ft.	5000-SqFt	2125 Sq. Ft.
5000 Sq. Ft.		3188 Sq. Ft.
6666 Sq. Ft.	10000 Sq. Ft.	4250 Sq. Ft.
Cool Season	Warm Season	(Optional)

WEEDS CONTROLLED BY GREENSWEEP WEED & FEED CONTROLS

Alders, Artichoke, Aster, Austrian Fieldcress, Beggarticks, Biden, Bindweed, Bitterweed, Bitter Winter Cress, Black Medic, Blessed Thistle, Blue Lettuce, Box Elder, Broomweed, Buckhorn, Bull Thistle, Burdock, Bur Ragweed, Buttercup, Canada Thistle, Carpetweed, Catnip, Chickweed, Chicory, Clover, Cockle, Cocklebur, Coffeebean, Coffeeweed, Common Sowthistle, Creeping Jenny, Croton, Curly Indigo, Dandelion, Dock, Dogbane, Dogfennel, Elderberry, English Daisy, Fleabane, (daisy), Flixweed, Florida Pusley, Frenchweed, Galinsoga, Goatsbeard, Goldenrod, Ground ivy, Gumweed, Hawkweed, Healall, Heartloaf, Drymary, Hemp, Henbit, Hoary Cress, Honeysuckle, Horsetail, Indiana Mallow, Ironweed, Jewelweed, Jimsonweed, Kochia, Knotweed, Lambsquarters, Locoweed, Lupines, Mallow, Marshelder, Mexicanweed, Morningglory, Musk Thistle, Mustard, Nettle, Nutgrass, Orange Hawkweed, Oxalis, Parsnip, Pennycress, Pennywort, Peppergrass, Pepperweed, Pigweed, Plantain, Poison Hemlock, Poison tvy, Poison Oak, Pokeweed, Poorjoe, Povertyweed, Prickly Lettuce, Primrose, Puncture Vine, Purslane, Ragweed, Red Clover, Red Sorrel, Rush, Rushingedlus, Spetterdock, Speedwell, Spurge, Spurweed, Stinkweed, Stitchwort, Sumac, Sunflower, Sweetclover, Tarweed, Thistle, Toadilax, Tumbleweed, Velvetleaf, Veronica, Vervain, Vetch, Virginia Buttonweed, Virginia Creeper, Wild Aster, Wild Carrot, Wild Garlic, Wild Geranium, Wild Lettuce, Wild Onion, Wild Radish, Wild Rape, Wild Strawberry, Wild Sweet Potato, Willow, Witchweed, Woodsorrel, Wormneed, Yarrow, Yellow Rocket, and (many) other broadleaf weeds.

THOSE-END SPRAYER INSTRUCTIONS

HOW TO APPLY: Use an Oktho Did in SPRAY OKTHO Plan & Need Sprayette unk aprayer of any hose-end sprayer that is designed for use on lawns.

APPLICATOR	MIXING INSTRUCTIONS	AREA TO TREAT WARM SEASON GRASSES	AREA TO TREAT GOOL SEASON GRASSES
ORTHOS DIALIS SPRAYS	MASSIUM S. (T. D. E. DID. DOS) OF JAIR DO NO ADD VATEE SO CHALLO LUZZED ANG SERVICE	\$69% A C \$ 11.05 (1.26)	300 44 H // (15 x 20)
Ologio, William Vii Exercio valesse	CCCCCANASACATATORIA CCCACAGAIRZA HATORIA	\$007.543N//(25/X/20)	305/49/15///(15/X/20)/
Tank Sprayer	Wagana Marana	\$607.50(10//(25/9/20))	\$00/85018////U.\$EX/201//

-and makes a minimum of 15 gal of finished spray. Such aprayers are Ortho-Lawn & Peet Fertilizer Sprayer, Ortho's and Black Leaf's Lawn-Sprayer (dilution ratio of 60 to 1). The following are adjustable/dial sprayers:

MANUFACTURER	SETTING
Super K-Gro	20
Melnor #94 & #95	11
Melnor #96 & #97	13
Gilmour #362	4
Gilmour #486	12

Special Note: Some adjustable sprayers do not hold 32 oz. The above settings are based on using 64 oz per 4,250 to 6,666 sq ft on Cool Season grasses or 8,500 to 10,000 sq ft for application on Warm Season grasses. The entire contents of this bottle must be used to make the proper recommended application rate.

Determine the area to be sprayed. Apply at a rate of 64 oz (1/2 gal) per 4,2500 to 5,666 sq ft on Cool Season grasses or 8,500 to 10,000 sq ft for application on Warm Season grasses. Fill sprayer jer with appropriate amount of this product. Do not dilute this product with water when filling sprayer jer. The water will automatically mix this product during spraying. Attach sprayer to garden hose while holding sprayer at waist level. Point in a direction away from face and body. Walk back and forth at steady pace, Overlap slightly for uniform coverage.

DISPOSABLE SPRAYER AND BOTTLE INSTRUCTIONS

HOW TO APPLY: Connect spray nozzle to hose. Remove bottle cap and screw bottle into nozzle. While holding sprayer at waist level, point in directions away from face and body. Turn on water at the tap. Place finger over hole on right side of nozzle (or turn ON/OFF lever to the "ON" position) and this product will mix automatically at the proper ratio. Walk back and forth at a steady page. Overlap slightly for uniform coverage.

[Back Base Panel]

STORAGE AND DISPOSAL

STORAGE: Keep from freezing. Store in original container Place in a locked area inaccessible to children.

PESTICIDE DISPOSAL: Dispose of remaining product by securely wrapping original container in several layers of newspaper and

discarding in trash.

CONTAINER DISPOSAL: Do not reuse container except when using GREENSWEEP® refill. Rinse thoroughly before discarding in trash.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin or clothing. Wear long pants, long-sleeved shirt, socks, shoes and chemical resistant gloves when handling or applying this product.

After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower.

[Child/pet icon] Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried.

FIRST AID: IF SWALLOWED: Get medical attention. IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists. IF ON SKIN: Wash with plenty of soap and water. If irritation develops, get medical attention.

m in case of emergency call collect 1-314-694-4000 or 800-454-2333.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and non-target plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters nor pour the washwaters on the ground. Spray or drain over a large area away from wells, other water sources and desirable plants. Do not apply this product through any type of irrigation system. Do not contaminate water used for irrigation or domestic purposes. If spills occur, collect the material and dispose of by following disposal instructions on this label.

NOTICE: Buyer assumes all responsibility for safety and use not in strict accordance with directions and instructions for use.

(Additional copy for refill size)

For refill only: Use this bottle to refill the quart hose-end sprayer of GREENSWEEP® WEED & FEED. Follow directions for use on hose-end sprayer bottle.

■ -For more information about this product call Wedica information 314 894 4000 50 800 154 2533.

Product information 1500 275 2883

ORTHO®, YardBasics™, SOLARIS™, Trademarks of Monsanto Company GREENSWEEP® is a registered trademark used under license.

© MONSANTO Company 1995

Manufactured for
The SOLARIS Group of Monsanto Company
P.O. Box 5008
San Ramon CA 94583-0808
Form S-779-AE / Product
EPA REG. NO. 239-2640
EPA EST. NO. 239-IA-3', 47427-OH-2^A
Superscript is first letter of lot number
Made in USA

GREENSWEEP® WEED & FEED
20-0-0
[ABN ORTHO® YARD BASICS™ LAWN WEED & FEED]
LIQUID LAWN CARE
READY-TO-USE
NO MIXING

TREATS UP TO 10,000 SQ FT

Read directions for different grasses.
[water icon] water based

Fertilizes your lawn

Do not use on Floratam Lawns
[READY-SPRAY™ APPLICATOR ONLY]Ready-To-Use concentrate mixes automatically with water through the attached hose-end sprayer.

Attach to a garden hose, turn on water, and spray.

A Quick and Easy Way to a Beautiful / Quality Lawn.

Gives your lawn a quick boost of nitrogen while controlling broadleaf weeds Gives your lawn a quick feeding while controlling broadleaf weeds

Active Ingredients:

KEEP OUT OF REACH OF CHILDREN
CAUTION
SEE BACK PANEL BOOKLET FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NET CONTENTS: 1/2 GAL. (64 Fi. Oz.) 1.89mL 1 QT. (32 Fi. Oz.) 946 mL NET WEIGHT: 4.6 LBS. 2.3 LBS.

[Back Panel]

GUARANTEED ANALYSIS:

20% Urea Nitrogen

Primary Plant Nutrient source: Urea

Fertilizer content guaranteed by SOLARIS

1138-1103

[The following copy is for fix-a-form booklet type labels which consumers can open, read and reseal easily at retail as well as at time of use?

Use on Bluegrass, Fescue, Ryegrasses, Bentgrass, Bahla, Common Bermuda, Common St. Augustine, Centipede, and Zoysia grasses. For grass lawns only. Controls broadleaf weeds and gives your fawn a quick feeding. When used as directed this product will supplement your regular fertilizer program. Do not use this product on or around flower or vegetable beds, shrubs, trees or ornamental plantings. Do not spray on Buffalograss, Dichondra, Lipple, or on grasses where desirable Clovers are present. Do not use on Floratam or other improved varieties of St. Augustinegrass.

CAUTION: Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin or clothing. SEE ADDITIONAL PRECAUTIONARY STATEMENTS AND DIRECTIONS INSIDE BOOKLET.

PULL HERE TO OPEN LABEL PRESS HERE TO RESEAL.

This product contains:

*2,4-Dichlorophenoxyacetic Acid	1.9%, .18 lb./gal.
**2-/2-Methyl-4-Chlorophenoxy)propionic Acid	1.9%,.18 lb./gal.
***2- ₁ 2,4-Dicitiorophenoxy)propionic Acid	1.9%,.18 lb./gal.
Japaner Specific ADAC Method No. 8 321	_

Medical Information call 1-800-454-2333 Product Information call 1-800-225-2883

ORTHO ®, YardBasics™, SOLARIS™, Trademarks of Monsanto Company GREENSWEEP® is a registered trademark used under license.

© MONSANTO Company 1995

Manufactured for
The SOLARIS Group of
Monsanto Company
P.O. Box 5008
San Ramon CA 94583-0808
Form S-779-B / Product
EPA REG. NO. 239-2640
EPA EST. NO. 239-IA-3¹, 47427-OH-2^A,
Superscript is first letter of lot number
Made in USA

[optional text]For Home Use Only

Use on Bluegrass, Feecue, Ryegrasses, Bentgrass, Bahia, Common Bermuda, Common St. Augustine, Centipede, and Zoysia grasses. For grass lawns only. Controls broadlest weeds and gives your lawn a quick feeding boost of nitrogen. When used as directed this product will supplement your regular fertilizer program. Do not use this product in flower or vegetable beds or around shrubs, trees, or ornamental plantings. Do not spray on Buffalograss, Dichondra, Lippia, or on grasses where desirable Clovers are present. Do not use on Floratam or other improved varieties of St. Augustinegrass.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT, USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

USE PRECAUTIONS

IMPORTANT: If lawn needs watering, water thoroughly 24 hours before application. Do not cut grass 1 to 2 days before and after application. Do not water for 48 hours after application. Watering will wash off weed killing material. Spray when air is calm to avoid spray drift that might injure desirable ornamental plants. Do not apply when temperatures exceed 85° F. Shake well. Apply only the recommended amount for the area to be covered. Exceeding recommended rates may damage turf. Do not reseed, sod or plug lawns or plant stolons for 3 to 4 weeks after use. Do not apply to newly seeded grasses until they have been moved three times. Spray when weeds are actively growing.

For Cool Season Grasses such as Bluegrass, Fescue, Ryegrasses and Bentgrass, 1 quart covers 3300 sq ft. When applying to Bentgrass, grass height should be 1-1/2" or more.

For Warm Season Grasses such as Bahia, Common Bermuda, Common St. Augustine, Centipede, and Zoysia, 1 quart covers 5000 sq ft. Some temporary injury may occur with these grasses. In Spring, do not apply until grass has reached full green up. In Fall, do not use when grass is going into dormancy. Note: Some hybrid Bermuda grasses may be sensitive to this product. Contact your local Extension Service weed control specialist.

COVERAGE MEASURING GUIDE				
APPROXIMATE AMOUNT USED	COOL SEASON GRASSES	AREA DIMENSIONS	WARM SEASON GRASSES	AREA DIMENSIONS
1/4	825 SQ FT	16 X 50	1250 SQ FT	25 X 50
1/2	1650 SQ FT	33 X 50	2500 SQ FT	50 X 50
3/4	2500 SQ FT	50 X 50	3750 SQ FT	75 X 50
EMPTY	3300 SQ FT	66 X 50	5000 SQ FT	100 X 50

IREADY-SPRAY™ APPLICATOR CNLY 1

Connect attached spray nozzle to garden hose. Turn water control "ON/OFF" valve on top of sprayer nozzle to "OFF" position. Turn on water at faucet. Extend hose to farthest area to be treated and work backwards towards faucet so that you do not walk over treated areas. Using a coin or key, rotate the small product control valve located near front of nozzle to the "OPEN" position. To BEGIN spraying, point spray nozzle towards lawn and turn water control valve to "ON" position. The sprayer automatically mixes the product into the spray stream. Walk at a steady pace while spraying, using an even sweaping motion, side to side, lightly overlapping treated areas. Refer to measuring scale on side of container to guide coverage. To STOP spraying, turn water control "ON/OFF" valve on spray nozzle to "OFF" position. Rotate small product control valve back to closed position. Turn off water at faucet. To relieve pressure, turn water control "ON/OFF" valve to the "ON" position before removing nozzle from hose, being careful to point nozzle away from you. After relieving hose pressure, turn water control "ON/OFF" valve to the "OFF" position.

239-2640.dft Form S779-B EPA Accepted 9/17/94 August 28, 1995

HOW TO APPLY

- No Mix, No Measure.
- Make sure UN/OFF valve is in OFF position
- Shake well before applying.
- Connect spray nozzle to hose.
- Turn on the water at the tap.
- When ready to treat, point in direction away from face and body and pull the tab toward the hose end connection. Turn the ON/OFF valve to the ON position. The water mixes automatically with this product at the proper ratio.
- Walk and spray at a steady pace. Marks on side of bottle/ label indicate the number of square feet covered in 1,000's or approximate area covered.

Weeds will begin to curl within a few days. Some hard-to-control broadleaf weeds may require a second treatment in 3-4 weeks. The maximum number of broadcast applications per treatment site is 2 per year.

GREENSWEEP WEED & FEED controls

Alders, Artichoke, Aster, Austrian Fieldcress, Beggarticks, Biden, Bindweed, Bitterweed, Bitter Winter Cress, Black Medic, Blessed Thietle, Blue Lettuce, Box Elder, Broomweed, Buckhorn, Bull Thistie, Burdock, Bur Ragweed, Buttercup, Canada Thistie, Carpetweed, Catnip, Chickweed, Chicory, Clover, Cockie, Cocklebur, Coffeebean, Coffeeweed, Common Sowthistie, Creeping Jenny, Croton, Curly Indigo, Dandelion, Dock, Dogbane, Dogfennei, Elderberry, English Daisy, Fleabane, (daisy), Flixweed, Florida Pusley, Frenchweed, Galinsoga, Goatsbeard, Goldenrod, Ground Ivy, Gumweed, Hawkweed, Healall, Heartloaf, Drymary, Hemp, Henbit, Hoary Cress, Honeysuckie, Horsetail, Indiana Mallow, Ironweed, Jewelweed, Jimsonweed, Kochia, Knotweed, Lambsquarters, Locoweed, Lupines, Mallow, Marshelder, Mexicanweed, Morningglory, Musk Thistie, Mustard, Nettle, Nutgrass, Orange Hawkweed, Oxalis, Parsnip, Pennycress, Pennywort, Peppergrass, Pepperweed, Pigweed, Plantain, Polson Hemlock, Polson Ivy, Poison Oak, Pokeweed, Poorjoe, Povertyweed, Prickly Lettuce, Primrose, Puncture Vine, Purslane, Ragweed, Red Clover, Red Sorrel, Rush, Russian Thistie, St. Johnswort, Sheep Sorrel, Shepherdspurse, Smartweed, Sneezeweed, Southern Wild Rose, Sowthistie, Spanishneedles, Spatterdock, Speedwell, Spurge, Spurweed, Stinkweed, Stitchwort, Sumac, Sunflower, Sweetclover, Tarweed, Thistie, Toadflax, Tumbleweed, Velvetleaf, Veronica, Vervain, Vetch, Virginia Buttonweed, Virginia Creeper, Wild Aster, Wild Carroz, Wild Garlic, Wild Geranium, Wild Lettuce, Wild Onion, Wild Radish, Wild Rape, Wild Strawberry, Wild Sweet Potato, Willow, Witchweed, Woodsorrel, Wormseed, Yarrow, Yellow Rocket, and (many) other broadleaf weeds.

[HOSE-END SPRAYER INSTRUCTIONS]

HOW TO APPLY: Use an ORTHO DIAL 'n SPRAY, ORTHO Plant & Weed Sprayette, tank sprayer or any hose-end sprayer that is designed for use on lawns.

APPLICATOR	MIXING INSTRUCTIONS	AREA TO TREAT WARM SEASON GRASSES	AREA TO TREAT COOL SEASON GRASSES
ORTHO® DIAL 'n SPRAY®	Measure 3 fl oz into sprayer jar. DO NOT ADD WATER. Set dial to 1 1/2 oz and spray.	500 sq ft (25 x 20)	300 sq ft (15 x 20)
ORTHO® Plant & Weed Spray-ette®	Measure 3 fl oz into sprayer jar, Add water to the 2 gal mark.	500 sq ft (25 x 20)	300 sq ft (15 x 20)
Tank Sprayer	Measure 3 fl oz in 2 gals of water.	500 sq ft (25 x 20)	300 sq ft (15 x 20)

...

The following are adjustable/dial sprayers:

MANUFACTURER	SETTING
Super K-Gro	20
Melnor #94 & #95	11
Meinor #96 & #97	13
Gilmour #362	4
Gilmour #486	12

Special Note: Some adjustable sprayers do not hold 32 oz. The above settings are based on using 64 oz per 4,250 to 6,666 sq ft on Cool Season grasses or 8,500 to 10,000 sq ft for application on Warm Season grasses. The entire contents of this bottle must be used to make the proper recommended application rate.

(Back Base Panel)

STORAGE AND DISPOSAL

STORAGE: Keep from freezing. Store in original container Place in a locked area inaccessible to children.

PESTICIDE DISPOSAL: Dispose of remaining product by securely wrapping original container in several layers of newspaper and

discarding in trash.

CONTAINER DISPOSAL: Do not reuse container except when using GREENSWEEP® refill. Rinse thoroughly before discarding in treeh

PRECAUTION TRY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin or clothing. Wear long pants, long-sleeved shirt, socks, shoes and chemical resistant gloves when handling or applying this product.

After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower.

[Child/pet icon] Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until apray has dried.

FIRST AD: IF SWALLOWED: Get medical attention. IF IN EYES: Flush eyes with pienty of water. Call a physician if irritation persists. IF ON SKIN: Wash with pienty of soap and water. If irritation develops, get medical attention.

in case of emergency call collect 1-314-694-4000 or 800-454-2333.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and non-target plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters nor pour the washwaters on the ground. Spray or drain over a large area away from wells, other water sources and desirable plants. Do not apply this product through any type of irrigation system. Do not contaminate water used for irrigation or domestic purposes. If spills occur, collect the material and dispose of by following disposal instructions on this label.

NOTICE: Buyer assumes all responsibility for safety and use not in strict accordance with directions and instructions for use.

(Additional copy for refill size)

For refill only: Use this bottle to refill the quart hose-end sprayer of GREENSWEEP® WEED & FEED. Follow directions for use on hose-end sprayer bottle.

Medical Information 1-314-694-4000 or 800-454-2333.
 Product Information 1-800-225-2883

ORTHO®, YardBasics™, SOLARIS™, Trademarks of Monsanto Company GREENSWEEP® is a registered trademark used under license. © MONSANTO Company 1995

Manufactured for
The SOLARIS Group of Monsanto Company
P.O. Box 5008
San Ramon CA 94583-0808
Form S-779-B / Product
EPA REG. NO. 239-2640
EPA EST. NO. 239-IA-3¹, 47427-OH-2^A
Superscript is first letter of iot number
Made in USA