

10/16

PM 23 239-2640

OCT 31 1996

Katherine A. Buteau
 The Solaris Group of Monsanto Company
 P.O. Box 5006
 San Ramon, CA 94583-0906

Dear Ms. Buteau:

Subject: Revised Labeling - Add "Lock 'n Spray" Delivery System
 Greensweep Weed & Feed 20-0-0
 EPA Registration No. 239-2640
 Your Submission Dated August 29, 1996

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable with the following provision:

Within the directions for How To Use The Lock 'n Spray System, delete the statement "Leave sprayer on garden hose for use as a watering device..." from the beginning of direction #13. This is not an acceptable practice for pesticide storage.

A stamped copy is enclosed for your records. Please submit one (1) final printed copy for the referenced label, incorporating the above change, before releasing the product for shipment.

Sincerely yours,

Joanne I. Miller
 Product Manager (23)
 Fungicide-Herbicide Branch
 Registration Division (7505C)

Enclosure

DK:305-7546:FHB/PM23

		CONCURRENCES						
SYMBOL ▶	7505C							
SURNAME ▶	D. KENNY							
DATE ▶	11/1/96							

2016

GREENSWEEP® WEED & FEED

20-0-0

[ABN ORTHO® YARD BASICS™ LAWN WEED & FEED]

LIQUID LAWN CARE

READY-TO-USE NO MIXING

READY TO SPRAY

TREATS UP TO 10,000 SQ FT / ~~5000 SQ FT (Varies by size)~~

Read directions for different grasses

[water icon] water based ~~Outdoor Use Only (outdoor icon)~~

Fertilizes your lawn / ~~For lawns~~

Do not use on Floratam Lawns

[READY-SPRAY™ APPLICATOR ONLY] Ready-To-Use concentrate mixes automatically with water through the attached hose-end sprayer. Attach to a garden hose, turn on water, and spray.

A Quick and Easy Way to a Beautiful / Quality Lawn.

Gives your lawn a quick boost of nitrogen while controlling broadleaf weeds

Gives your lawn a quick feeding while controlling broadleaf weeds

Quickly feeds your lawn while controlling broadleaf weeds

Fertilizes lawn and kills broadleaf weeds

Concentrate

Active Ingredients:

Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid*	2.29%
Dimethylamine Salt of 2-(2-Methyl-4-Chlorophenoxy)propionic Acid**	2.30%
Dimethylamine Salt of 2-(2,4-Dichlorophenoxy)propionic Acid***	2.26%
Inert Ingredients:	93.15%

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL BOOKLET FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NET CONTENTS: 1/2 GAL (64 fl oz) 1.89mL

NET WEIGHT: 4.6 LBS

1 QT (32 fl oz) 946 mL

2.3 LBS

~~PT (16 fl oz) 473 mL~~

~~1.15 LBS~~

ACCEPTED
with COMMENTS
In EPA Letter Dated

OCT 31 1996

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

239-2640

96 SEP -4 P 3:44

RECD EPA/OPP/DPD1

[Back Panel]

GUARANTEED ANALYSIS:

Total Nitrogen (N) 20%
20% Urea Nitrogen
Primary Plant Nutrient source: Urea
Fertilizer content guaranteed by SOLARIS
1138-1103

[The following copy is for fix-a-form booklet type labels which consumers can open, read and reseal easily at retail as well as at time of use]

GOOF PROOF Results™ : Purchase price refunded if unsatisfied

[Text reorganized to enhance consumer understanding]

Use on Bluegrass, Fescue, Ryegrasses, Bentgrass, Bahia, Common Bermuda, Common St. Augustine, Centipede, and Zoysia grasses. For grass lawns only. Controls broadleaf weeds and gives your lawn a quick feeding. When used as directed this product will supplement your regular fertilizer program. Do not use this product on or around flower or vegetable beds, shrubs, trees or ornamental plantings. Do not spray on Buffalograss, Dichondra, Lippia, or on grasses where desirable Clovers are present. Do not use on Floratam or other improved varieties of St. Augustinegrass.

Controls broadleaf weeds and gives your lawn a quick feeding boost of nitrogen. When used as directed this product will supplement your regular fertilizer program. Use on Bluegrass, Fescue, Ryegrasses, Bentgrass, Bahia, Common Bermuda, Centipede, Zoysia and Common St. Augustine grasses. Do not use on Floratam or other improved varieties of St. Augustinegrass. Do not spray on Buffalo grass, Dichondra, Lippia, or desirable clovers. For grass lawns only. Do not use this product on flower or vegetable beds, or around shrubs, trees or ornamental plantings. Specially formulated for residential use.

or
Use Greensweep Weed 'n Feed to kill broadleaf weeds in lawns including Dandelion, Clover, Oxalis, Chickweed, knotweed, Plantain, Henbit, Spurge and many others. Won't harm Bahia, Bentgrass, Bermuda, Bluegrass, Centipede, Fescue, Rye or Zoysia. Can also be used on St. Augustine EXCEPT Floratam. For grass lawns only. Controls broadleaf weeds and gives your lawn a quick feeding boost of nitrogen. When used as directed this product will supplement your regular fertilizer program. Specially formulated for residential use.

Covers 3300-5000 (quart) / 1650-2500 (pint) square feet depending on lawn variety. See inside booklet for complete instructions.

CAUTION: Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin or clothing. SEE ADDITIONAL PRECAUTIONARY STATEMENTS AND DIRECTIONS INSIDE BOOKLET.

or SEE PRECAUTIONARY STATEMENTS AND DIRECTIONS INSIDE BOOKLET

PULL HERE TO OPEN LABEL PRESS HERE TO RESEAL.

This product contains:

- *2,4-Dichlorophenoxyacetic Acid 1.9%, .18 lb./gal.
**2-(2-Methyl-4-Chlorophenoxy)propionic Acid 1.9%, .18 lb./gal.
***2-(2,4-Dichlorophenoxy)propionic Acid 1.9%, .18 lb./gal.
Isomer Specific AOAC Method No. 6.321.

Medical Information call 1-800-454-2333
Product Information call 1-800-225-2883

4016

Manufactured for
The SOLARIS Group of
Monsanto Company
P.O. Box 5008
San Ramon CA 94583-0808
Form 7-779-02 / Product
EPA REG. NO. 239-2640
EPA EST. NO. 239-1A-3¹, 47427-OH-2^A,
Superscript is first letter of lot number

50116

[optional text]For Home Use Only

Use on Bluegrass, Fescue, Ryegrasses, Bentgrass, Bahia, Common Bermuda, Common St. Augustine, Centipede, and Zoysia grasses. For grass lawns only. Controls broadleaf weeds and gives your lawn a quick feeding boost of nitrogen. When used as directed this product will supplement your regular fertilizer program. Do not use this product in flower or vegetable beds or around shrubs, trees, or ornamental plantings. Do not spray on Buffalograss, Dichondra, Lippia, or on grasses where desirable Clovers are present. Do not use on Floratam or other improved varieties of St. Augustinograss.

Controls broadleaf weeds and gives your lawn a quick feeding boost of nitrogen. When used as directed this product will supplement your regular fertilizer program. Use on Bluegrass, Fescue, Ryegrasses, Bentgrass, Bahia, Common Bermuda, Centipede, Zoysia and Common St. Augustine grasses. Do not use on Floratam or other improved varieties of St. Augustinograss. Do not spray on Buffalo grass, Dichondra, Lippia, or desirable clovers. For grass lawns only. Do not use this product on flower or vegetable beds, or around shrubs, trees or ornamental plantings. Specially formulated for residential use.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

[Stop sign icon] READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

[Text reorganized from below to enhance consumer understanding]

HOW TO APPLY

Make sure ON/OFF valve is in OFF position

Shake well

Connect spray nozzle to hose

Turn on the water at the tap

When ready to treat, point in direction away from face and body and pull the tab toward the hose end connection. Turn the ON/OFF valve to the ON position. The water mixes automatically with this product at the proper ratio.

Walk and spray at a steady pace. Marks on side of bottle/label indicate the number of square feet covered in 1,000's or approximate area covered. Apply only the recommended amount for the area to be covered. Exceeding recommended rates may damage turf.

For Cool Season Grasses such as Bluegrass, Fescue, Ryegrasses and Bentgrass, 1 quart covers 3300 sq. ft. When applying to Bentgrass, grass height should be 1-1/2" or more.

For Warm Season Grasses such as Bahia, Common Bermuda, Common St. Augustine, Centipede, and Zoysia, 1 quart covers 5000 sq. ft. Do not use on Floratam or other improved varieties of St. Augustine grass (as damage may occur). Some temporary injury may occur with these [warm season] grasses. In Spring, do not apply until grass has reached full green up. In Fall, do not use when grass is going into dormancy. Note: Some hybrid Bermuda grasses may be sensitive to this product.

Weeds will begin to curl within a few days. Some hard-to-control broadleaf weeds may require a second treatment in 3-4 weeks. The maximum number of broadcast applications per treatment site is 2 per year.

GREENSWEEP WEED & FEED controls Buckhorn, Chickweed, Clover, Dandelion, Ground ivy, Henbit, Knotweed, Lambsquarters, Oxalis, Pigweed, Plantain, Poison Ivy, Ragweed, Spurge, and many other broadleaf weeds. For additional weeds controlled by this product call 1-800-225-2883

BEST AVAILABLE COPY

60416

IMPORTANT USE PRECAUTIONS: If lawn needs watering, water thoroughly 24 hours before application. Do not cut grass 1 to 2 days before and after application. Do not water for 48 hours after application as watering will wash off weed-killing material. Spray when air is calm to avoid spray drift that might injure desirable ornamental plants. Do not use this product on flower or vegetable beds or around shrubs, trees or ornamental plantings. Do not spray on Buffalo grass, Dichondra, Lippia, or desirable clovers. Do not apply when temperatures exceed 85° F. Do not reseed, sod or plug lawns or plant stolons for 3 to 4 weeks after use. Do not apply to newly seeded grasses until they have been mowed three times. Spray when weeds are actively growing.

[Text moved to above]
USE PRECAUTIONS

~~IMPORTANT: If lawn needs watering, water thoroughly 24 hours before application. Do not cut grass 1 to 2 days before and after application. Do not water for 48 hours after application. Watering will wash off weed-killing material. Spray when air is calm to avoid spray drift that might injure desirable ornamental plants. Do not apply when temperatures exceed 85° F. Shake well. Apply only the recommended amount for the area to be covered. Exceeding recommended rates may damage turf. Do not reseed, sod or plug lawns or plant stolons for 3 to 4 weeks after use. Do not apply to newly seeded grasses until they have been mowed three times. Spray when weeds are actively growing.~~

~~For Cool Season Grasses such as Bluegrass, Fescue, Ryegrasses and Bentgrass, 1 quart covers 3300 sq. ft. When applying to Bentgrass, grass height should be 1 1/2" or more.~~

~~For Warm Season Grasses such as Bahia, Common Bermuda, Common St. Augustine, Centipede, and Zoysia, 1 quart covers 5000 sq. ft. Some temporary injury may occur with these grasses. In Spring, do not apply until grass has reached full green up. In Fall, do not use when grass is going into dormancy. Note: Some hybrid Bermuda grasses may be sensitive to this product. Contact your local Extension Service weed control specialist.~~

COVERAGE MEASURING GUIDE				
APPROXIMATE AMOUNT USED	COOL SEASON GRASSES	AREA DIMENSIONS	WARM SEASON GRASSES	AREA DIMENSIONS
1/4	825 SQ FT	16 X 50	1250 SQ FT	25 X 50
1/2	1650 SQ FT	33 X 50	2500 SQ FT	50 X 50
3/4	2500 SQ FT	50 X 50	3750 SQ FT	75 X 50
EMPTY	3300 SQ FT	66 X 50	5000 SQ FT	100 X 50

[READY-SPRAY™ APPLICATOR ONLY]

Connect attached spray nozzle to garden hose. Turn water control "ON/OFF" valve on top of sprayer nozzle to "OFF" position. Turn on water at faucet. Extend hose to farthest area to be treated and work backwards towards faucet so that you do not walk over treated areas. Using a coin or key, rotate the small product control valve located near front of nozzle to the "OPEN" position. To BEGIN spraying, point spray nozzle towards lawn and turn water control valve to "ON" position. The sprayer automatically mixes the product into the spray stream. Walk at a steady pace while spraying, using an even sweeping motion, side to side, lightly overlapping treated areas. Refer to measuring scale on side of container to guide coverage. To STOP spraying, turn water control "ON/OFF" valve on spray nozzle to "OFF" position. Rotate small product control valve back to closed position. Turn off water at faucet. To relieve pressure, turn water control "ON/OFF" valve to the "ON " position before removing nozzle from hose, being careful to point nozzle away from you. After relieving hose pressure, turn water control "ON/OFF" valve to the "OFF " position.

BEST AVAILABLE COPY

[Text moved to above]

HOW TO APPLY

- ~~_____ No Mix, No Measure.~~
- ~~_____ Make sure ON/OFF valve is in OFF position~~
- ~~_____ Shake well before applying.~~
- ~~_____ Connect spray nozzle to hose.~~
- ~~_____ Turn on the water at the tap.~~
- ~~_____ When ready to treat, point in direction away from face and body and pull the tab toward the hose end connection. Turn the ON/OFF valve to the ON position. The water mixes automatically with this product at the proper ratio.~~
- ~~_____ Walk and spray at a steady pace. Marks on side of bottle/ label indicate the number of square feet covered in 1,000's or approximate area covered.~~

~~Weeds will begin to curl within a few days. Some hard to control broadleaf weeds may require a second treatment in 3-4 weeks. The maximum number of broadcast applications per treatment site is 2 per year.~~

GREENSWEEP WEED & FEED controls

Alders, Artichoke, Aster, Austrian Fieldcress, Beggarticks, Biden, Bindweed, Bitterweed, Bitter Winter Cress, Black Medic, Blessed Thistle, Blue Lettuce, Box Elder, Broomweed, Buckhorn, Bull Thistle, Burdock, Bur Ragweed, Buttercup, Canada Thistle, Carpetweed, Catnip, Chickweed, Chicory, Clover, Cockle, Cocklebur, Coffebean, Coffeeweed, Common Sowthistle, Creeping Jenny, Croton, Curly Indigo, Dandelion, Dock, Dogbane, Dogfennel, Elderberry, English Daisy, Fleabane (daisy), Flixweed, Florida Pusley, Frenchweed, Galinsoga, Goatsbeard, Goldenrod, Ground ivy, Gumweed, Hawkweed, Healall, Heartloaf, Drymary, Hemp, Henbit, Hoary Cress, Honeysuckle, Horsetail, Indiana Mallow, Ironweed, Jewelweed, Jimsonweed, Kochia, Knotweed, Lambsquarters, Locoweed, Lupines, Mallow, Marshelder, Mexicanweed, Morningglory, Musk Thistle, Mustard, Nettle, Nutgrass, Orange Hawkweed, Oxalis, Parsnip, Pennycress, Pennywort, Peppergrass, Pepperweed, Pigweed, Plantain, Poison Hemlock, Poison Ivy, Poison Oak, Pokeweed, Poorjoe, Povertyweed, Prickly Lettuce, Primrose, Puncture Vine, Purslane, Ragweed, RedClover, Red Sorrel, Rush, Russian Thistle, St. Johnswort, Sheep Sorrel, Shepherdspurse, Smartweed, Sneezeweed, Southern Wild Rose, Sowthistle, Spanishneedles, Spatterdock, Speedwell, Spurge, Spurweed, Stinkweed, Stitchwort, Sumac, Sunflower, Sweetclover, Tarweed, Thistle, Toadflax, Tumbleweed, Velvetleaf, Veronica, Vervain, Vetch, Virginia Buttonweed, Virginia Creeper, Wild Aster, Wild Carrot, Wild Garlic, Wild Geranium, Wild Lettuce, Wild Onion, Wild Radish, Wild Rape, Wild Strawberry, Wild Sweet Potato, Willow, Witchweed, Woodsorrel, Wormseed, Yarrow, Yellow Rocket, and (many) other broadleaf weeds.

☐ For additional weeds controlled by this product call 1-800-225-2883

8 of 16

[HOSE-END SPRAYER INSTRUCTIONS] ~~For use~~

HOW TO APPLY: Use an ORTHO DIAL 'n SPRAY, ORTHO Plant & Weed Sprayette, tank sprayer or hose-end sprayer that is designed for use on lawns.

APPLICATOR	MIXING INSTRUCTIONS	AREA TO TREAT WARM SEASON GRASSES	AREA TO TREAT COOL SEASON GRASSES
ORTHO® DIAL 'n SPRAY®	Measure 3 fl oz into sprayer jar. DO NOT ADD WATER. Set dial to 1 1/2 oz and spray.	500 sq ft (25 x 20)	300 sq ft (15 x 20)
ORTHO® Plant & Weed Sprayette®	Measure 3 fl oz into sprayer jar. Add water to the 2 gal mark.	500 sq ft (25 x 20)	300 sq ft (15 x 20)
Tank Sprayer	Measure 3 fl oz in 2 gals of water.	500 sq ft (25 x 20)	300 sq ft (15 x 20)

The following are adjustable/dial sprayers:

MANUFACTURER	SETTING
Super K-Gro	20
Melnor #94 & #95	11
Melnor #96 & #97	13
Gilmour #362	4
Gilmour #486	12

Special Note: Some adjustable sprayers do not hold 32 oz. The above settings are based on using 64 oz per 4,250 to 6,666 sq ft on Cool Season grasses or 8,500 to 10,000 sq ft for application on Warm Season grasses. The entire contents of this bottle must be used to make the proper recommended application rate.

90416

[Back Base Panel]

STORAGE AND DISPOSAL

~~STORAGE: Store product in original container in a safe place. Protect container from freezing.~~

~~DISPOSAL: Do not reuse container (except for GREENSWEEP refill). Securely wrap partially filled or empty container in newspaper and discard in trash.~~

STORAGE AND DISPOSAL

~~STORAGE: Keep from freezing. Store in original container. Place in a locked area inaccessible to children.~~

~~PESTICIDE DISPOSAL: Dispose of remaining product by securely wrapping original container in several layers of newspaper and discarding in trash.~~

~~CONTAINER DISPOSAL: Do not reuse container except when using GREENSWEEP® refill. Rinse thoroughly before discarding in trash.~~

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin or clothing. Wear long pants, long-sleeved shirt, socks, shoes and chemical resistant gloves when handling or applying this product. After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower.

[Reentry icon] Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried.

FIRST AID: IF SWALLOWED: Get medical attention. **IF IN EYES:** Flush eyes with plenty of water. Call a physician if irritation persists. **IF ON SKIN:** Wash with plenty of soap and water. If irritation develops, get medical attention.

☞ In case of emergency call 1- 800-454-2333.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and non-target plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters nor pour the washwaters on the ground. Spray or drain over a large area away from wells, other water sources and desirable plants. Do not apply this product through any type of irrigation system. Do not contaminate water used for irrigation or domestic purposes. If spills occur, collect the material and dispose of by following disposal instructions on this label.

NOTICE: Buyer assumes all responsibility for safety and use not in strict accordance with directions and instructions for use.

(Additional copy for refill size)

For refill only: Use this bottle to refill the quart hose-end sprayer of GREENSWEEP® WEED & FEED. Follow directions for use on hose-end sprayer bottle.

☞ Medical Information 1-800-454-2333.
Product Information 1-800-225-2883

ORTHO®, YardBasics™, SOLARIS™, Trademarks of Monsanto Company
GREENSWEEP® is a registered trademark used under license.
© MONSANTO Company 1995

Manufactured for
The SOLARIS Group of Monsanto Company
P.O. Box 5008
San Ramon CA 94583-0808
Form 7-779-02 / Product

239-2640.wp4 EPA Accepted 1/25/96
Form 7-779-01 Amendment 8/29/96 Update GS label, add LnS directions

BEST AVAILABLE COPY

10 of 16

EPA REG. NO. 239-2640
EPA EST. NO. 239-IA-3¹, 47427-OH-2^A
Superscript is first letter of lot number
Made in USA

[Text for Lock 'n Spray Applicator System]

2. GREENSWEEP® WEED & FEED Lock 'n Spray
20-0-0

NO MIXING
READY TO SPRAY

TREATS UP TO 10,000 SQ FT / 5000 sq ft (varies by size)

Read directions for different grasses

[water icon] water based Outdoor Use Only [outdoor icon]

Fertilizes your lawn / For lawns

Do not use on Floratam Lawns

Ready-To-Use concentrate mixes automatically with water through the attached hose-end sprayer. Attach to a garden hose, turn on water, and spray.

A Quick and Easy Way to a Beautiful / Quality Lawn.

Lock 'n Spray - For / Use with the Lock'n Spray System/Sprayer

An innovative technical breakthrough in spraying

For ORTHO 's Lock 'n Spray smart versatile sprayer system

Kills Weeds - Won't harm lawns - Kills weeds without harming lawn grasses

Kills All major broadleaf lawn weeds including Dandelion, Clover, Oxalis, Chickweed, Knotweed, Plantain, Henbit, Spurge and many others.

Weed out lawns with GREENSWEEP Weed 'n Feed / Weed 'n Feed your lawn with GREENSWEEP

1 easy step to a weed free lawn - Helps promote a beautiful lawn

No mixing, no measuring, no mess

No Mix, No Measure, No Messy Clean Up

Eliminates Mixing and Measuring, No mixing or measuring necessary

Easy to Use, Premeasured, Accurate, Accurate Dosage

Simple easy to use / one step application / Simple and easy

No spill, Clean and Convenient to use

Closed system prevents spills

Gives your lawn a quick boost of nitrogen while controlling broadleaf weeds

Gives your lawn a quick feeding while controlling broadleaf weeds

Quickly feeds your lawn while controlling broadleaf weeds

Fertilizes lawn and kills broadleaf weeds

Cartridge sprayer refill, Self sealing refill

Automatic locking closure, Automatically mixes the right amount of product

Reusable, Disposable cartidges, / Cartridge for the Lock'n Spray System/Sprayer

Just lock and spray - Snap 'n Spray

Concentrate

Active Ingredients:

Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid* 2.29%

Dimethylamine Salt of 2-(2-Methyl-4-Chlorophenoxy)propionic Acid**..... 2.30%

Dimethylamine Salt of 2-(2,4-Dichlorophenoxy)propionic Acid***2.26%

Inert Ingredients:93.15%

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL BOOKLET FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NET CONTENTS: 1 PT (16 fl oz) 473 mL 1.15 LBS , 1 QT (32 fl oz) 946 mL 2.3 LBS

[Back Panel]

GUARANTEED ANALYSIS:

Total Nitrogen (N) 20%
20% Urea Nitrogen

Primary Plant Nutrient source: Urea

Fertilizer content guaranteed by SOLARIS

1138-1103

Controls broadleaf weeds and gives your lawn a quick feeding boost of nitrogen. When used as directed this product will supplement your regular fertilizer program. Use on Bluegrass, Fescue, Ryegrasses, Bentgrass, Bahia, Common Bermuda, Centipede, Zoysia and Common St. Augustine grasses. Do not use on Floratam or other improved varieties of St. Augustine grass. Do not spray on Buffalo grass, Dichondra, Lippia or desirable clovers. For grass lawns only. Do not use this product on flower or vegetable beds, or around shrubs, trees or ornamental plantings. Specially formulated for residential use.

or
Use Greensweep Weed 'n' Feed to kill broadleaf weeds in lawns including Dandelion, Clover, Oxalis, Chickweed, Knotweed, Plantain, Henbit, Spurge and many others. Won't harm Bahia, Bentgrass, Bermuda, Bluegrass, Centipede, Fescue, Rye or Zoysia. Can also be used on St. Augustine EXCEPT Floratam. For grass lawns only. Controls broadleaf weeds and gives your lawn a quick feeding boost of nitrogen. When used as directed this product will supplement your regular fertilizer program. Specially formulated for residential use.

Covers 3300-5000 (quart) / 1650-2500 (pint) square feet depending on lawn variety. See inside booklet for complete instructions.

CAUTION: Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin or clothing. SEE ADDITIONAL PRECAUTIONARY STATEMENTS AND DIRECTIONS INSIDE BOOKLET.

or SEE PRECAUTIONARY STATEMENTS AND DIRECTIONS INSIDE BOOKLET

PULL HERE TO OPEN LABEL PRESS HERE TO RESEAL

This product contains:

- *2,4-Dichlorophenoxyacetic Acid 1.9%, .18 lb./gal.
 - **2-(2-Methyl-4-Chlorophenoxy)propionic Acid 1.9%, .18 lb./gal.
 - ***2-(2,4-Dichlorophenoxy)propionic Acid 1.9%, .18 lb./gal.
- Isomer Specific AOAC Method No. 6.321.

Medical Information call 1-800-454-2333
Product Information call 1-800-225-2883

Manufactured for
The SOLARIS Group of
Monsanto Company
P.O. Box 5008
San Ramon CA 94583-0808
Form 7-779-02 / Product
EPA REG. NO. 239-2640
EPA EST. NO. 239-IA-3¹, 47427-OH-2^A,
Superscript is first letter of lot number

BEST AVAILABLE COPY

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. [Stop sign icon] READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

How To Use The Lock n Spray System

- 1 Calculate square feet of lawn by multiplying length times width. [Walking man icon]
- 2 Connect sprayer to garden hose by turning the sprayer hose connector.
- 3 Peel off sticker from the top of cartridge.
- 4 Point sprayer away from you. Hold cartridge so label faces you. Attach cartridge to sprayer.
- 5 Turn cartridge in either direction until it clicks into place.
- 6 Rotate sprayer nozzle down.
- 7 Turn on water.
- 8 Extend garden hose to farthest section of lawn to be treated. Squeeze (color) trigger and begin spraying.
- 9 Spray evenly over entire lawn following the listed coverage rates.
- 10 When finished, release (color) trigger then turn cartridge to unlock and remove from sprayer. (No need to turn off water.)
- 11 Flush sprayer with water, squeezing and releasing the (color) trigger in short bursts 2 or more times.
- 12 Turn off water and squeeze the (color) trigger to relieve water pressure.
- 13 Leave sprayer on garden hose for use as a watering device, or disconnect, shake off excess water and store in a safe place.

[5 Lines for 16 oz size (or 1/2 liter)] or
[5 Lines for 32 oz size (or 1 liter)]

Where to Use & Coverage Rates

Important: Use Greensweep Weed n Feed to kill broadleaf weeds in the cool and warm season lawns listed below without harming them. Do not spray Buffalograss, Dichondra, Lippia or desirable clovers. Do not use on or around fruits, vegetables, flowers, or other ornamental plants.

COOL SEASON LAWNS

Bentgrass, Bluegrass, Fescues, and Ryegrass.

- [16 oz size] Each line on cartridge represents the amount of product needed to cover approximately 350 square feet of lawn, or
- [32 oz size] Each line on cartridge represents the amount of product needed to cover approximately 700 square feet of lawn.

NOTE: When applying to Bentgrass, grass height should be 1 1/2" or more.

WARM SEASON LAWNS

Bahia, Common Bermuda, Centipede, Zoysia and Common St. Augustine. (Do not use on Floratam lawns, a variety of St. Augustine common in Florida, as damage may occur.)

- [16 oz size] Each line on cartridge represents the amount of product needed to cover approximately 500 square feet of lawn, or

BEST AVAILABLE COPY

32 oz size) Each line on cartridge represents the amount of product needed to cover approximately 1000 square feet of lawn.

Note: Some temporary injury may occur with these grasses. In Spring, do not apply until grass has reached full green up. In Fall, do not use when grass is going into dormancy. Note: Some hybrid Bermuda grasses may be sensitive to this product.

GREENSWEEP WEED & FEED controls

Alders, Artichoke, Aster, Austrian Fieldcress, Beggarticks, Bide, Bindweed, Bitterweed, Bitter Winter Cress, Black Medic, Blessed Thistle, Blue Lettuce, Box Elder, Broomweed, Buckhorn, Bull Thistle, Burdock, Bur Ragweed, Buttercup, Canada Thistle, Carpetweed, Catnip, Chickweed, Clover, Cockle, Cocklebur, Coffeebean, Coffeeweed, Common Sowthistle, Creeping Jenny, Croton, Curly Indigo, Dandelion, Dock, Dogbane, Dogfennel, Elderberry, English Daisy, Fleabane (daisy), Flixweed, Florida Pusley, Frenchweed, Galinsoga, Goatsbeard, Goldenrod, Ground ivy, Gumweed, Hawkweed, Healall, Heartloaf, Drymary, Hemp, Henbit, Hoary Cress, Honeysuckle, Horsetail, Indiana Mallow, Ironweed, Jewelweed, Jimsonweed, Kochia, Knotweed, Lambsquarters, Locoweed, Lupines, Mallow, Marshelder, Mexicanweed, Morningglory, Musk Thistle, Nettle, Nutgrass, Orange Hawkweed, Oxalis, Parsnip, Pennycress, Peppergrass, Pepperweed, Pigweed, Plantain, Poison Hemlock, Poison Ivy, Poison Oak, Pokeweed, Poorjoe, Povertyweed, Prickly Lettuce, Primrose, Puncture Vine, Purslane, Ragweed, Red Clover, Red Sorrel, Rush, Russian Thistle, St. Johnswort, Sheep Sorrel, Sheperdspurse, Smartweed, Sneezeweed, Southern Wild Rose, Sowthistle, Spanishneedles, Spatterdock, Speedwell, Spurge, Spurweed, Stinkweed, Stitchwort, Sumac, Sunflower, Sweetclover, Tarweed, Thistle, Toadflax, Tumbleweed, Velvetleaf, Veronica, Vervain, Vetch, VirginiaButtonweed, Virginia Creeper, Wild Aster, Wild Carrot, Wild Garlic, Wild Geranium, Wild Lettuce, Wild Onion, Wild Radish, Wild Rape, Wild Strawberry, Wild Sweet Potato, Willow, Witchweed, Woodsorrel, Wormseed, Yarrow, Yellow Rocket, and (many) other broadleaf weeds.

For additional weeds controlled by this product call 1-800-225-2883

OR

GREENSWEEP WEED & FEED controls: Buckhorn, Chickweed, Clover, Dandelion, Ground ivy, Henbit, Knotweed, Lambsquarters, Oxalis, Pigweed, Plantain, Poison Ivy, Ragweed, Spurge, and many other broadleaf weeds.

For additional weeds controlled by this product call 1-800-225-2883

For Best Results

1. Water 1-2 days before application if soil is dry.
2. Do not mow 1-2 days before and after application.
3. Spray when weeds are small and actively growing.
4. Spray only when air is calm to avoid drift to desirable plants.
5. Spray only when daytime temperature is below 85°F.
6. Rain or watering within 48 hours after treatment may reduce weed control, and weeds may require a repeat treatment.
7. Hard-to-control weeds may require a repeat application.
8. If a second application is necessary, wait 2-3 weeks.
9. Treated lawn can be planted with grass seed or sod after 3-4 weeks.
10. Newly planted lawn can be treated after third mowing.
11. For spot treating individual weeds use ready-to-use Weed-B-Gon Weed-Killer.

How It Works

Because broadleaf weeds and grasses grow differently, GREENSWEEP Weed 'n Feed kills broadleaf weeds without harming lawn grasses. GREENSWEEP Weed 'n Feed singles out broadleaf weeds, enters through the leaves, and moves inside the weed to the roots. Leaves begin to curl within a week with complete kill in 2 to 4 weeks. The maximum number of broadcast applications per treatment site is 2 per year.

Greensweep Weed & Feed contains 20% nitrogen, the most important nutrient for lawns. Nitrogen gives lawns a deep, dark green color. When used as directed Greensweep Weed & Feed supplements your regular fertilizer program by giving your lawn a quick feeding boost of nitrogen.

BEST AVAILABLE COPY

[Back Base Panel]

STORAGE AND DISPOSAL

STORAGE: Store product in original container in a safe place. Protect container from freezing.

DISPOSAL: Do not reuse container. Securely wrap partially filled or empty container in newspaper and discard in trash.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin or clothing. Wear long pants, long-sleeved shirt, socks, shoes and chemical resistant gloves when handling or applying this product. After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower.

[Reentry icon] Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried.

FIRST AID: IF SWALLOWED: Get medical attention. **IF IN EYES:** Flush eyes with plenty of water. Call a physician if irritation persists. **IF ON SKIN:** Wash with plenty of soap and water. If irritation develops, get medical attention.

☞ In case of emergency call 1-800-454-2333.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and non-target plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters nor pour the washwaters on the ground. Spray or drain over a large area away from wells, other water sources and desirable plants. Do not apply this product through any type of irrigation system. Do not contaminate water used for irrigation or domestic purposes. If spills occur, collect the material and dispose of by following disposal instructions on this label.

NOTICE: Buyer assumes all responsibility for safety and use not in strict accordance with directions and instructions for use.

☞ Medical Information 1-800-454-2333.
Product Information 1-800-225-2883

® , ™, Trademarks of Monsanto Company
© MONSANTO Company 1996

SOLARIS™

Manufactured for
The SOLARIS Group of Monsanto Company
P.O. Box 5008
San Ramon CA 94583-0808
Form 7-779-02 / Product
EPA REG. NO. 239-2640
EPA EST. NO. 239-1A-3¹, 47427-OH-2^A
Superscript is first letter of lot number
Made in USA

BEST AVAILABLE COPY