



United States
Environmental Protection Agency
Washington, DC 20460

☐ Registration
☒ Amendment
☐ Other

OPP Identifier Number

251520

Application for Pesticide - Section I

1. Company/Product Number 239-2640	2. EPA Product Manager J. Miller	3. Proposed Classification ☒ None ☐ Restricted
4. Company/Product (Name) GREENSWEEP Weed & Feed 20-0-0	PM# 23	
5. Name and Address of Applicant (Include ZIP Code) The SOLARIS Group of Monsanto Company P. O. Box 5006 San Ramon, CA 94583-0906 ☐ Check if this is a new address		6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____

Section - II

☐ Amendment - Explain below.	☐ Final printed labels in response to Agency letter dated _____
☐ Resubmission in response to Agency letter dated _____	☐ "Me Too" Application
☒ Notification - Explain below.	☐ Other - Explain below _____

NOTIFICATION
JAN 31 1997

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

NOTIFICATION

To submit final Greensweep labels which illustrate reformatted and reordered text to aid consumer understanding including updated storage and disposal language. Form 0-979-01.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging ☐ Yes* ☐ No	Unit Packaging ☐ Yes ☐ No	Water Soluble Packaging ☐ Yes ☐ No	☐ Metal ☐ Plastic ☐ Glass ☐ Paper ☐ Other (Specify) _____		
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container		
3. Location of Net Contents Information ☐ Label ☐ Container		4. Size(s) Retail Container		5. Location of Label Directions ☐ On Label ☐ On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product ☐ Lithograph ☐ Paper glued ☐ Stenciled			☐ Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Katherine A. Buteau	Title Registration Specialist	Telephone No. (Include Area Code) (510) 355-3339
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature <i>Katherine A. Buteau</i>	3. Title Registration Specialist	
4. Typed Name Katherine A. Buteau	5. Date January 23, 1997	

NOTIFICATION
JAN 31, 1997

GREEN SWEEP

WEED & FEED

Fertilizes
lawn and
kills
broadleaf
weeds

KEEP OUT OF REACH
OF CHILDREN
CAUTION
See back panel booklet for
additional precautionary statements.



Covers 7,500 sq ft

20-0-0

Active Ingredients
Dimethylamine Salt of
2,4-Dichlorophenoxyacetic
Acid* 2.29%
Dimethylamine Salt of
2-(2-Methyl-4-Chlorophenoxy)
propionic Acid** 2.30%
Dimethylamine Salt of
2-(2,4-Dichlorophenoxy)
propionic Acid*** 2.26%
Inert Ingredients 93.15%



NET 1.5 QT (48 FL OZ)
1.42 L, 3.45 LB

GREEN SWEEP WEED & FEED

PLEASE REFER
TO OTHER
LABELS

20-0-0 GUARANTEED ANALYSIS: 1138-1110
Total Nitrogen (N)..... 20%
20% Urea Nitrogen
Primary Plant Nutrient source: Urea
Fertilizer content guaranteed by SOLARIS

Goof Proof™ Results: Purchase Price Refunded if Unsatisfied
Controls broadleaf weeds and gives your lawn a quick feeding
boost of nitrogen. Use on Bluegrass, Fescue, Ryegrass, Bentgrass,
Bahia, Common Bermuda, Centipede, Zoysia, and Common St.
Augustine grasses.

Do not use on Floratam or other improved varieties of St.
Augustinegrass. Do not spray on Buffalograss, Dichondra, Lippia or
on desirable clovers. For grass lawns only. Do not use this product on
flower or vegetable beds or around shrubs, trees, or ornamental
plantings. When used as directed this product will supplement your
regular fertilizer program.

FOR HOME USE ONLY
SEE PRECAUTIONARY STATEMENTS AND DIRECTIONS INSIDE BOOKLET.

This product contains:
*2,4-Dichlorophenoxyacetic Acid..... 1.9%, 18 fl/oz
**2-(2-Methyl-4-Chlorophenoxy)propionic Acid..... 1.9%, 18 fl/oz
***2-(2,4-Dichlorophenoxy)propionic Acid..... 1.9%, 18 fl/oz
Isomer Specific AOAC Method No. 8.321.

Medical Information call 1-800-454-2333
Product Information call 1-800-225-2883

©,™ Trademarks of Monsanto Company
©Monsanto Company 1996

Manufactured for
The SOLARIS Group of Monsanto Company
P.O. Box 5008 San Ramon CA 94583-0808
Form 0-979-01
EPA Reg. No. 239-2649
EPA Est. 239-1A-3, 47427-041-24
Superscript is first letter of lot number

Made in USA

ITEM
#123655



0 70183 50097 0 B

462

NOTIFICATION
JAN 31 1997

GREEN SWEEP®

WEED & FEED

Fertilizes
lawn and
kills
broadleaf
weeds

KEEP OUT OF REACH
OF CHILDREN
CAUTION
See back panel booklet for
additional precautionary statements.



Covers 7500 sq ft

20-0-0

Active Ingredients
Dimethylamine Salt of
2,4-Dichlorophenoxyacetic
Acid 2.25%
Dimethylamine Salt of
2-(2-Methyl-4-Chlorophenoxy)
propionic Acid** 2.30%
Dimethylamine Salt of
2-(2,4-Dichlorophenoxy)
propionic Acid*** 2.28%
Inert Ingredients 83.15%



NET 1.5 QT (48 FL OZ)
1.42 L, 3.45 LB

GREEN SWEEP® WEED & FEED

PULL HERE
TO OPEN LABEL

20-0-0 GUARANTEED ANALYSIS: 1138-1110
Total Nitrogen (N)..... 20%
20% Urea Nitrogen
Primary Plant Nutrient source: Urea
Fertilizer content guaranteed by SOLARIS

Goof Proof™ Results: Purchase Price Refunded if Unsatisfied

Controls broadleaf weeds and gives your lawn a quick feeding
boost of nitrogen. Use on Bluegrass, Fescue, Ryegrass, Bentgrass,
Bahia, Common Bermuda, Centipede, Zoysia, and Common St.
Augustine grasses.

Do not use on Floratam or other improved varieties of St.
Augustinegrass. Do not spray on Buffalograss, Dichondra, Lippia or
on desirable clovers. For grass lawns only. Do not use this product on
flower or vegetable beds or around shrubs, trees, or ornamental
plantings. When used as directed this product will supplement your
regular fertilizer program.

FOR HOME USE ONLY
SEE PRECAUTIONARY STATEMENTS AND DIRECTIONS INSIDE BOOKLET.

This product contains:
*2,4-Dichlorophenoxyacetic Acid 1.9%, 18 lb/gal
**2-(2-Methyl-4-Chlorophenoxy)propionic Acid 1.9%, 18 lb/gal
***2-(2,4-Dichlorophenoxy)propionic Acid 1.9%, 18 lb/gal
(Isomer Specific AOAC Method No. 6.321)

Medical Information call 1-800-454-2333
Product Information call 1-800-225-2883

©™ Trademarks of Monsanto Company
©Monsanto Company 1996

Manufactured for
The SOLARIS Group of Monsanto Company
P.O. Box 5008 San Ramon CA 94583-0808
Form 0-979-01
EPA Reg. No. 239-2640
EPA Est. 239-04-3, 47427-04-24
Superscript is first letter of lot number

ITEM
#123655

Made in USA



B 0

3
4
4

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

HOW TO APPLY

- Make sure ON/OFF valve is in OFF position.
- Shake well.
- Connect spray nozzle to hose.
- Turn on the water at the tap.
- When ready to treat, point in direction away from face and body and pull the tab toward the hose end connection. Turn the ON/OFF valve to the ON position. The water mixes automatically with this product at the proper ratio.
- Walk and spray at a steady pace. Marks on side of bottle indicate the number of square feet covered in 1,000's.

For Cool Season Grasses such as Bluegrass, Fescue, Ryegrasses and Bentgrass, 48 oz covers 4,950 sq ft. When applying to Bentgrass, grass height should be 1 1/2" or more.

For Warm Season Grasses such as Bahia, Common Bermuda, Common St. Augustine, Centipede, and Zoysia, 48 oz covers 7,500 sq ft.

Do not use on Floratam or other improved varieties of St. Augustinegrass (as damage may occur).

Some temporary injury may occur with these grasses. In Spring, do not apply until grass has reached full green up. In Fall, do not use when grass is going into dormancy. Note: Some hybrid Bermuda grasses may be sensitive to this product.

Apply only the recommended amount for the area to be covered. Exceeding recommended rates may damage turf.

Weeds will begin to cut within a few days. Some hard-to-control broadleaf weeds may require a second treatment in 3 to 4 weeks. The maximum number of broadcast applications per treatment site is 2 per year.

GREENSWEEP WEED & FEED controls Buckhorn, Chickweed, Clover, Dandelion, Ground Ivy, Henbit, Knotweed, Lambsquarters, Oxalis, Pigweed, Plantain, Poison Ivy, Ragweed, Spurge, and many other broadleaf weeds.

USE PRECAUTIONS

IMPORTANT: If lawn needs watering, water thoroughly 24 hours before application. Do not cut grass 1 to 2 days before and after application. Do not water for 48 hours after application as watering will wash off weed killing material. Spray when air is calm to avoid spray drift that might injure desirable ornamental plants. Do not use this product in flower or vegetable beds or around shrubs, trees, or ornamental plantings. Do not spray on Buffalograss, Dichondra, Lippia, or on grasses where desirable clovers are present. Do not apply when temperatures exceed 85°F. Do not reseed, sod or plug turfs or plant stolons for 3 to 4 weeks after use. Do not apply to newly seeded grasses until they have been mowed three times. Spray when weeds are actively growing.

STORAGE AND DISPOSAL

STORAGE: Store product in original container in a safe place. Protect container from freezing.

DISPOSAL: Do not reuse container (except for GREENSWEEP® refill). Securely wrap partially filled or empty container in newspaper and discard in trash.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin or clothing. Wear long pants, long-sleeved shirt, socks, shoes and chemical resistant gloves when handling or applying this product. After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower.

 Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried.

FIRST AID: IF SWALLOWED: Get medical attention. **IF IN EYES:** Flush eyes with plenty of water. Call a physician if irritation persists. **IF ON SKIN:** Wash with plenty of soap and water. If irritation develops, get medical attention. In case of emergency call 1-800-454-2333.

ENVIRONMENTAL HAZARDS: This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and non-target plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters nor pour the washwaters on the ground. Spray or drain over a large area away from wells, other water sources and desirable plants. Do not apply this product through any type of irrigation system. Do not contaminate water used for irrigation or domestic purposes. If spills occur, collect the material and dispose of by following disposal instructions on this label.

NOTICE: Buyer assumes all responsibility for safety and use not in strict accordance with directions and instructions for use.

 Medical Information call 1-800-454-2333
Product Information call 1-800-225-2883

©,™ Trademarks of Monsanto Company

© Monsanto Company 1996

Manufactured for The SOLARIS Group of Monsanto Company
P.O. Box 5008 San Ramon CA 94583-0808
Form 0-979-01

EPA Reg. No. 239-2640

EPA Est. 239-IA-3, 47427-011-24

Superscript is first letter of lot number

Made in USA

44