

PM 23

239-2640

12/8/97

PM 12/17

Please read instructions on reverse before completing form.

Form Approved, OMB No. 2070-0060, Approval expires 2-28-95

<b>EPA</b> Environmental Protection Agency Washington, DC 20460	United States	<input type="checkbox"/> Registration <input checked="" type="checkbox"/> Amendment <input type="checkbox"/> Other	OPP Identifier Number <b>259963</b>
	<b>Application for Pesticide Section I</b>		

1. Company/Product Number <b>239-2640</b>	2. EPA Product Manager <b>Joanne I. Miller</b>	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) <b>Greensweep Weed &amp; Feed 20-0-0</b>	PM# <b>23</b>	
5. Name and Address of Applicant (Include ZIP Code) <b>The Solaris Group of Monsanto          P.O. Box 5006          San Ramon, Ca 94593-0906</b>	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

**Section - II**

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____	<b>NOTIFICATION</b> <b>DEC 08 1997</b>
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.	
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.	

**Explanation:** Use additional page(s) if necessary. (For section I and Section II.)

**Notification:** To add text to be used on stickers to be placed on the shroud of the Lock N' Spray Cartridge. "This notification is consistent with the provisions of PR Notice 95-2 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product?"

**Section - III**

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____	* Certification must be submitted	
	If "Yes" Unit Packaging wgt. _____ No. per container _____	If "Yes" Package wgt. _____ No. per container _____			
3. Location of Net Contents Information <input type="checkbox"/> Label <input checked="" type="checkbox"/> Container		4. Size(s) Retail Container _____	5. Location of Label Directions _____		
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Other _____ <input type="checkbox"/> Paper glued <input type="checkbox"/> _____ <input type="checkbox"/> Stenciled					

**Section - IV**

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name <b>Stephen R. Cornes</b>	Title <b>Registration Specialist</b>	Telephone No. (Include Area Code) <b>310 352 3336</b>
2. Signature 		6. Date Application Received (Stamped) 
4. Typed Name <b>Stephen Cornes</b>	3. Title <b>Registration Specialist</b>	
5. Date <b>11/24/97</b>		



[Back Panel]

OPEN RESEALABLE LABEL FOR DIRECTIONS AND PRECAUTIONS[in arrow format]

**GUARANTEED ANALYSIS:**

Total Nitrogen (N) ..... 20%  
20% Urea Nitrogen

Primary Plant Nutrient source: Urea

Fertilizer content guaranteed by SOLARIS

1138-1103 (WNF) 1138-1109 (YB) 1138-1110 (GS WNF 20-0-0)

[The following copy is for fix-a-form booklet type labels which consumers can open, read and reseal easily at retail as well as at time of use]

GOOF PROOF Results™ : Purchase price refunded if unsatisfied

Controls broadleaf weeds and gives your lawn a quick feeding boost of nitrogen. When used as directed this product will supplement your regular fertilizer program. Use on Bluegrass, Fescue, Ryegrasses, Bentgrass, Bahia, Common Bermuda, Centipede, Zoysia and Common St. Augustine grasses. Do not use on Floratam or other improved varieties of St. Augustinegrass. Do not spray on Buffalo grass, Dichondra, Lippia, or desirable clovers. For grass lawns only. Do not use this product on flower or vegetable beds, or around shrubs, trees or ornamental plantings. Specially formulated for residential use.

or  
Use Greensweep Weed 'n Feed to kill broadleaf weeds in lawns including Dandelion, Clover, Oxalis, Chickweed, Knotweed, Plantain, Henbit, Spurge and many others. Won't harm Bahia, Bentgrass, Bermuda, Bluegrass, Centipede, Fescue, Rye or Zoysia. Can also be used on St. Augustine EXCEPT Floratam. For grass lawns only. Controls broadleaf weeds and gives your lawn a quick feeding boost of nitrogen. When used as directed this product will supplement your regular fertilizer program. Specially formulated for residential use.

Covers 3300-5000 (quart) /1650-2500(pint) square feet depending on lawn variety. See inside booklet for complete instructions.

CAUTION: Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin or clothing. SEE ADDITIONAL PRECAUTIONARY STATEMENTS AND DIRECTIONS INSIDE BOOKLET.


or SEE PRECAUTIONARY STATEMENTS AND DIRECTIONS INSIDE BOOKLET.  
or OPEN RESEALABLE LABEL FOR DIRECTIONS AND PRECAUTIONS[in arrow format]  
☞ PULL HERE TO OPEN LABEL PRESS HERE TO RESEAL.

This product contains:

*2,4-Dichlorophenoxyacetic Acid .....	1.9%, 18 lb/gal
**2-(2-Methyl-4-Chlorophenoxy)propionic Acid .....	1.9%, 18 lb/gal
***2-(2,4-Dichlorophenoxy)propionic Acid .....	1.9%, 18 lb/gal

239-2540.n3

EPA Accepted 10/31/96  
Notification LNS advisory statements; 11/17/97 Notification; 11/20/97 Notification (Stickers)











8/17

remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower.

[Reentry icon] Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried.

FIRST AID: IF SWALLOWED: Get medical attention. IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists. IF ON SKIN: Wash with plenty of soap and water. If irritation develops, get medical attention.

 In case of emergency call 1- 800-454-2333.

**ENVIRONMENTAL HAZARDS**

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and non-target plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters nor pour the washwaters on the ground. Spray or drain over a large area away from wells, other water sources and desirable plants. Do not apply this product through any type of irrigation system. Do not contaminate water used for irrigation or domestic purposes. If spills occur, collect the material and dispose of by following disposal instructions on this label.

NOTICE: Buyer assumes all responsibility for safety and use not in strict accordance with directions and instructions for use.

(Additional copy for refill size)


For refill only: Use this bottle to refill the quart hose-end sprayer of GREENSWEEP® WEED & FEED. Follow directions for use on hose-end sprayer bottle.

 Medical Information 1-800-454-2333.  
Product Information 1-800-225-2883

ORTHO®, YardBasics™, SOLARIS®, Trademarks of Monsanto Company  
GREENSWEEP® is a registered trademark used under license.  
© MONSANTO Company 1995

Manufactured for  
The SOLARIS Group of Monsanto Company  
P.O. Box 5008  
San Ramon CA 94583-0808  
Form 7-779-04  
EPA REG. NO. 239-2640  
EPA EST. NO. 239-IA-3<sup>1</sup>, 47427-OH-2<sup>A</sup>  
Superscript is first letter of lot number  
Made in USA

239-2640.n3 EPA Accepted 10/31/96  
Notification LNS advisory statements; 11/17/97 Notification; 11/20/97 Notification (Stickers)



[Text for Lock 'n Spray Applicator System]

2. GREENSWEEP® WEED & FEED Lock 'n Spray  
20-0-0

NO MIXING  
READY TO SPRAY

[11/17/97 Notification] For Lock n' Spray

TREATS UP TO 10,000 SQ FT / 5000 sq ft (varies by size)

Read directions for different grasses

[water icon] water based Outdoor Use Only [outdoor icon]

Fertilizes your lawn / For lawns

Do not use on Floratam Lawns

Ready-To-Use concentrate mixes automatically with water through the attached hose-end sprayer.

Attach to a garden hose, turn on water, and spray.

A Quick and Easy Way to a Beautiful / Quality Lawn.

Lock 'n Spray - For / Use with the Lock'n Spray System/Sprayer

An innovative technical breakthrough in spraying

For ORTHO 's Lock 'n Spray smart versatile sprayer system

Kills Weeds - Won't harm lawns - Kills weeds without harming lawn grasses

Kills All major broadleaf lawn weeds including Dandelion, Clover, Oxalis, Chickweed, Knotweed, Plantain, Henbit, Spurge and many others.

Weed out lawns with GREENSWEEP Weed 'n Feed / Weed 'n Feed your lawn with GREENSWEEP

1 easy step to a weed free lawn - Helps promote a beautiful lawn

New/ Now No mixing, no measuring, no mess

No Mix, No Measure, No Messy Clean Up

Eliminates Mixing and Measuring, No mixing or measuring necessary

Easy to Use, Premeasured, Accurate, Accurate Dosage

Simple easy to use / one step application / Simple and easy

No Spill, No Leak, Clean and Convenient to use

Closed system prevents spills and leaks

Gives your lawn a quick boost of nitrogen while controlling broadleaf weeds

Gives your lawn a quick feeding while controlling broadleaf weeds

Quickly feeds your lawn while controlling broadleaf weeds

Fertilizes lawn and kills broadleaf weeds


Cartridge sprayer refill, Self sealing refill

Automatic locking closure, Automatically mixes the right amount of product

Reusable, Disposable cartridges, / Cartridge for the Lock'n Spray System/Sprayer

Just lock and spray - Snap 'n Spray

Concentrate



Active Ingredients: **[11/17/97 Notification]**

<u>2,4-D, Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid*</u> .....	2.29%
<u>Mecoprop, Dimethylamine Salt of 2-(2-Methyl-4-Chlorophenoxy)propionic Acid</u> .....	2.30%
<u>Dichloroprop, Dimethylamine Salt of 2-(2,4-Dichlorophenoxy)propionic Acid***</u> .....	2.26%
Inert Ingredients: .....	93.15%

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE-BACK PANEL BOOKLET FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NET CONTENTS: 1 PT (16 fl oz) 473 mL 1.15 LBS  
 1 QT (32 fl oz) 946 mL 2.3 LBS

[Back Panel]

OPEN RESEALABLE LABEL FOR DIRECTIONS AND PRECAUTIONS[in arrow format]

**GUARANTEED ANALYSIS:**

Total Nitrogen (N) ..... 20%  
 20% Urea Nitrogen

Primary Plant Nutrient source: Urea  
 Fertilizer content guaranteed by SOLARIS  
 1138-1103

~~Controls broadleaf weeds and gives your lawn a quick feeding boost of nitrogen. When used as directed this product will supplement your regular fertilizer program.~~ *[sentence moved to below]*  
 Use on Bluegrass, Fescue, Ryegrasses, Bentgrass, Bahia, Common Bermuda, Centipede, Zoysia and Common St. Augustine grasses. Do not use on Floratam or other improved varieties of St. Augustinegrass. Do not spray on Buffalo grass, Dichondra, Lippia, or desirable clovers. For grass lawns only. Do not use this product on flower or vegetable beds, or around shrubs, trees or ornamental plantings. Specially formulated for residential use. When used as directed this product will supplement your regular fertilizer program.


or

Use Greensweep Weed 'n Feed to kill broadleaf weeds in lawns including Dandelion, Clover, Oxalis, Chickweed, Knotweed, Plantain, Henbit, Spurge and many others. Won't harm Bahia, Bentgrass, Bermuda, Bluegrass, Centipede, Fescue, Rye or Zoysia. Can also be used on St. Augustine EXCEPT Floratam. For grass lawns only. Controls broadleaf weeds and gives your lawn a quick feeding boost of nitrogen. When used as directed this product will supplement your regular fertilizer program. Specially formulated for residential use.

Covers 3300-5000 (quart) /1650-2500(pint) square feet depending on lawn variety. See inside booklet for complete instructions.

239-2640.n3

EPA Accepted 10/31/96  
 Notification LNS advisory statements; 11/17/97 Notification; 11/20/97 Notification (Stickers)



[advisory statements to aid consumer understanding that they will need the Lock 'n Spray Sprayer to use the product]

**FOR USE WITH THE LOCK 'N SPRAY™ SYSTEM**

**[11/17/97 Notification]**

**FOR USE WITH THE LOCK'N SPRAY® [logo] SYSTEM**

Lock'N Spray makes lawn and garden care easy. Simply attach this cartridge to the Lock 'N Spray sprayer (sold separately). Eliminates mixing, measuring and messy clean up. Automatically mixes the right amount of product and water.

Controls broadleaf weeds and gives your lawn a quick boost of nitrogen.

Use on Bluegrass, Fescue, Ryegrass, Bentgrass, Bahiagrass, Common Bermudagrass, Centipedegrass, Zoysiagrass & St. Augustinegrass (EXCEPT Floratam).

**[Notification]**

Lock 'N Spray™ makes lawn and garden care easy. simply choose the cartridge application that you need and attach it to the sprayer (sold separately) as shown. Eliminates mixing, measuring and messy clean up. Prevents spills and leaks. Automatically mixes the right amount of product and water for accurate dosage.

Picture 1. Connect sprayer to hose

Picture 2. Attach and lock cartridge to sprayer. Make sure sprayer nozzle tip is down.

Picture 3. Turn on water and spray. When finished spraying the cartridge reseals itself automatically. No spills. No leaks.

For complete Lock 'N Spray™ System directions see inside this label.

**[11/20/97 Notification] – Text for Cartridge Shroud Stickers-**

Peel Off, Free Sprayer, See back for details, New Lock'N Spray System, Easy [illustration] Fast [illustration] Clean [illustration]; Sprayer Sold Separately

CAUTION: Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin or clothing. SEE ADDITIONAL PRECAUTIONARY STATEMENTS AND DIRECTIONS INSIDE BOOKLET.

or SEE PRECAUTIONARY STATEMENTS AND DIRECTIONS INSIDE BOOKLET.

or OPEN RESEALABLE LABEL FOR DIRECTIONS AND PRECAUTIONS[in arrow format]

☞ PULL HERE TO OPEN LABEL PRESS HERE TO RESEAL.


This product contains:

*2,4-Dichlorophenoxyacetic Acid .....	1.9%, .18 lb/gal
**2-(2-Methyl-4-Chlorophenoxy)propionic Acid .....	1.9%, .18 lb/gal
***2-(2,4-Dichlorophenoxy)propionic Acid .....	1.9%, .18 lb/gal
Isomer Specific AOAC Method No. 6.321.	

239-2640.n3

EPA Accepted 10/31/96

Notification LNS advisory statements; 11/17/97 Notification; 11/20/97 Notification (Stickers)



Medical Information call 1-800-454-2333  
Product Information call 1-800-225-2883

Manufactured for  
The SOLARIS Group of  
Monsanto Company  
P.O. Box 5008  
San Ramon CA 94583-0808  
Form 7-779-04  
EPA REG. NO. 239-2640  
EPA EST. NO. 239-IA-3<sup>1</sup>, 47427-OH-2<sup>A</sup>,  
Superscript is first letter of lot number  
DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.  
[Stop sign icon] READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

[11/17/97 Notification] *Optional Directions for Use reformatted to fit on a more compact label*

**AMOUNT TO SPRAY**


- ◆ Measure lawn. Calculate square feet by multiplying length times width. [walking man icon]
- ◆ Use the amount indicated for your lawn variety:

WARM SEASON LAWNS - Bahia, Common Bermuda, Centipede, Zoysia & St. Augustine (EXCEPT Floratam, a variety of St. Augustine common in Florida, as damage may occur.):  
Each line on cartridge covers approximately 1,000 sq ft.

NOTE: Some temporary injury may occur with these grasses. In Spring, do not apply until grass has reached full green up. In Fall, do not use when grass is going into dormancy. Some hybrid Bermuda grasses may be sensitive to this product.

COOL SEASON LAWNS - Bentgrass, Bluegrass, Fescue & Ryegrass: Each line on cartridge covers approximately 700 sq ft.

NOTE: When applying to Bentgrass, grass height should be 1 1/2" or more.



**HOW TO USE THE LOCK 'N SPRAY® [logo] SYSTEM**

<b>CONNECT</b> [illustration #1]	Connect sprayer to hose.
<b>[illustration #2]</b>	Attach cartridge to sprayer. Turn cartridge until it clicks into place.
<b>SPRAY</b> [illustration #3]	To begin spraying, make sure sprayer nozzle tip is down, turn on water and squeeze trigger. Spray evenly over measured area.
<b>FINISH</b> [Reverse illustration #2]	<ul style="list-style-type: none"> <li>• To stop spraying, release trigger, unlock cartridge and remove from sprayer. (No need to turn off water.)</li> <li>• To clean sprayer, flush with water, squeezing and releasing trigger in 2 short bursts. Turn off water.</li> <li>• To disconnect sprayer, relieve water pressure by squeezing trigger.</li> </ul>


Cartridge reseals itself automatically - No spills, no leaks!

**FOR BEST RESULTS**

- Water 1 to 2 days before application if soil is dry.
- Do not mow 1 to 2 days before and after application.
- Spray when weeds are small and actively growing.
- Spray when air is calm to avoid drift to desirable plants.
- Spray when daytime temperature is below 85°F.
- Rain or watering within 48 hours after treatment may reduce weed control.
- Hard-to-control weeds may require a repeat application in 2 to 3 weeks.
- Treated lawn can be planted with grass seed or sod after 3 to 4 weeks.
- Newly planted lawn can be treated after third mowing.

**IMPORTANT**

For grass lawns only. Do not spray Buffalograss, Dichondra, Lippia or desirable clovers. Do not use on or around fruits, vegetables, flowers, or other ornamental plants. The maximum number of broadcast applications per treatment site is 2 per year. For spot treating individual weeds use Ready-to-Use Weed-B-Gon® Weed Killer.



How To Use The Lock'n Spray System

1. Calculate square feet of lawn by multiplying length times width. [ Walking man icon]
2. Connect sprayer to garden hose by turning the sprayer hose connector.
3. Peel off sticker from the top of cartridge.
4. Point sprayer away from you. Hold cartridge so label faces you. Attach cartridge to sprayer.
5. Turn cartridge in either direction until it clicks into place.
6. ~~Rotate~~ Make sure sprayer nozzle tip down.
7. Turn on water.
8. Extend garden hose to farthest section of lawn to be treated. Squeeze (color) trigger and begin spraying.
9. Spray evenly over entire lawn following the listed coverage rates.
10. When finished, release (color) trigger then turn cartridge to unlock and remove from sprayer. (No need to turn off water.)
11. Flush sprayer with water, squeezing and releasing the (color) trigger in short bursts 2 or more times.
12. Turn off water and squeeze the (color) trigger to relieve water pressure.
13. ~~Leave sprayer on garden hose for use as a watering device, or~~ Disconnect sprayer, shake off excess water, and store in a safe place.
14. When finished spraying, cartridge reseals itself automatically. No spills. No leaks.  
*[aids consumer understanding that additional closure is not needed]*

[5 Lines for 16 oz size (or 1/2 liter)] or  
 [5 Lines for 32 oz size (or 1 liter)]

Where to Use & Coverage Rates

Important: Use Greensweep Weed 'n Feed to kill broadleaf weeds in the cool and warm season lawns listed below without harming them. Do not spray Buffalograss, Dichondra, Lippia or desirable clovers. Do not use on or around fruits, vegetables, flowers, or other ornamental plants.


**COOL SEASON LAWN**

Bentgrass, Bluegrass, Fescues, and Ryegrass:

[16 oz size] Each line on cartridge represents the amount of product needed to cover approximately 350 square feet of lawn. or

[32 oz size] Each line on cartridge represents the amount of product needed to cover approximately 700 square feet of lawn.

NOTE: When applying to Bentgrass, grass height should be 1-1/2" or more.





☎ For additional weeds controlled by this product call 1-800-225-2883

OR GREENSWEEP WEED & FEED controls Buckhorn, Chickweed, Clover, Dandelion, Ground ivy, Henbit, Knotweed, Lambsquarters, Oxalis, Pigweed, Plantain, Poison Ivy, Ragweed, Spurge, and many other broadleaf weeds.

☎ For additional weeds controlled by this product call 1-800-225-2883

**For Best Results**

1. Water 1 to 2 days before application if soil is dry.
2. Do not mow 1 to 2 days before and after application.
3. Spray when weeds are small and actively growing.
4. Spray only when air is calm to avoid drift to desirable plants.
5. Spray only when daytime temperature is below 85° F.
6. Rain or watering within 48 hours after treatment may reduce weed control, and weeds may require a repeat treatment.
7. Hard-to-control weeds may require a repeat application.
8. If a second application is necessary, wait 2 to 3 weeks.
9. Treated lawn can be planted with grass seed or sod after 3 to 4 weeks.
10. Newly planted lawn can be treated after third mowing.
11. For spot treating individual weeds use ready-to-use Weed-B-Gon Weed Killer.

**How It Works**

Because broadleaf weeds and grasses grow differently, GREENSWEEP Weed 'n Feed kills broadleaf weeds without harming lawn grasses. GREENSWEEP Weed 'n Feed singles out broadleaf [11/17/97 Notification] weeds, enters through the leaves and moves inside the weed to the roots. Leaves begin to curl within a week with complete kill in 2 to 4 weeks. The maximum number of broadcast applications per treatment site is 2 per year.


Greensweep Weed & Feed contains 20% nitrogen, the most important nutrient for lawns. Nitrogen gives lawns a deep / dark green color. When used as directed Greensweep Weed & Feed supplements your regular fertilizer program [11/17/97 Notification] by giving your lawn a quick feeding boost of nitrogen.

[Back Base Panel]

**STORAGE AND DISPOSAL**

**STORAGE:** Store product in original container in a safe place. Protect container from freezing.

**DISPOSAL:** Do not reuse container. Securely wrap partially filled or empty container in newspaper and discard in trash.



**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

**CAUTION:** Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin or clothing. Wear long pants, long-sleeved shirt, socks, shoes and chemical resistant gloves when handling or applying this product. After using this product, rinse gloves before removing, remove clothing and laundry separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower.

[Reentry icon] Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried.

**FIRST AID: IF SWALLOWED:** Get medical attention. **IF IN EYES:** Flush eyes with plenty of water. Call a physician if irritation persists. **IF ON SKIN:** Wash with plenty of soap and water. If irritation develops, get medical attention.

 In case of emergency call 1-800-454-2333.

**ENVIRONMENTAL HAZARDS**

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and non-target plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters nor pour the washwaters on the ground. Spray or drain over a large area away from wells, other water sources and desirable plants. Do not apply this product through any type of irrigation system. Do not contaminate water used for irrigation or domestic purposes. If spills occur, collect the material and dispose of by following disposal instructions on this label.

[11/17/97 Notification] Changes to update warrenty statement to currently used text.

~~NOTICE: Buyer assumes all responsibility for safety and use not in strict accordance with directions, and instructions for use.~~

 Medical Information 1-800-454-2333.  
Product Information 1-800-225-2883

® ,™, Trademarks of Monsanto Company  
© MONSANTO Company 1996

SOLARIS®

Manufactured for  
The SOLARIS Group of Monsanto Company  
P.O. Box 5008  
San Ramon CA 94583-0808  
Form 7-779-03  
EPA REG. NO. 239-2640  
EPA EST. NO. 239-IA-3<sup>1</sup>, 47427-OH-2<sup>A</sup>  
Superscript is first letter of lot number  
Made in USA

239-2640.n3

EPA Accepted 10/31/96  
Notification LNS advisory statements; 11/17/97 Notification; 11/20/97 Notification (Stickers)

