

GREENSWEEP® WEED & FEED 20-0-0

EPA Reg No: 239-2640

LIQUID LAWN CARE

READY-TO-USE NO MIXING

READY TO SPRAY

Covers /Treats up to 10,000 Sq Ft (1/2 gal) / 5000 Sq Ft (qt)

Read directions for different grasses

Water based [water icon]

Outdoor Use Only [outdoor icon]

Fertilizes your lawn / For lawns

Do not use on Floratam Lawns

[READY-SPRAY™APPLICATOR ONLY] Ready-To-Use concentrate mixes automatically with water through the attached hose-end sprayer. Attach to a garden hose, turn on water, and spray.


A Quick and Easy Way to a Beautiful / Quality Lawn.

Gives your lawn a quick boost of nitrogen while controlling broadleaf weeds

Gives your lawn a quick feeding while controlling broadleaf weeds

Quickly feeds your lawn while controlling broadleaf weeds

Fertilizes lawns and kills broadleaf weeds



For Residential Use Only

Active Ingredients:

2,4-D, Dimethylamine Salt *	2.29%
Mecoprop, Dimethylamine Salt **	2.30%
Dichlorprop, Dimethylamine Salt ***	2.26%
Other Ingredients:	93.15%

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL BOOKLET FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Press to reseal.

NET CONTENTS:

NET WEIGHT:

1/2 gal	(64 fl oz)	1.89 l	4.6 lb	(2.08 kg)
1 qt	(32 fl oz)	946 mL	2.3 lb	(1.04 kg)
1 pt	(16 fl oz)	473 mL	1.15 lb	(0.52 kg)
1 1/2 qt	(48 fl oz)	1.42 l	3.45 lb	(1.6 kg)

OPEN RESEALABLE LABEL FOR DIRECTIONS AND PRECAUTIONS [in arrow format]

GUARANTEED ANALYSIS:

Total Nitrogen (N)20%

20% Urea Nitrogen

Primary Plant Nutrient source: Urea

GREENSWEEP liquid formula allows faster absorption and quicker results. A beautiful, weed-free

GREENSWEEP® WEED & FEED 20-0-0

EPA Reg No: 239-2640

lawn is just a spray away.

Goof Proof, GOOF PROOF™ Results: Purchase price refunded if unsatisfied

Controls broadleaf weeds and gives your lawn a quick feeding boost of nitrogen. When used as directed this product will supplement your regular fertilizer program. Use on Bluegrass, Fescue, Ryegrasses, Bentgrass, Bahia, Common Bermuda, Centipede, Zoysia and Common St. Augustine grasses. Do not use on Floratam or other improved varieties of St. Augustinegrass, Do not spray on Buffalo grass, Dichondra, Lippia, or desirable clovers. For grass lawns only. Do not use this product on flower or vegetable beds, or around shrubs, trees or ornamental plantings.

(or)

Use GREENSWEEP Weed & Feed to kill broadleaf weeds in lawns including Dandelion, Clover, Oxalis, Chickweed, Knotweed, Plantain, Henbit, Spurge and many others. Won't harm Bahia, Bentgrass, Bermuda, Bluegrass, Centipede, Fescue, Rye or Zoysia. Can also be used on St. Augustine EXCEPT Floratam. For grass lawns only. Controls broadleaf weeds and gives your lawn a quick feeding boost of nitrogen. When used as directed this product will supplement your regular fertilizer program.

Use on bluegrass, fescue, ryegrass, bentgrass, bahiagrass, common Bermudagrass, centipedegrass, zoysiagrass and St. Augustinegrass (EXCEPT Floratam). When used as directed GreenSweep supplements your regular fertilizer program.

(or)

GreenSweep Weed & Feed fertilizes lawns and kills broadleaf weeds in one easy step.

Covers 3300-5000 (quart) /1650-2500(pint) square feet depending on lawn variety. See inside booklet for complete instructions.

or SEE PRECAUTIONARY STATEMENTS AND DIRECTIONS INSIDE BOOKLET.
or OPEN RESEALABLE LABEL FOR DIRECTIONS AND PRECAUTIONS [in arrow format]
☞ PULL HERE TO OPEN LABEL PRESS HERE TO RESEAL.

This product contains:

*2,4-Dichlorophenoxyacetic Acid	1.9%, .18 lb/gal
**2-(2-Methyl-4-Chlorophenoxy) propionic Acid	1.9%, .18 lb/gal
***2-(2,4-Dichlorophenoxy) propionic Acid	1.9%, .18 lb/gal

Isomer Specific AOAC Method No. 6.321.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
[Stop sign icon] READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN

ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.**[Hose-End Sprayer Language]****HOW TO APPLY**

- Shake Well before using.
- Connect spray to hose.
- Turn on the water.
- To begin spraying, point nozzle in the direction you want to spray. Bend small yellow plastic tab on side of sprayer back and turn knob clockwise to ON position.
- Spray evenly over measured area.
- To stop spraying, bend small yellow plastic tab back and turn knob counter clockwise to OFF position. Turn off water.
- Relieve water pressure by bending plastic tab back and turning knob to ON position until water slows to a drip. Then turn knob back to OFF position.
- Disconnect sprayer from hose.

AMOUNT TO APPLY

Apply only the recommended amount for the area to be covered. Exceeding recommended rates may damage turf.

Warm Season Lawns (Grasses) - bahia, common Bermuda, centipede, zoysia and St. Augustine (EXCEPT Floratam): **1 quart covers 5,000 sq ft.**

NOTE: Some temporary injury may occur with these lawns. Do not use on Floratam, a variety of St. Augustine grass widely grown in Florida, as damage may occur. In spring, do not apply until grass has reached full green-up. In fall, do not use when grass is going into dormancy. Some hybrid Bermuda grasses may be sensitive to this product.

Cool Season Lawns (Grasses)- bentgrass, bluegrass, fescue and ryegrass: 1 quart covers 3,300 sq ft.

NOTE: When applying to bentgrass, grass height should be 1¹/₂" or more.

GREENSWEEP WEED & FEED controls Buckhorn, Chickweed, Clover, Dandelion, Ground ivy, Henbit, Knotweed, Lambsquarters, Oxalis, Pigweed, Plantain, Poison Ivy, Ragweed, Spurge, and many other broadleaf weeds.

FOR BEST RESULTS / USE PRECAUTIONS/ IMPORTANT:

If lawn needs watering, water thoroughly 24 hours before application.

Do not cut grass 1 to 2 days before and after application.

Do not water for 48 hours after application, as watering will wash off weed killing material.

Spray when air is calm to avoid spray drift that might injure desirable ornamental plants.

Do not apply when temperatures exceed 85° F.

Do not reseed, sod or plug lawns or plant stolons for 3 to 4 weeks after use.

Do not apply to newly seeded grasses/lawns until they have been mowed three times.
 Spray when weeds are actively growing.
 Weeds will begin to curl within a few days. Some hard-to-control broadleaf weeds may require a second treatment/repeat application in 3-4 weeks.

IMPORTANT

For grass lawns only. Do not spray Buffalograss, Dichondra, lippia or desirable clovers. Do not use this product on flower or vegetable beds, or around shrubs, trees or ornamental plantings. **The maximum number of broadcast applications per treatment site is 2 per year.**

COVERAGE MEASURING GUIDE				
APPROXIMATE AMOUNT USED	COOL SEASON GRASSES	AREA DIMENSIONS	WARM SEASON GRASSES	AREA DIMENSIONS
1/4	825 SQ FT	16 X 50	1250 SQ FT	25 X 50
1/2	1650 SQ FT	33 X 50	2500 SQ FT	50 X 50
3/4	2500 SQ FT	50 X 50	3750 SQ FT	75 X 50
EMPTY	3300 SQ FT	66 X 50	5000 SQ FT	100 X 50

GREENSWEEP WEED & FEED controls WEEDS CONTROLLED

Alders, Artichoke, Aster, Austrian Fieldcress, Beggarticks, Bidden, Bindweed, Bitterweed, Bitter Winter Cress, Black Medic, Blessed Thistle, Blue Lettuce, Box Elder, Broomweed, Buckhorn, Bull Thistle, Burdock, Bur Ragweed, Buttercup, Canada Thistle, Carpetweed, Catnip, Chickweed, Chicory, Clover, Cockle, Cocklebur, Coffeebean, Coffeeweed, Common Sowthistle, Creeping Jenny, Croton, Curly Indigo, Dandelion, Dock, Dogbane, Dogfennel, Elderberry, English Daisy, Fleabane (daisy), Flixweed, Florida Pusley, Frenchweed, Galinsoga, Goatsbeard, Goldenrod, Ground ivy, Gumweed, Hawkweed, Healall, Heartloaf, Drymary, Hemp, Henbit, Hoary Cress, Honeysuckle, Horsetail, Indiana Mallow, Ironweed, Jewelweed, Jimsonweed, Kochia, Knotweed, Lambsquarters, Locoweed, Lupines, Mallow, Marshelder, Mexicanweed, Morningglory, Musk Thistle, Mustard, Nettle, Nutgrass, Orange Hawkweed, Oxalis, Parsnip, Pennycress, Pennywort, Peppergrass, Pepperweed, Pigweed, Plantain, Poison Hemlock, Poison Ivy, Poison Oak, Pokeweed, Poorjoe, Povertyweed, Prickly Lettuce, Primrose, Puncture Vine, Purslane, Ragweed, RedClover, Red Sorrel, Rush, Russian Thistle, St. Johnswort, Sheep Sorrel, Shepherdspurse, Smartweed, Sneezeweed, Southern Wild Rose, Sowthistle, Spanishneedles, Spatterdock, Speedwell, Spurge, Spurweed, Stinkweed, Stitchwort, Sumac, Sunflower, Sweetclover, Tarweed, Thistle, Toadflax, Tumbleweed, Velvetleaf, Veronica, Vervain, Vetch, Virginia Buttonweed, Virginia Creeper, Wild Aster, Wild Carrot, Wild Garlic, Wild Geranium, Wild Lettuce, Wild Onion, Wild Radish, Wild Rape, Wild Strawberry, Wild Sweet Potato, Willow, Witchweed, Woodsorrel, Wormseed, Yarrow, Yellow Rocket, and (many) other broadleaf weeds.

(Tank Sprayer Directions)

HOW TO APPLY: Use an ORTHO DIAL 'n SPRAY, ORTHO Plant & Weed SPRAY-ETTE, tank sprayer or hose-end sprayer that is designed for use on lawns.

APPLICATOR	MIXING INSTRUCTIONS	AREA TO TREAT WARM SEASON GRASSES	AREA TO TREAT COOL SEASON GRASSES
ORTHO® DIAL 'n SPRAY®	Measure 3 fl oz into sprayer jar. DO NOT ADD WATER. Set dial to 1 1/2 oz and spray.	500 sq ft (25 x 20)	300 sq ft (15 x 20)
ORTHO® Plant & Weed SPRAY-ETTE®	Measure 3 fl oz into sprayer jar. Add water to the 2 gal mark.	500 sq ft (25 x 20)	300 sq ft (15 x 20)
Tank Sprayer	Measure 3 fl oz in 2 gals of water.	500 sq ft (25 x 20)	300 sq ft (15 x 20)

The following are adjustable/dial sprayers:

MANUFACTURER	SETTING
Super K-Gro	20
Melnor #94 & #95	11
Melnor #96 & #97	13
Gilmour #362	4
Gilmour #486	12

Special Note: Some adjustable sprayers do not hold 32 oz. The above settings are based on using 64 oz per 4,250 to 6,666 sq ft on Cool Season grasses or 8,500 to 10,000 sq ft for application on Warm Season grasses. The entire contents of this bottle must be used to make the proper recommended application rate.

STORAGE AND DISPOSAL

STORAGE: Store product in original container in a safe place. Protect container from freezing.
DISPOSAL: **If empty:** Do not reuse this container. Place in trash or offer for recycling if available.
If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.
 Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with

skin or clothing. Wear long pants, long-sleeved shirt, socks, shoes and chemical resistant gloves when handling or applying this product. After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower.

[Reentry icon] Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried.

FIRST AID: If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

 In case of emergency call 1- 800-225-2883

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and non-target plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters nor pour the washwaters on the ground. Spray or drain over a large area away from wells, other water sources and desirable plants. Do not apply this product through any type of irrigation system. Do not contaminate water used for irrigation or domestic purposes. If spills occur, collect the material and dispose of by following disposal instructions on this label.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Questions, Comments or Medical Information

call 1-800-225-2883 www.ortho.com

Manufactured for
The ORTHO Group
P.O. Box 190
Marysville, OH 43041
EPA REG. NO. 239-2640
EPA EST. 239-IA-3^I, 47427-OH-2^A, 56100-LA-1^G, 34313-TX-1^H
Superscript is first letter of lot number
Made in USA