

239-2640

5/15/2009

1 of 10



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

MAY 15 2009

OFFICE OF
PREVENTION, PESTICIDES
AND
TOXIC SUBSTANCES

The Scotts Company
The Ortho Group
14111 Scottslawn Road
Marysville, OH 43041

Subject: EPA Reg. 239-2640 / GreenSweep Weed and Feed / RED Label Amendment: 2,4-D & MCP-P

The labeling referred to above is in compliance with the 2,4-D and MCP-P REDs and is amended under the REDs provided that you:

1) Submit and/or cite all data required for registration/reregistration review of your product when the Agency requires all registrants of similar products to submit data.

2) Please note: Final product reregistration can't be considered until after all active ingredients in this product are eligible for reregistration.

3) A First Aid section must be added and placed in a box and must include the following statements:

"IF ON SKIN OR CLOTHING:

Take off contaminated clothing.

Rinse skin immediately with plenty of water for 15-20 minutes.

Call a poison control center or doctor for treatment advice.

IF IN EYES:

Hold eye open and rinse slowly and gently with water for 15-20 minutes.

Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

Call a poison control center or doctor for treatment advice."

4) Add the following after the First Aid section.

"Have the product container or label with you when calling a poison control center or doctor or going for treatment."

5) The text "Avoid contact with skin or clothing" appearing in the Hazards to Humans and Domestic Animals must be revised to read "Avoid contact with **eyes**, skin or clothing."

Page 2
EPA Reg. 239-2640

6) Per the 2,4-D, MCP-P, and 2,4-DP-P REDs, the first sentence of the Environmental Hazard section must be revised to read:

"This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants."

7) To the Storage and Disposal section change "Storage" to "Pesticide Storage" and "Disposal" to "Pesticide Disposal".

8) The text "Keep people and pets out of the area during application" must be added to the Directions for Use section.

9) Per the MCP-P and 2,4-DP-P REDs, the following text must be added to the label after the Environmental Hazards section:

"Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. To prevent product run-off, do not over water to the point of runoff, or apply when raining or when rain is expected that day."


10) The size of KEEP OUT OF REACH OF CHILDREN AND CAUTION must be changed to be in compliance with 40 CFR 156.10.

11) Page 4, change "recommended amount" to "specified amount". Same with page 6.

12) To the Notice section, add "to the extent consistent with applicable law" in front of "Buyer assumes".

You must submit one (1) copy of the final printed label before you release the product for shipment. Products shipped after 12 months from the date of this letter or the next printing of the label whichever occurs first, must bear the new revised label. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA. A stamped copy of the label is enclosed. If you have any questions please call Erik Kraft at 703-308-9358 or email at Kraft.Erik@epa.gov.

Sincerely,



Joanne Miller
Product Manager 23
Herbicide Branch
Registration Division (7505P)

Stamped 1/30/08
3 of 10

Master Label

GreenSweep Weed & Feed 20-0-0
EPA Reg. No. 239-2640

[sticker]

Greens
Your Lawn
In 24 HOURS...
AND Kills Weeds!

FEEDS And TREATS
UP TO 6,000
SQUARE FEET

GreenSweep Weed & Feed

[Note to PM: Optional Front Panel Claims]

- Kills dandelions, clover and other listed lawn weeds
- Easy to use! Just attach hose and spray!
- Contains patented slow-release nitrogen for extended feeding.
- Gives your lawn a quick boost of nitrogen while controlling weeds.
- Quickly feeds your lawn while controlling weeds.
- Fertilizes lawn and kills broadleaf weeds.
- Connect & Spray

NET 1 QT (32 FL OZ) 946 mL, 2.3 lb

Active Ingredients

| | |
|--------------------------------------|--------|
| 2,4-D, Dimethylamine Salt* | 2.29% |
| Mecoprop-p, Dimethylamine Salt** | 1.15% |
| Dichlorprop-p, Dimethylamine Salt*** | 1.13% |
| Other Ingredients | 95.43% |

KEEP OUT OF REACH OF CHILDREN
CAUTION

See back panel booklet for additional precautionary statements.

XX-X-XX

UPC

ACCEPTED
with COMMENTS
in EPA Letter Dated
MAY 15 2009

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

239-2640

[Place this form number vertically on side] LF07630X000

[BACK COVER PAGE]

[corner flap]

OPEN Resealable Label for Directions and Precautions

PRESS TO RESEAL [on base of label]

OPEN

GreenSweep Weed & Feed

XX-X-X

GUARANTEED ANALYSIS

F643

Total Nitrogen (N) XX%

XX% Urea Nitrogen

XX5% Other Water Soluble Nitrogen*

Available phosphate(P_2O_5) X%

Soluble potash (K_2O) X%

Derived from: triazone, urea, and potassium pyrophosphate.

*Slowly Available Water Soluble Nitrogen from triazone.

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.regulatory-info-sc.com>

[Optional]Specially formulated for residential use.

The Scotts Company

14111 Scottslawn Rd.

Marysville, OH 43041

Form LB07622T000

EPA Reg. No. 239-2640

EPA Est. 239-IA-3^l, 58996-M0-1^A

Superscript is first letter of lot number

Made in USA

[Note to PM: Optional back panel claims]

GreenSweep Weed & Feed fertilizes lawns and kills broadleaf weeds in one easy step.

A beautiful, weed-free lawn is just a spray away.

Controls broadleaf weeds and gives your lawn a quick boost of nitrogen that lasts for weeks.

Use on bluegrass, fescue, ryegrass, bahiagrass, common Bermudagrass, centipedegrass and zoysiagrass.

When used as directed, Scotts Liquid Turf Builder supplements your regular fertilizer program.

To spot treat lawn weeds try Ortho® Weed-B-Gon®.
It Kills Weeds, Not Lawns. (image of WBG 24 oz. RTU)

[phone icon] **Questions, Comments or Medical Information**
call 1-800-543-TURF (8873) www.scotts.com

WEEDS CONTROLLED

Alder, Artichoke, Aster, Austrian fieldcress, Beggartick, Bide, Bitterweed, Black medic, Box elder, Broomweed, Buckhorn, Bull thistle, Burdock, Bur ragweed, Buttercup, Canada thistle, Carpetweed, Catnip, Chickweed, Chicory, Clover, Dandelion, Dock, Elderberry, English daisy, Florida pusley, Goldenrod, Ground ivy, Healall, Henbit, Honeysuckle, Horsetail, Ironweed, Knotweed, Lambsquarters, Mallow, Morning glory, Musk thistle, Mustard, Nettle, Nutgrass, Oxalis, Pennywort, Peppergrass, Pepperweed, Pigweed, Plantain, Poison Ivy, Poison Oak, Ragweed, St. Johnswort, Sheep sorrel, Shepherdspurse, Smartweed, Sowthistle, Speedwell, Spurge, Spurweed, Stinkweed, Sumac, Sunflower, Thistle, Tumbleweed, Velvet leaf, Veronica, Vetch, Virginia buttonweed, Virginia creeper, Wild aster, Wild carrot, Wild garlic, Wild geranium, Wild lettuce, Wild onion, Wild radish, Wild rape, Wild strawberry, Wild sweet potato, Willow, Witchweed, Woodsorrel, Wormseed, Yarrow, Yellow rocket, and other broadleaf weeds.

[END OF OPTIONAL CLAIMS]

This product contains:

| | |
|---|-----------------|
| *2,4-Dichlorophenoxyacetic Acid | 1.9%, 18 lb/gal |
| **+(R)-2-(2-Methyl-4-Chlorophenoxy)propionic Acid | .96%, 18 lb/gal |
| ***+(R)-2-(2,4-Dichlorophenoxy)propionic Acid | .96%, 18 lb/gal |
| Isomer Specific AOAC Method No. 6.321. | |

[BACK]

[NOTE TO PM: DIRECTIONS FOR USE OPTION 1]

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

HOW TO APPLY:

- Shake well before using. Connect sprayer to hose. Turn on water.
- To begin spraying, point nozzle in the direction you want to spray. Bend small yellow plastic tab on side of sprayer back and turn knob clockwise to ON position.
- Spray evenly over measured area.
- To stop spraying, bend small yellow plastic tab back and turn knob counter clockwise to OFF position. Turn off water.
- Relieve water pressure by bending plastic tab back and turning knob to ON position until water slows to a drip. Then, turn knob back to OFF position.
- Disconnect sprayer from hose.

AMOUNT TO APPLY

Apply only the recommended amount for the area to be covered. Exceeding recommended rates may damage turf.

- **WARM SEASON LAWNS** - bahia, common Bermuda, centipede and zoysia.
1 quart covers 6,000 sq ft.

NOTE: Some temporary injury may occur with these lawns. In spring, do not apply until grass has reached full green-up. In fall, do not use when grass is going into dormancy. Some hybrid Bermuda grasses may be sensitive to this product.

- **COOL SEASON LAWNS** - bluegrass, fescue and ryegrass
1 quart covers 4,000 sq ft.

FOR BEST RESULTS

- If lawn needs watering, water thoroughly 24 hours before application.
- Do not cut grass 1 to 2 days after application.
- Do not water for 48 hours after application as watering will wash off weed killing material.
- Spray when air is calm to avoid spray drift that might injure desirable ornamental plants.
- Do not apply when temperatures exceed 85°F.
- Do not reseed, sod or plug lawns, or plant stolons for 3 to 4 weeks after use. Do not apply to newly seeded lawns until they have been mowed three times.
- Spray when weeds are actively growing.
- **[RESULTS:]** Weeds will begin to curl within a few days. Some hard-to-control weeds may require a repeat application in 3 to 4 weeks.

IMPORTANT

Do not apply this product in a way that will contact any person or pet, either directly or through drift. For grass lawns only. Do not spray St. Augustinegrass, Buffalograss, dichondra, lippia or desirable clovers. Do not use this product on flower or vegetable beds, or around shrubs, trees or ornamental plantings. The maximum number of broadcast applications per treatment site is 2 per year.

[NOTE TO PM: END OF DIRECTION FOR USE OPTION 1]

[NOTE TO PM: DIRECTIONS FOR USE OPTION 2 for Private Label Branding]

Do not apply this product in a way that will contact any person or pet, either directly or through drift. For grass lawns only. Do not use this product on flower or vegetable beds, or around shrubs, trees or ornamental plantings.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

HOW TO USE:

- Make sure ON/OFF valve is in OFF position. Shake well.
- Connect sprayer nozzle to hose. Turn on the water at the tap.
- When ready to treat, point in the direction away from face and body and pull toward the hose end connection.
- Turn the ON/OFF valve to the ON position. The water mixes automatically with this product at the proper ratio.
- Walk and spray at steady pace.
- Apply only the recommended amount for the area to be covered. Exceeding recommended rates may damage turf.

For COOL SEASON LAWNS such as Bluegrass, Fescue and Ryegrass: 1 quart covers 3,300 sq ft. When applying to Bentgrass, grass height should 1½ inches or more.

For WARM SEASON LAWNS such as Bahia, Common Bermuda, Common St. Augustine, Centipede and Zoysia. 1 quart covers 5000 sq ft. Do not use on Floratam or other improved varieties of St. Augustinegrass. Some temporary injury may occur with these lawns. In spring, do not apply until grass has reached full green-up. In fall, do not use when grass is going into dormancy. Note: Some hybrid Bermuda grasses may be sensitive to this product.

RESULTS: Weeds will begin to curl within a few days. Some hard-to-control weeds may require a repeat application in 3 to 4 weeks. The maximum number of broadcast applications per treatment site is 2 per year.

IMPORTANT USE PRECAUTIONS: Spray when weeds are actively growing. If lawn needs watering, water thoroughly 24 hours before application. Do not cut grass 1 to 2 days before and after application. Do not water for 48 hours after application as watering will wash off weed killing material. Spray when air is calm to avoid spray drift that might injure desirable ornamental plants. Do not apply when temperatures exceed 85°F. Do not apply to newly seeded grasses until they have been mowed three times. Do not reseed, sod, or plug lawns or plant stolons for 3 to 4 weeks after use. Do not spray Buffalograss, dichondra, lippia or desirable clovers.

**[NOTE TO PM: END OF DIRECTION FOR USE OPTION 2]
STORAGE AND DISPOSAL**

STORAGE: Store product in original container in a safe place. Protect container from freezing.

DISPOSAL: **If empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin or clothing. Wear long pants, long-sleeved shirt, socks, shoes and chemical resistant gloves when handling or applying this product. After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower.

[Reentry icon] Do not allow people (other than applicator) or pets on treatment area during application. Do not allow people or pets to enter the treated area until sprays have dried.

ENVIRONMENTAL HAZARDS:

This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark except as noted on appropriate labels. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas.

This chemical has properties and characteristics associated with chemical detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

NOTICE: Buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

-OR-

Scotts No-Quibble Guarantee®

If for any reason you, the consumer, are not satisfied after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

Ortho & Your Environment – Your yard is a place for family and pets to enjoy. That's why Ortho products are designed with care to provide effective solutions to weed problems. For best results and a healthy environment, please follow instructions for appropriate usage, storage and disposal.

[phone icon] **Questions, Comments or Medical Information**
call 1-800-543-TURF (8873) www.scotts.com

©2003, Licensed by The Scotts Company. World rights reserved.

The Scotts Company
14111 Scottslawn Rd.
Marysville, OH 43041

Form LB07622T000
EPA Reg. No. 239-2640-538
EPA Est. 239-IA-3^I, 58996-M0-1^A
Superscript is first letter of lot number
Made in USA