

239-2640

8-20-2009

1/11



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF  
PREVENTION, PESTICIDES AND  
TOXIC SUBSTANCES

Kathy Lee  
The Scotts Company d/b/a  
The Ortho Group  
14111 Scottslawn Road  
Marysville, OH 43041

AUG 20 2009

Subject: Label Notifications for Pesticide Registration Notices 2007-4, 2008-1, and 98-10

1. Updated First Aid statement
2. Updated Directions for Use
3. Other minor changes

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notices (PRN) 2008-1, 2007-4, and 98-10 dated June 15, 2009 for:

**EPA Registration 239-2640**

**GreenSweep Weed & Feed 20-0-0**

The Registration Division (RD) has conducted a review of the request(s) for applicability under PRN 2007-4 and 98-10 and finds that the label changes requested fall within the scope of PRN 2008-1, 2007-4, and 98-10. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identify the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Nicole Williams of my staff at 703-308-5551.

Sincerely,

A handwritten signature in black ink, appearing to be "Linda Arrington".

Linda Arrington  
Notifications & Minor Formulations Team Leader  
Registration Division (7505P)  
Office of Pesticide Programs

2/11

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 05-31-98

EPA

United States  
Environmental Protection Agency  
Washington, DC 20460

Registration  
 Amendment  
 Other

OPP Identifier Number  
2392640LBL20090615

Application for Pesticide - Section I

1. Company/Product Number 239-2640	2. EPA Product Manager Joanne Miller	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) The Ortho Group / GreenSweep Weed & Feed 20-0-0	PM# PM-23	
5. Name and Address of Applicant (Include ZIP Code) The Scotts Company d/b/a The Ortho Group P.O. Box 190 Marysville, Ohio 43040 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(I), my product is similar or identical in composition and labeling to:  <b>NOTIFICATION</b> EPA Reg. No. _____ Product Name <b>AUG 20 2009</b>	

Section II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated XX-XX-XX
<input type="checkbox"/> Resubmission in response to Agency letter dated XX-XX-XX	<input type="checkbox"/> "Me Too" Application
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)  
Notification of general label revisions per PR Notices 98-10, and 2007-4. Please see cover letter for certification statement for all PR notices and details of language changes.

Section III

1. Material This Product Will Be Packaged In:			
Child-Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) Plastic Bag
*Certification must be submitted		If "Yes" Unit Packaging wgt. No. per Container	If "Yes" Package wgt. No. per Container
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container	4. Size(s) Retail Container 32 oz	5. Location of Label Directions <input checked="" type="checkbox"/> On Container <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product Other <input type="checkbox"/> Lithograph <input checked="" type="checkbox"/> Pressure sensitive adhesive <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			

Section IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Kathleen Lee	Title Director, Regulatory Affairs	Telephone No. (Include Area Code) (937) 644-7426

Certification

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

6. Date Application Received  
(Stamped)

2. Signature The Scotts Company 	3. Title Director, Regulatory Affairs	6. Date Application Received (Stamped)
4. Typed Name: Kathleen Lee	5. Date: 6/15/09	



4/11

***Bold, italicized text is information for the reader and is not part of the label.***

[Bracketed information is optional text.]

Underlined text is new. ~~Strike-through text is being deleted.~~

***Master Label***

GreenSweep Weed & Feed 20-0-0  
EPA Reg. No. 239-2640

***Optional sticker:*** [Greens Your Lawn in 24 hours and Kills Weeds!]

***Front of Label***

[Feeds and Treats] **or** [Covers][Up to 6,000 Square Feet]

***Insert product name:*** [GreenSweep Weed & Feed]

***Note to PM: Optional Front Panel Claims***

- [Kills dandelions, clover and other listed lawn weeds.]
- [Easy to use!] [Just attach hose and spray!]
- [Contains patented slow-release nitrogen for extended feeding.]
- [Gives your lawn a quick boost of nitrogen while controlling weeds.]
- [Quickly feeds your lawn while controlling weeds.]
- [Fertilizes lawn and kills broadleaf weeds.]
- [Connect & Spray]
- [Weed and Feed]

NET [CONTENTS] 1 QT **and/or** 32 FL OZ, [946 mL]

***Option to insert correct product weight in addition to or replacement of volume.***

[Net Weight] [X.X lb] [(X.XX kg)]

***Note to PM: Active Ingredients on sub-registered products may appear with full scientific name***

ACTIVE INGREDIENTS

2,4-D, Dimethylamine Salt* .....	2.29%
Mecoprop-p, Dimethylamine Salt** .....	1.15%
Dichlorprop-p, Dimethylamine Salt*** .....	1.13%
OTHER INGREDIENTS .....	<u>95.43%</u>
TOTAL	100.00%

KEEP OUT OF REACH OF CHILDREN

**CAUTION**

See back panel booklet for additional precautionary statements.

***Insert correct fertilizer analysis*** [XX-XX-XX]

***Place this form number vertically on side.*** [LFXXXXXXXXXX] [UPC code symbol]

***Bold, italicized text is information for the reader and is not part of the label.***

***[Bracketed information is optional text.]***

***Underlined text is new. Strike-through text is being deleted.***

***Back Label Cover Page***

***Located on corner flap***

[OPEN Resealable Label for Directions and Precautions]

[PRESS TO RESEAL [on base of label] ]

[OPEN] *or* [LIFT HERE]

***Fertilizer Guarantee Section***

***Note to PM: Fertilizer derived from statement can vary NPK as well as fertilizer slow release claims.***

***Ingredients listed are based upon approved CSF.***

***Insert Product Name*** [GreenSweep Weed & Feed]

[XX-X-X] GUARANTEED ANALYSIS [F643][F1305]

Total Nitrogen (N) .....XX%

XX% Urea Nitrogen

XX% Other Water Soluble Nitrogen\*

Available phosphate (P205) .....X%

Soluble potash (K2O) .....X%

Derived from: [*insert source*].

\*[Contains Slowly Available [Water Soluble] Nitrogen from [*insert source*].]

***Note to PM: The follow optional statement will be used for products sold in Florida in order to comply with the Florida (fertilizer) Urban Turf Rule.***

[The package will apply X.XX pounds of product per 1000 square feet.]

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.regulatory-info-sc.com>

This product contains:

\*2,4-Dichlorophenoxyacetic Acid 1.9%, 0.18 lb/gal

\*\*\*+(R)-2-(2, Methyl-4-Chlorophenoxy)propionic Acid 0.95% 0.09 lb/gal

\*\*\*+(R)-2-(2,4-Dichlorophenoxy)propionic Acid 0.95 %, 0.09 lb/gal

Isomer Specific AOAC Method No. 6.321.

[Sold by]

[Distributed for/by]

[Manufactured for/by]

The Ortho Group

P.O. Box 190

Marysville, OH 43041

[Form LE07622T000 ]

EPA Req. No. 239-2640

EPA Est. 239-IA-3<sup>1</sup>, 58996-M0-1<sup>A</sup>

Superscript is first letter of lot number

[Made in USA ]

***Bold, italicized text is information for the reader and is not part of the label.***

[Bracketed information is optional text.]

Underlined text is new. ~~Strike through text is being deleted.~~

[Made for *insert corporation name and address*]

***Note to PM: Optional back label / panel claims and statements***

- [Specially formulated for residential use.]
- [Greensweep Weed & Feed fertilizes lawns and kills broadleaf weeds in one easy step.]
- [Greensweep Weed & Feed][Controls broadleaf weeds and gives your lawn a [quick] [feeding] boost of nitrogen][that lasts for weeks.]
- [Use on bluegrass, fescue, ryegrass, bahiagrass, common Bermudagrass, centipedegrass and zoysiagrass.]
- [When used as directed, Scotts liquid Turf Builder supplements your regular fertilizer program.]
- [To spot treat lawn weeds try Ortho<sup>®</sup> Weed-B-Gon<sup>®</sup>]
- [It Kills Weeds, Not Lawns. (image of WBG 24 oz. RTU)]

[phone icon] [Questions, Comments or Medical Information]

[call 1-800-543-TURF (8873)] [www.scotts.com ]

***Note to PM: List of weeds controlled may be a full or partial list on product label.***

[WEEDS CONTROLLED]

[Alder, Artichoke, Aster, Austrian fieldcress, Beggartick, Bident, Bitterweed, Black medic, Box elder, Broomweed, Buckhorn, Bull thistle, Burdock, Bur ragweed, Buttercup, Canada thistle, Carpetweed, Catnip, Chickweed, Chicory, Clover, Dandelion, Dock, Elderberry, English daisy, Florida pusley, Goldenrod, Ground ivy, Healall, Henbit, Honeysuckle, Horsetail, Ironweed, Knotweed, Lambsquarters, Mallow, Morning glory, Musk thistle, Mustard, Nettle, Oxalis, Pennywort, Peppergrass, Pepperweed, Pigweed, Plantain, Poison Ivy, Poison Oak, Ragweed, St. Johnswort, Sheep sorrel, Shepherdspurse, Smartweed, Sowthistle, Speedwell, Spurge, Spurweed, Stinkweed, Sumac, Sunflower, Thistle, Tumbleweed, Velvet leaf, Veronica, Vetch, Virginia buttonweed, Virginia creeper, Wild aster, Wild carrot, Wild garlic, Wild geranium, Wild lettuce, Wild onion, Wild radish, Wild rape, Wild strawberry, Wild sweet potato, Willow, Witchweed, Woodsorrel, Wormseed, Yarrow, Yellow rocket, and other broadleaf weeds.]

***End of optional claims***

***Internal back booklet label***

***Note to PM: Directions for Use Option 1***

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

Do not apply this product in a way that will contact any person or pet, either directly or through drift.

***Bold, italicized text is information for the reader and is not part of the label.***

[Bracketed information is optional text.]

Underlined text is new. ~~Strike through text is being deleted.~~

[Reentry icon] Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until sprays have dried.

## HOW TO APPLY:

- Shake well before using. Connect sprayer to hose. Turn on water.
- To begin spraying, point nozzle in the direction you want to spray. Bend small [*insert color*] plastic tab [on side/on top] of sprayer back and turn knob clockwise to ON position.
- Spray evenly over measured area.
- To stop spraying, bend small [insert color] plastic tab back and turn knob counter clockwise to OFF position. Turn off water.
- Relieve water pressure by bending plastic tab back and turning knob to ON position until water slows to a drip. Then, turn knob back to OFF position.
- Disconnect sprayer from hose.

## AMOUNT TO APPLY

Apply only the specified amount for the area to be covered

Exceeding recommended rates may damage turf.

**WARM SEASON LAWNS** - Bahia, common Bermuda, centipede and zoysia.

1 quart covers 6,000 sq ft.

**NOTE:** Some temporary injury may occur with these lawns. In spring, do not apply until grass has reached full green-up. In fall, do not use when grass is going into dormancy. Some hybrid Bermuda grasses may be sensitive to this product.

**COOL SEASON LAWNS** - bluegrass, fescue and ryegrass

1 quart covers 4,000 sq ft.

## FOR BEST RESULTS

- If lawn needs watering, water thoroughly 24 hours before application.
- Do not cut grass 1 to 2 days after application.
- Do not water for 48 hours after application as watering will wash off weed killing material.
- Spray when air is calm to avoid spray drift that might injure desirable ornamental plants.
- Do not apply when temperatures exceed 85°F.
- Do not reseed, sod or plug lawns or plant stolons for 3 to 4 weeks after use. Do not apply to newly seeded lawns until they have been mowed three times.
- Spray when weeds are actively growing.
- [RESULTS:] Weeds will begin to curl within a few days. Some hard-to-control weeds may require a repeat application in 3 to 4 weeks.

## IMPORTANT

For grass lawns only. Do not spray St. Augustinegrass, Buffalograss, dichondra, lippia or desirable clovers. Do not use this product on flower or vegetable beds, or around shrubs, trees or ornamental plantings. The maximum number of broadcast applications per treatment site is 2 per year.

***Bold, italicized text is information for the reader and is not part of the label.***

[Bracketed information is optional text.]

Underlined text is new. ~~Strike-through text is being deleted.~~

### ***End of Directions for use Option 1***

### ***Note to PM: Directions for use Option 2 for Private Label Branding***

For grass lawns only. Do not use this product on flower or vegetable beds or around shrubs, trees or ornamental plantings.

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

Do not apply this product in a way that will contact any person or pet, either directly or through drift.

[Reentry icon] Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until sprays have dried.

### **HOW TO USE:**

- Make sure ON/OFF valve is in OFF position. Shake well.
- Connect sprayer nozzle to hose. Turn on the water at the tap.
- When ready to treat, point in the direction away from face and body and pull toward the hose end connection.
- Turn the ON/OFF valve to the ON position. The water mixes automatically with this product at the proper ratio.
- Walk and spray at steady pace.
- Apply only the specified amount for the area to be covered. Exceeding recommended rates may damage turf.

**For COOL SEASON LAWNS** such as Bluegrass, Fescue and Ryegrass: 1 quart covers 3,300 sq ft. When applying to Bentgrass, grass height should be 1-1/2 inches or more.

**For WARM SEASON LAWNS** such as Bahia, Common Bermuda, Common St. Augustine, Centipede and Zoysia. 1 quart covers 5000 sq ft. Do not use on Floratam or other improved varieties of St. Augustinegrass. Some temporary injury may occur with these lawns. In spring, do not apply until grass has reached full green-up. In fall, do not use when grass is going into dormancy. **Note:** Some hybrid Bermuda grasses may be sensitive to this product.

**RESULTS:** Weeds will begin to curl within a few days. Some hard- to-control weeds may require a repeat application in 3 to 4 weeks. The maximum number of broadcast applications per treatment site is 2 per year.

**IMPORTANT USE PRECAUTIONS:** Spray when weeds are actively growing. If lawn needs watering, water thoroughly 24 hours before application. Do not cut grass 1 to 2 days before and after application. Do not water



***Bold, italicized text is information for the reader and is not part of the label.***

[Bracketed information is optional text.]

Underlined text is new. ~~Strike-through text is being deleted.~~

for 48 hours after application as watering will wash off weed killing material. Spray when air is calm to avoid spray drift that might injure desirable ornamental plants. Do not apply when temperatures exceed 85°F. Do not apply to newly seeded grasses until they have been mowed three times. Do not reseed, sod, or plug lawns or plant stolons for 3 to 4 weeks after use. Do not spray Buffalograss, dichondra, lippia or desirable clovers.

***End of Directions for use Option 2 for Private Label Branding***

***Note to PM: Directions for Use Option 3 for Private Label Branding***

For grass lawns only. Do not use this product on flower or vegetable beds or around shrubs, trees or ornamental plantings. [Specially formulated for residential use.]

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

[Reentry icon] Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until sprays have dried.

**HOW TO [USE] or [APPLY] [the Ready-To-Spray System]:**

***Note to PM: Information may appear in bullet or numbered format. Information can be presented in paragraph form.***

Connect	<ul style="list-style-type: none"> <li>• Shake well before using.</li> <li>• Connect sprayer to hose.</li> <li>• Turn on water.</li> </ul>
Spray	<ul style="list-style-type: none"> <li>• To begin spraying, point nozzle in the direction you want to spray.</li> <li>• Bend small [<i>insert color</i>] plastic tab [on side / on top] [of sprayer] back and turn knob clockwise to ON position.</li> <li>• Spray evenly over desired area.</li> <li>• It will take 10-15 minutes to spray the entire contents of this product.</li> </ul>
Finish	<ul style="list-style-type: none"> <li>• To stop spraying, bend small [<i>insert color</i>] plastic tab back and turn knob counter clockwise to OFF position.</li> <li>• Turn off water.</li> <li>• Relieve [water] pressure [in hose] by bending plastic tab back and turning knob to ON position until water slows to a drip. Then, turn knob back to OFF position</li> <li>• Disconnect sprayer from hose.</li> </ul>

***Bold, italicized text is information for the reader and is not part of the label.***

[Bracketed information is optional text.]

Underlined text is new. ~~Strike-through text is being deleted.~~

Apply only the specified amount for the area to be covered. Exceeding recommended rates may damage turf.

**For COOL SEASON LAWNS [GRASSES]** such as Bluegrass, Fescue and Ryegrass and Bentgrass: 1 quart covers 3,300 sq ft. When applying to Bentgrass, grass height should be 1-1/2 inches or more.

**For WARM SEASON LAWNS [GRASSES]** such as Bahia, Common Bermuda, Common St. Augustine, Centipede and Zoysia. 1 quart covers 5000 sq ft. Do not use on Floratam or other improved varieties of St. Augustinegrass. Some temporary injury may occur with these lawns [grasses]. In spring, do not apply until grass has reached full green-up. In fall, do not use when grass is going into dormancy. **Note:** Some hybrid Bermuda grasses may be sensitive to this product.

**RESULTS:** Weeds will begin to curl within a few days. Some hard- to-control weeds may require a second treatment / a repeat application in 3 to 4 weeks. The maximum number of broadcast applications per treatment site is 2 per year.

**IMPORTANT USE PRECAUTIONS:** Spray when weeds are actively growing. If lawn needs watering, water thoroughly 24 hours before application. Do not cut grass 1 to 2 days before and after application. Do not water for 48 hours after application as watering will wash off weed killing material. Spray when air is calm to avoid spray drift that might injure desirable ornamental plants. Do not apply when temperatures exceed 85°F. Do not apply to newly seeded grasses until they have been mowed three times. Do not reseed, sod, or plug lawns or plant stolons for 3 to 4 weeks after use. Do not spray [on] Buffalograss, dichondra, lippia or [other] desirable clovers.

**Note to PM: End of Directions for use Option 3**

#### **STORAGE AND DISPOSAL**

**PESTICIDE STORAGE:** Store product in original container in a safe place. Protect container from freezing.

**PESTICIDE and CONTAINER DISPOSAL: If empty:** Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

#### **PRECAUTIONARY STATEMENTS**

##### **HAZARDS TO HUMANS & DOMESTIC ANIMALS**

**CAUTION:** Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wear long pants, long-sleeved shirt, socks, shoes and chemical resistant gloves when handling or applying this product. After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower.



***Bold, italicized text is information for the reader and is not part of the label.***

[Bracketed information is optional text.]

Underlined text is new. ~~Strike through text is being deleted.~~

### **FIRST AID:**

**If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15—20 minutes.

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor, or going for treatment.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays and oceans. Do not apply when windy. To prevent product run-off, do not over water to the point of runoff, or apply when raining or when rain is expected that day.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this product in areas where soils are permeable particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

[NOTICE: To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this product not in accordance with directions.]

[Scotts No-Quibble Guarantee®]

[If for any reason you, the consumer, are not satisfied after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.]

[Ortho & Your Environment – Your yard is a place for family and pets to enjoy. That’s why Ortho products are designed with care to provide effective solutions to weed problems. For best results, please follow instructions for appropriate usage, storage and disposal.]

[2009, Licensed by The Scotts Company/ The Ortho Group. World rights reserved.]