

US ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (TS-767)
WASHINGTON, DC 20460

EPA REGISTRATION NO.
239-2648

DATE OF ISSUANCE
OCT 17 1996

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION
(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

TERM OF ISSUANCE

NAME OF PESTICIDE PRODUCT
Roundup Club Super Concentrate
Weed & Grass Killer

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Ms. Katherine A. Buteau
The Solaris Group of Monsanto Company
P.O. Box 5005
San Ramon, CA 94583-0906

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for the registration/reregistration of your product under FIFRA sec. 3(c)(5) and sec. 4 when the Agency requires all registrants of similar products to submit such data.
2. Add the phrase, "EPA Registration No. 239-2648" to the label before you release the product for shipment.
3. Submit three (3) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of labeling is enclosed for your records.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

Debra K. Walters for Robert J. Taylor

DATE
OCT 17 1996

Roundup® Club Super Concentrate Weed & Grass Killer

Designed/ Formulated especially for Club members

NEW/NOW with Built-In MEASURING CAP AND POUR SPOUT

NEW/ NOW LARGER SIZE

Now easier to measure and pour

Child resistant Cap

Kills the root so weeds don't come back

No root. No weed. No problem.

No odor

Water - based formula [Water Drop Icon]

Makes over 16.33 gallons of spray solution [varies with qt / 1/2 gal container size]

Covers 300 sq ft per gallon of spray, covers over 10,000 sq ft [1/2 gal container size]

Kills unwanted weeds and grasses, roots and all, kills to the root, kills weeds roots and all

Use in / Apply with a BIG SHOT™ Multi-Purpose Sprayer or other tank sprayer, ORTHO® DIAL 'n

SPRAY®, ORTHO SPRAY-ETTE® or other ORTHO hose-end sprayers

Use to prepare sites for large plantings, for planting flower beds, for planting fruit trees, ornamentals, vegetables, garden sites and to renovate lawns

Kills / spray weeds in flower beds and around fences, trees, shrubs, driveways, walkways and shrubs, in and around fences, patios, paths, sidewalk cracks, walkways,

American Zoo and Aquarium Association Species Survival Plan

Economical- mix 4 to 6 Tablespoons [2 - 4 oz] per gallon, Concentrated For Extra Value

Satisfaction guaranteed or your money back with proof of purchase

Use to refill Roundup Ready-To-Use

For General Weed Control - Kills Weeds And Grasses In 2 To 4 Weeks - Roots & All

Completely kills even the toughest weeds and grasses

Multipurpose Grass & Broadleaf Weed Control

Visible Results In 7 Days

Can Reseed or Sod Lawns 7 Days After Treatment

Lawns and ornamental gardens can be reseeded or planted soon / 1 day after treatment.

KEEP OUT OF REACH OF CHILDREN

WARNING Read precautions and directions on back label.


[Fix-a-Form label] See back panel booklet for additional precautionary statements

Active Ingredient

Glyphosate, N-(phosphonomethyl)glycine in the form of its isopropylamine salt 27.0%

Inert Ingredients 73.0%

Net 32 fl oz (1 qt) 946mL, 1/2 gal 36 fl oz (67.6 fl oz) 2 L or 128 fl oz (1 gal) 3.7 L



Roundup® Club Super Concentrate Weed & Grass Killer PULL HERE TO OPEN LABEL

Roundup® Club Super Concentrate will kill almost all annual and perennial weeds, grasses and other unwanted plants. Mix Roundup Club Super Concentrate in water and use to control weeds growing on driveways and walkways, or around fences, trees, flower beds, shrubs and other areas in your yard. Roundup can also be used for large jobs such as lawn renovation, vegetable and flower garden preparation. Roundup kills weeds by stopping the production of a substance found only in plants. Any Roundup not absorbed by the plant breaks down into natural materials. Roundup will not move in or on the soil to untreated plants.

Used by American Zoo and Aquarium Association member zoos to effectively control weeds.

Recommended to zoos everywhere by the American Zoo and Aquarium Association for the control of weeds.

Peel open for use directions and further information

PRESS HERE TO RESEAL

WARNING: Causes substantial but temporary eye injury. Do not get in eyes or on clothing. SEE ADDITIONAL PRECAUTIONARY STATEMENTS AND DIRECTIONS INSIDE BOOKLET.

☞ **Medical Information call collect 1-314-694-4000.**
Product Information call 1-800-225-2883

This product is protected by U.S. Patent No. 4,405,531. Other patents pending. No license granted under any non-U.S. patent(s).

REFORMULATION OR REPACKAGING FOR SALE IS PROHIBITED

®Trademark of Monsanto Company
©MONSANTO COMPANY 1996
The SOLARIS Group of Monsanto Company
P.O. Box 5008
San Ramon CA 94583-0808
Form 7-960-01 / Product 6048
EPA Reg. No. 239-~~new~~ *FAUI*
EPA Est. 239-IA-3¹, 524-LA-1^L, 56100-LA-1^G
Superscript is first letter of lot number
Made in USA

[Inside back booklet]

Roundup® Club Super Concentrate will kill almost all annual and perennial weeds, grasses and other unwanted plants. Mix Roundup Club Super Concentrate in water and use to control weeds growing on driveways and walkways, or around fences, trees, flower beds, shrubs and other areas in your yard. Roundup can also be used for large jobs such as lawn renovation, vegetable and flower garden preparation. Roundup kills weeds by stopping the production of a substance found only in plants. Any Roundup not absorbed by the plant breaks down into natural materials. Roundup will not move in or on the soil to untreated plants.

Used by American Zoo and Aquarium Association member zoos to effectively control weeds.

Recommended to zoos everywhere by the American Zoo and Aquarium Association for the control of weeds.

CONTROLS WEEDS AND GRASSES INCLUDING:

General Weed Control (Annuals)

- | | | | |
|------------------|---------------------|---------------------|--------------------|
| Annual Ryegrass | Creeping Beggarweed | Knotweed | Prostrate Spurge |
| Annual Bluegrass | Diffuse Lovegrass | Lambsquarters | Puncture Vine |
| Barnyardgrass | Dog Fennel | Little Bitter Cress | Redroot Pigweed |
| Beggarweed | Evening Primrose | London Rocket | Sandspur |
| Black Medic | False Dandelion | Maiden Cane | Shepherdspurse |
| Blue Toadflax | Fiddleneck | Mallow | Smooth Cat's Ear |
| Brassbuttons | Field Pennycress | Mayweed | Smooth Pigweed |
| Bromegrass | Field Sandbur | Mouseear Chickweed | Sowthistle |
| Bur Clover | Filaree | Oxalis | Spotted Spurge |
| Chickweed | Florida Pusley | Pennsylvania | St. Augustinegrass |
| Common Groundsel | Foxtail | Smartweed | Tansy Ragwort |
| Common Plantain | Garden Spurge | Prickly Lettuce | Tansy Mustard |
| Crabgrass | Henbit | | |

Tough Weed Control (Perennials, Brush)

- | | | | |
|--------------------|----------------------|--------------------|-----------------|
| Alder | Elderberry | Oxalis | Tall Fescue |
| Bahiagrass | False Dandelion | Pennywort | Timothy |
| Bentgrass | Fescue species | Perennial Ryegrass | Torpedograss |
| Bermudagrass | Field Bindweed (Wild | Poison Oak | Trumpetcreeper |
| Blackberries | Morningglory) | Poison Ivy | Vaseygrass |
| Broadleaf Plantain | Honeysuckle | Primrose | White Clover |
| Canada Thistle | Johnsongrass | Purple Nutsedge | Whitetop |
| Cherry species | Kentucky Bluegrass | Quackgrass | Wild Barley |
| Common Ragweed | Kudzu | Ragweed | Willow |
| Creeping Bentgrass | Multiflora Rose | Raspberry | Yellow Nutgrass |
| Creeping Charlie | Nimblewill | Red Clover | Zoysia |
| Curly dock | Nutsedge | Smooth Bromegrass | |
| Dandelion | Oak species | St. Augustinegrass | |
| Dallisgrass | Oldenlandia | Sumac | |
| Dewberry | Orchardgrass | | |

For additional weeds controlled by this product call 1-800-225-2883.

5/10

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **READ ENTIRE LABEL. USE ONLY ACCORDING TO LABEL DIRECTIONS OBSERVING ALL PRECAUTIONS.**

WHEN TO USE

Use anytime weeds and grasses are actively growing. Treated weeds usually show initial symptoms within 1 week and complete kill in 1 to 2 weeks. Larger more established weeds may take up to 4 weeks for complete kill. Roundup works best in warm sunny weather with daytime temperature above 60° F. For best results, apply when weeds are small. Reapply, if it rains within 6 hours after application. If hard-to-control weeds are not killed within 4 weeks, reapply.

WHERE TO USE

For General Weed Control: Use along fences, paths, patios, sidewalks and driveways, around trees, shrubs, and ornamental plantings and flower beds, around buildings, and in brick and gravel walkways. Use to trim and edge landscape areas. Do **NOT** use for spot weed control in lawns since Roundup kills all green plants contacted, including lawn grass.

For Spot Spraying: Use on actively growing weeds in and around flower beds, ornamental trees, fruit and nut trees, grapevines, shrubs, fences, driveways and walkways. Spray when air is calm. Make sure Roundup does not contact the leaves, green stems, or exposed roots of plants you don't want to kill. If necessary, use cardboard or plastic to shield plants. Roundup will not move in or on the soil to untreated plants. If Roundup is used to control weeds around fruit or nut trees or grapevines, allow 21 days before eating the fruit or nuts.

For Landscaping: Use to prepare areas for planting of ornamentals, trees, shrubs, desert landscapes, rock gardens, flower beds or similar plantings. Treated areas can be replanted 1 day after treatment.

For Lawn Renovation:

- Use Roundup to kill existing weeds and grasses including the old lawn.
- For best results, apply in Spring or Fall, when daytime temperatures are at least 60° F.
- Under dry conditions, water lawn every other day for a week before using Roundup
- Do not mow for 7 days before or after treatment.
- After 7 days, prepare the soil for planting by raking or rototilling the lawn. Rake up and remove loosened thatch or debris.
- Mix in starter fertilizer and other amendments, if needed. Level the soil.
- Apply seed according to directions on seed package, or install sod. Grass seed must have a good contact with soil to germinate and grow.
- Keep area moist for 2 weeks, then water as needed.

For Brush Control: Use when brush is green and growing. If plants are taller than 5 feet, cut back and spray regrowth. Brush sprayed in the fall may not be fully controlled until the following season. Hard-to-control species such as Blackberry, Kudzu, or Poison Oak may require a second application.

STUMP TREATMENT

6/10

Stumps can be treated to prevent regrowth. For best results, treat when the vegetation is actively growing and within 5 minutes of being cut down.

- Cut the stump close to the soil surface.
- Drive 4-5 nail holes into the stump.
- Flood the stump with undiluted product.

This treatment will control or suppress many types of woody brush and trees, such as alder, bluegum eucalyptus, madrone, oak, giant reed, saltcedar, sweetgum, and tan oak.

HOW TO USE

7/10

IMPORTANT: Roundup is an all-purpose weed and grass killer which will kill almost all plants contacted. If necessary, use cardboard or plastic to shield desirable plants. If plants are accidentally sprayed, rinse off immediately with water. Spray when air is calm. Spray to evenly wet the weed.

To apply this product use

- Plastic, aluminum or stainless steel tank sprayer
- ORTHO DIAL' n SPRAY®
- ORTHO SPRAY-ETTE®
- Hand-trigger sprayer

Do not use or store solutions of this product in galvanized steel or unlined steel sprayers, or apply through any type of irrigation system or with a sprinkling can.

Rinse sprayer and flush all sprayer components with water 3 times after use. Spray rinse water on bare soil or gravel. Do not apply to treated weeds. After very thorough cleaning, sprayer may be used to apply other products.

Measuring Cap: To open, squeeze cap sides at the points indicated while unscrewing. The measuring cap has four levels indicated inside. The following table and the measuring cap should be used to determine the amount of Roundup you need. Close cap tightly after use. No need to rinse.

- Level 1 = 1 teaspoon (tsp)
- Level 2 = 1 Tablespoon (Tbs) = 3 tsp
- Level 3 = 1 fl oz (2 Tbs)
- Level 4 = 2 fl oz (4 Tbs)

APPLICATOR	MIXING INSTRUCTIONS General Weed Control Annuals	MIXING INSTRUCTIONS Tough Weed Control Perennials or Brush Lawn Renovation	AREA TO TREAT
Tank Sprayer	Fill cap to Level 4 one time (2 oz) Add to 1 gallon of water.	Fill cap to Level 4 two times (4 oz) Add to 1 gallon of water.	300 sq ft (30 ft x 10 ft)
ORTHO DIAL' n SPRAY® Hose- End sprayer	Fill cap to Level 4 one time (2 oz) and add to sprayer jar. DO NOT ADD WATER. Set dial to 2 oz and spray.	Fill cap to Level 4 two times (4 oz) and add to sprayer jar. DO NOT ADD WATER. Set dial to 4 oz and spray.	300 sq ft
ORTHO SPRAY-ETTE®	Fill cap to Level 4 four times (8 oz) and add to sprayer jar. Fill to the 4 gallon mark and spray.	Fill cap to Level 4 eight times (16 oz) and add to sprayer jar. Fill to the 4 gal mark and spray.	1200 sq ft (30 ft x 40 ft)
Hand trigger sprayers	Fill cap to Level 1 two times (2 tsp) . Add to 24 oz of water.	Fill cap to Level 1 four times (4 tsp) . Add to 24 oz of water.	Use for spot treatments or single weeds

RE-SEEDING AND REPLANTING IN SPRAYED AREAS

8/10

Ornamentals and Flowers - May be reseeded or replanted the next day.

Vegetables - To plant listed vegetables, wait 3 days after spraying, before seeding or transplanting. For tomato transplants or unlisted vegetables, wait 30 days after spraying before planting into treated soil.

beans	Crenshaw melon	mango melon	rhubarb
beet greens	cucumber	melons	rutabaga
broccoli	eggplant	muskmelon	spinach
Brussels sprouts	endive	mustard greens	summer squash
cabbage	garlic	okra	sweet potato
cantaloupe	honeydew melon	onion	tomatillo
carrot	honey ball melon	rape greens	tomato*
cauliflower	horseradish	parsley	turnip
casaba melon	Jerusalem artichoke	parsnips	watercress
celery	kale	peas,pepper	watermelon
chard (Swiss)	kohlrabi	persian melon	winter squash
chicory	leek	potato	yams
collards	lentils	pumpkin	
corn	lettuce	radish	

***Note:** Tomatoes planted from seed only. Wait 30 days for rooted transplants.

Small Fruits and Berries: The following listed crops may be planted (by seed, rooted cutting, or transplant) 7 days after spraying Roundup. For unlisted small fruit and berries, wait 30 days after spraying.

Blackberry, black raspberry, blueberry, boysenberry, currant, dewberry, elderberry, gooseberry, huckleberry, loganberry, olallieberry, red raspberry and strawberry.

Fruit and Nut Trees or Grapevines: If Roundup is used to control weeds around fruit or nut trees or grapevines, allow 21 days before eating the fruits or nuts.

[Alternative directions for use when measuring cap packaging is not used]

Use the following table to determine the amount of Roundup you need. Close cap tightly after use. No need to rinse.

- 1 teaspoon (tsp)
- 1 Tablespoon (Tbs) = 3 tsp
- 1 fl oz (2 Tbs)
- 2 fl oz (4 Tbs)

APPLICATOR	MIXING INSTRUCTIONS General Weed Control Annuals	MIXING INSTRUCTIONS Tough Weed Control Perennials or Brush Lawn Renovation	AREA TO TREAT
Tank Sprayer	Use 2 oz (4 Tbs) Roundup in 1 gal of water.	Use 4 oz (8 Tbs) Roundup in 1 gal of water.	300 sq ft (30 ft x 10 ft)
ORTHO DIAL 'n SPRAY® Hose- End sprayer	Add 2 oz (4 Tbs) Roundup to sprayer jar. DO NOT ADD WATER. Set dial to 2 oz and spray.	Add 4 oz (8 Tbs) Roundup to sprayer jar. DO NOT ADD WATER. Set dial to 4 oz and spray.	300 sq ft
ORTHO SPRAY-ETTE®	Add 8 oz Roundup to sprayer jar. Fill to the 4 gal mark and spray.	Add 16 oz Roundup to sprayer jar. Fill to the 4 gal mark and spray.	1200 sq ft (30 ft x 40 ft)
Hand trigger sprayers	Use 2 tsp in 24 oz of water.	Use 4 tsp in 24 oz of water.	Use for spot treatments or single weeds

This product can be used to refill Roundup Ready-To-Use Weed & Grass Killer.

STORAGE AND DISPOSAL

STORAGE: Store this product only in its original container and in a secured storage area. Protect container from freezing. **DISPOSAL:** Securely wrap partially filled or empty container in several layers of newspaper and discard in trash. Do not reuse container. **SPILL OR LEAK:** In case of spill or leak, soak up spill with paper towels and discard in trash.

**PRECAUTIONARY STATEMENTS
Hazards to Humans & Domestic Animals**

WARNING: Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Wear safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

[Child/pet icon] People and pets may reenter treated areas after spray has dried.

FIRST AID: If in eyes, immediately hold eyelids open and flush with a steady stream of water for 15 minutes. Get medical attention if irritation persists. In case of emergency involving this product, call collect, day or night, (314) 694-4000.

Environmental Hazards

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

NOTICE: BUYER ASSUMES ALL RESPONSIBILITY FOR SAFETY AND USE NOT IN ACCORDANCE WITH DIRECTIONS.

This product is protected by U.S. Patent No. 4,405,531. Other patents pending. No license granted under any non-U.S. patent(s).

REFORMULATION OR REPACKAGING FOR SALE IS PROHIBITED

☛ **Medical Information call collect 1-314-694-4000.
Product Information call 1-800-225-2883**

• ©Trademark of Monsanto Company
©MONSANTO COMPANY 1996
The SOLARIS Group of Monsanto Company
P.O. Box 5008
San Ramon CA 94583-0808
Form 7- 960-01 / Product 6048
EPA Reg. No. 239-new
EPA Est. 239-IA-3¹, 524-LA-1^L, 56100-LA-1^G
Superscript is first letter of lot number
Made in USA