

239-2651

9-21-2001

1/4

ORTHO®

[ICON] OUTDOOR USE ONLY

BUG-GETA® Snail & Slug Pellets<sub>3</sub>

ABN: BUG-GETA Snail & Slug Killer

[ORTHO® BUG-GETA® Snail & Slug Crumble / Meal / Bait / Granules]

Can be used around Fruits and Vegetables / All around your home / All areas in the garden

May be used up to harvest

New Crumble formulation

Improved coverage

Kills snails & slugs

NEW FORMULA - NOW TREATS 4,500 sq ft. (2 lb 4oz size)

NEW FORMULA - NOW TREATS 10,000 sq ft (5 lb size)

New "crumble / meal / bait / granule" formulation - goes further

Crumble / Meal/ bait/ granule formulation spreads easily through a WHIRLYBIRD®

Multi-Purpose Spreader

New ready-to-use formulation / Easier to spread / Spreads farther

Better coverage - rainfast formulation

Expanded coverage = more dead snails

Coverage / Now 1 lb covers up to 2000 sq ft.

Coverage Baits 4,500 sq ft ( for 2lb 4 oz size)

Coverage Baits 10,000 sq ft (for 5 lb size)

Economical to use

Finely crushed granule for more even distribution

Contains a bittering agent

Contains BITREX

[LOGO]: Contains Bitrex

Contains added bittering ingredient

Begins protecting your plants right away from snail & slug damage

Protects: Flowers, Fruits, Vegetables, Potted plants, Ornamentals

Protects garden plants and flowers from snail & slug damage

Kills Snails & Slugs / Stops them in their tracks

Controls snails and slugs in areas where they hide

Remains effective after rain or sprinkling

Guaranteed to stop snail & slug attacking your garden\* \* or your money back

2 lb 4 oz will bait 4,500 sq ft

5 lb will bait 10,000 sq ft


CAN BE USED AROUND FRUITS & VEGETABLES

Active Ingredient

Metaldehyde .....2.00%

Other Ingredients.....98.00%

KEEP OUT OF REACH OF CHILDREN



**CAUTION**

THIS PESTICIDE MAY BE FATAL TO DOGS OR OTHER PETS IF EATEN. KEEP PETS OUT OF TREATED AREA. FOR HOME USE ONLY.

See side panel for additional precautionary statements.

NET WT. 2 LBS. 4 OZ./1.02 kg

NET WT. 5 LBS. / 2.26 KG

NOTE: THIS PACKAGE IS SOLD BY WEIGHT.

CONTENTS MAY HAVE SETTLED DURING SHIPMENT.

[ Back Panel]

Bug-Geta Snail & Slug Pellets<sub>3</sub> is a new crumble / meal / bait / granule formulation. This product is specially formulated to attract and control/ kill snails & slugs. The finely crushed crumble / meal / bait / granule is easy to use. Apply with Whirlybird® Multi-Purpose Spreader. Kills/ Controls snails & slugs protecting / preventing garden plants from damage. Specially formulated for residential use.

BUG-GETA Snail & Slug Killer is a granule formulation. This product attracts and kills snails and slugs, protecting garden plants from damage. The granule is easy to use and can be applied with an ORTHO WHIRLYBIRD Multi-Purpose Spreader. Specially formulated for residential use.

BUG-GETA Snail & Slug Pellets<sub>3</sub> is specially formulated to attract and control snails and slugs. The finely crushed crumble / meal / bait / granules are easy to use. 1 lb of BUG-GETA Snail & Slug Pellets<sub>3</sub> will bait 2,000 sq ft.

The presence of snails and slugs can be detected by their shiny mucous-like trail. They are night feeders and prefer damp, cool places in the ornamental garden, flower beds, under boards or flower pots and around fences, hedges, and bushes.

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**DIRECTIONS:** Bait areas likely to be infested at the beginning of the spring planting season before damage occurs. Treatment every two weeks should give satisfactory control. During periods of high rainfall or frequent waterings, it may be necessary to treat more often. Crumble / Meal / Bait / Granules may be applied using a WHIRLYBIRD Multi-Purpose Spreader.

Prior to spring planting, bait areas to prevent damage to transplants or seedlings. Repeat treatment every two weeks or as needed. During periods of high rainfall or frequent irrigations [waterings, it may be necessary to treat more frequently] repeat treatments may be needed more frequently.

If ground is dry, water area to be treated thoroughly. **Do not place product in piles.** Scatter the crumble / meal / bait / granules around flowers, ornamental plants, and lawn areas. Apply one pound of meal to each 2,000 sq ft. Apply only to soil surface around plants. Do not apply to foliage or other plant parts. Always wear protective gloves.

Sprinkle lightly with water after application.

**HOME LAWNS AND GROUNDCOVERS:** Apply 1 lb per 2,000 sq ft by scattering directly from container or by using an ORTHO WHIRLYBIRD® Spreader at setting No. 4.

**HOME GREENHOUSES AND LATH HOUSES:** Distribute crumble / meal / bait / granules on and beneath benches, but do not place in pots or flats unless plants are well established. Keep crumble/meal/bait/granules from coming in contact with plants.

If soil is dry, irrigate [water] prior to or sprinkle lightly after distributing pellets.

**FRUITS & VEGETABLES:** To control snails and slugs around the following fruits and vegetables, apply to the soil surface **around** the plants. Do not contaminate edible parts.

**FRUITS-**Apples, Avocados, Blackberries, Cherries, Citrus, Grapes, Peaches, Plums, Strawberries.

**VEGETABLES:** Asparagus, Beans, Beets, Cabbage, Carrots, Corn Cucumbers, Eggplant, Lettuce, Melons, Onions, Peas, Peppers, Potatoes, Radishes, Spinach, Squash, Tomatoes and Turnips.

#### STORAGE AND DISPOSAL

**STORAGE:** Keep pesticide in original container. Store in a cool, dry place, preferably in a locked storage area.

**DISPOSAL:** Partially filled or empty carton may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash.

Do not reuse carton.

#### PRECAUTIONARY STATEMENTS

##### HAZARDS TO HUMANS & DOMESTIC ANIMALS

**CAUTION:** Harmful if swallowed. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. Wash with soap and water after handling.

[child/ pet icon] Keep out of reach of children and domestic animals. **IMPORTANT:** KEEP CRUMBLE / MEAL / BAIT / GRANULES AWAY FROM CHILDREN, DOGS, AND PETS. BAIT MAY BE ATTRACTIVE TO DOGS. CONFINE PETS DURING APPLICATION TO PREVENT THEM FROM BELIEVING THEY ARE BEING FED. USE AND STORE UNDER CONDITIONS WHERE THERE WILL NOT BE A HAZARD.

##### FIRST AID:

**IF SWALLOWED** – Call a poison control center or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**IF IN EYES** – Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment.

4/4

**IF ON SKIN OR CLOTHING** – Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison center or doctor for treatment advice.

**IF INHALED** - Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

Note to Physicians: Emergency Information-call 1-800-225-2883.

**ENVIRONMENTAL HAZARDS:** Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

☎ **Questions, Comments or Medical Information** call 1-800-225-2883  
<http://www.ortho.com>

**NOTICE:** Buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

**The ORTHO Guarantee:** If for any reason you are not satisfied with this product, mail us proof of purchase to obtain a full refund of your purchase price.

**BITREX** , is a registered trademark of **MacFarlan Smith Ltd.** Edinburgh Scotland

Manufactured for  
The ORTHO Group  
P.O. Box 1749  
Columbus, OH 43216  
EPA Reg. No. 239-2651  
EPA Est. No. 66196-CA-1  
Made in USA