1095

Please read instructions on reverse before completing form.		Form A	Approved.	OMB No. 207	70-0060	. Approval expires 2-28-95	
SEPA Environmental Protection	Agen			Registrati Amendme	To.	OPP Identifier Number	
Washington, DC 20460	0	• · · · · · · · · · · · · · · · · · · ·	$\boxtimes$	Other	-	259954	
Application for Pesticide - Section I							
1. Company/Product Number		2. EPA Product M	-		3. Prop	posed Classification	
239-2652			nes A. T	ompkins		None Restricted	
4. Company/Product (Name) Roundup Garden Foam Weed & Grass Killer		PM# 25	2 -		7		
5. Name and Address of Applicant (Include ZIP Code)						FIFRA Section 3(c)(3)	
The Solaris Group of Monsanto P.O. Box 5006		(b)(i), my product is similar or identical in composition and labeling to:					
San Ramon, Ca 94593-0906		EPA Reg. No.				·	
Check if this is a new address		Product Name	e				
	Secti	on - II					
Amendment - Explain below.  Final printed labels in repsonse to							
		Agency I	letter date	∍d .		4 1997	
Resubmission in response to Agency letter dated	-	. Me Too	Applica	tion.	-  U		
Notification - Explain below.	-4	Other - E	xplain be	low.			
Explanation: Use additional page(s) if necessary. (For section I	and Sect	ion II.)					
Notification: To add additional front label claims and s	sales cop	y. "This notific	ation is o	consistent wit	h the p	rovisions of PR	
Notice 95-2 and EPA regulations at 40 CFR 152.46, and	d no oth	er changes have	e been m	ade to the lal	eling o	r the confidential	
statement of formula of this product".							
				·		<u> </u>	
	Section	on - III					
1. Material This Product Will Be Packaged In:	1	·		<u> </u>			
Child-Resistant Packaging Unit Packaging	l ——	oluble Packaging		2. Type of Co	ntainer Metal		
Yes Yes No		'es Io			Plastic		
If TVer No nee	If "Yes"	No. pe		1 } <del></del> i	Glass Paper		
* Certification must Unit Packaging wgt. container	Package			·	Other (S	pecify)	
3. Location of Net Contents Information 4. Size(s) Retail	Contain		5. Lo	eation of Label	Direction		
Label Container	•			$\exists$			
	ph	O	ther	<u> </u>			
6. Manner in Which Label is Affixed to Product Lithograph Other Stenciled							
Section - IV							
1. Contact Point (Complete items directly below for identification	of individ	ual to be contacte	ed, if nec	, , , , , , , , , ,			
Name Stephen R. Cornes	īde	Registrati	ion Speci	ialist	elephone	Nก (Indude Area Code) • 510 355-3336	
Certification 6. Date Application							
I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete (Stamped)  I acknowledge that any knowlingly false or misleading statement may be punishable by fine or imprisonment of (Stamped)							
	. Title		-		· · ·	Va - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	
Stat /!/	. es 2	Registrati	ion Speci	ialist			
4. Typed Name. 5. 5.	Date	11/11/97		- <u> </u>		• •	

# NOTIFICATION

NOV 2 4 1997

## Roundup Garden Foam Weed & Grass Killer

[ABN - Roundup Sure Shot Foam]

Systemic Action

[water droplet] water based

KILLS WEEDS AND GRASSES ROOTS & ALL

See results in 24 hours

## BEFORE AFTER

Easy to use foam marker let's you see where you've sprayed./ Marks the weeds

Ready-To-Use

Special formulation and applicator - perfect for eliminating weeds

Controlled application / Non-spattering/ no drift formulation

Kills over 100 weeds per can.[19 oz size]

Kills the root so garden weeds won't come back.

Breaks down into natural materials

#### [8/13/96]Spot Weed Killer

Ideal for Flowerbed & Garden Weeds

Use around valuable/ desirable plants because the foam will not drift onto other plants.

Easiest way to take care of weeds in places where you don't want to harm other plants.

Helps keep gardens free of weeds

You can see where you've sprayed so you're less likely to accidently spray other plants.

Keeps gardens looking neat/tidy and more beautiful all season long

Now you'll know which weeds you've sprayed and which you haven't

Kills the weed you see and the root you don't

Kills weeds even in tough to reach spots.

Use to edge flower beds and vegetable gardens

Gives Complete Kill of Tough Annual and Perennial Grasses and Broadleaf Weeds in Lawns, Flower Beds, Around Trees and Shrubs, in Walks, Driveways, in Gravel or Bark Mulch.

Starts working overnight, Starts to kill overnight, Works overnight,

Starts working in hours, See results in hours, Starts to kill in the same day,

Begins working in hours, Starts to kill in hours, Works in hours,

Formulated for "spot" application to individual weeds.

Produces a white foam for direct weed contact

Avoids drift and marks treated weeds

[11/11/97 Notification] (Additional text used on co-pack of Sure Shot foam and Schultz Plant Food)

FREE, SAVE UP TO \$x ON NEXT PURCHASES!, With this purchase of Schultz® All Purpose Plant Food Plus™, Weed Control Guide Inside, Use Schultz® All Purpose Plant Food Plus & Roundup® Sure Shot™ Foam For a Beautiful Weed-

1

Free Garden

Active Ingredient [11/11/97 Notification]

Isopropylamine-salt-of

\_\_\*glyphosate ...... 0.96%

Inert Ingredients ...... 99.04%

\*N-(phosphonomethyl)-glycine

Keep out of reach of children

CAUTION

See back panel for additional precautionary statements.

NET WT. 1 LB. 7 OZ. [3/19/97] 16 oz. 1 lb. 453 G

239-2652.n3

EPA Accepted 6/19/96

Notification 8/13/96 update use directions; 3/19/97 Notification; 11/11/97 Notification

# Roundup Garden Foam Weed & Grass Killer-[8/13/96] Fast Acting Formula

Roundup Foam is formulated for spot-application to [8/13/96] treating of individual weeds. It will kill almost all annual and perennial weeds, grasses and other unwanted plants, Ideal for tough to reach weeds found in flower beds and vegetable gardens. Use to edge along driveways, walkways or fences,[8/13/96] in gravel or mulch, around trees and shrubs and other areas in your yard. Roundup kills weeds by stopping the production of a substance found only in plants. Any Roundup not absorbed by the plant breaks down into natural materials. Roundup will not move in or on the soil to untreated plants.

Roundup Foam produces a "no drift" [8/13/96]" non-drift" visible stream that foams on contact and lasts for a few minutes allowing you to easily see the treated weeds. Visible effects usually occur within hours and complete kill in 1 to 2 weeks.

The spot weeder produces a "foamy" white lather for direct weed contact which avoids drift and marks weeds as treated. The weed killer moves systemically through all parts of the plant.

Used by American Zoo and Aquarium Association member zoos to effectively control weeds. Recommended to zoos everywhere by the American Zoo and Aquarium Association for the control of weeds.

DIRE > TIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

# READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

# Kills Annual Weeds and Grasses

Cheeseweed	Goosegrass	Purslane
Chickweed (common)	Green Foxtail	Sandspur
Clover	Hemp Sesbania	Smartweeds
Common Lambsquarters	Henbit	Sowthistle
Common Ragweed	Ironweed	Spurges
Crabgrass	Knotweeds	Velvetleaf
Evening Primrose	Oxalis	Wild Geranium*
Florida Pusley	Pigweeds	Yellow Oxalis
-	Prickly Lettuce	

# Kills Biennial and Perennial Weeds and Grasses

Bahiagrass	Dandelion	Quackgrass
Bentgrass	Dog Fennel	Sour Dock
Bermudagrass	False Dandelion	St. Augustinegrass
Bluegrass	Hairy Crabgrass	Tall Fescue
Brownseed Paspalum	Johnsongrass	Tansy Ragwort
Bull Thistle	Knawel	Torpedograss
Canada Thistle	Maiden Cane	Virginia Čreeper
Centipedegrass	Mouseear Chickweed	Wild Blackberry
Coralbead	Nutgrass (Nutsedge)	Wild Carrot
Creeping Charlie	Plantains `	Wild Morningglory
Creeping Lantana	Poison Ivy	Wild Carrot
Curly Dock	Poison Oak	Yarrow , ,
Dallisgrass	Purple Cudweed*	
* Annual or Perennial	•	· · · · · · · · · · · · · · · · · · ·
Villa mont annual was also and and		

Kills most annual weeds and grasses and tough to control perennial weeds

←For specific weeds controlled by this product call 1-800-225-2883.

Gives Complete Kill of Tough Annual and Perennial Grasses and Broadleaf Weeds in Lawns, Flower Beds, Around Trees and Shrubs, in Walks, Driveways, in Gravel or Bark Mulch.

#### **DIRECTIONS**

[Directions for inverted can]

Spray when the air is calm. Shake can just before [8/13/96] using and eccasionally during use. Invert can, hold at arm's length and point can at weed [8/13/96] as you press button. Do not press button when can is in upright position. Stand close to weed (1 to 2 feet) with can aimed at weed and away from face. Push down briefly on button. Spray to cover center of weed. Do not overspray. The "no-drift" spray foams on contact marking treated weeds. One application will kill most weeds. If certain tough weeds are not killed within 4 weeks, reapply.

## [8/13'96] [or]

- 3 Spray when air is calm.
- 3 Shake can before and during use.
- Turn can upside down to use. Hold at arm's length and point can at weed.
- Position nozzle within 1 to 2 feet of target weed.
- Press spray button briefly, covering weed with Roundup Foam. (Do not press button with can in upright position.)
- The "non-drift" spray foams on contact marking treated weeds. If desireable plants are accidentally sprayed, rinse off immediately with water.
- ∃ One application kills most weeds.

[Alternative Directions for an upright can]

Spray when the air is calm. Shake can just before using and occasionally during use. Tear off tab. Hold can at arm's length while standing close to weed (1 to 2 feet). Aim can at weed and away from face. Squeeze the trigger, spraying to cover center of weed. The "no-drift" stream foams on contact marking treated weeds. One application will kill most weeds. Reapply, if it rains within 6 hours after application. If tough weeds are not killed within 4 weeks, reapply.

**IMPORTANT:** Roundup is an all purpose weed and grass killer which will kill almost all plants contacted. If necessary, use cardboard or plastic to shield desirable plants. If spray accidentally contacts desirable foliage, wash off immediately with water.

Treated lawn areas can be reseeded in 7 days. Ornamentals can be replanted the next day.

## STORAGE AND DISPOSAL

STORAGE: Store in a secure, preferably locked storage area away from heat or open flame. [steel icon]
DISPOSAL: Unused product may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash. CONTAINER -- Replace cap and discard in trash. Do not incinerate or puncture.

**NOTICE:** Buyer assumes all responsibility for safety and use not in accordance with directions. Federal regulations prohibit CFC propellants in aerosols

3

## PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Causes eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

[3/19/97] [Person-/Pet\_REENTRY Icon] Keep children and pets away from treated area until spray has dried.
FIRST AID: IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists. In case of an emergency involving this product, call [3/19/97] collect, day or night, (314) 694-4000. 1-800-454-2333.

ENVIRONMENTAL HAZARDS: Do not apply directly to water.

PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. Keep away from fire, sparks, and heated surfaces. Exposure to temperatures above 130∀ F may cause bursting.

This product is protected by U.S. Patent No.. 4,405,531. Other patents pending. No license granted under any non-U.S. patent(s).

[3/19/97] TELEPHONE ICON Medical Information call 1-800-454-2333

Product Information call 1-800-225-2883

#### REFORMULATION OR REPACKAGING FOR SALE IS PROHIBITED

®Trademark of Monsanto Company

©Monsanto Company 1996

SOLARIS® [cfc icon]

Manufactured for
The SOLARIS Group of
Monsanto Company
P.O. Box [3/19/97] 5006 5008
San Ramon CA 94583-[3/19/97] 0906 0808
Form 8-975-02 / Product 1000-116
EPA Reg. No. 239- 2652
EPA Est. 58996-MO-1<sup>A</sup>
Superscript is first letter of lot number
Made in USA