

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460	EPA REGISTRATION NO. 239-2654	DATE OF ISSUANCE OCT 17 1996
	TERM OF ISSUANCE	
	NAME OF PESTICIDE PRODUCT Roundup Rainfast Super Concentrate Weed & Grass Killer	

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION
 (Under the Federal Insecticide, Fungicide,
 and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Ms. Katherine A. Ruteau
 The Solaris Group of Monsanto Company
 P.O. Box 5006
 San Ramon, CA 94583-0906

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for the registration/reregistration of your product under FIFRA sec. 3(c)(5) and sec. 4 when the Agency requires all registrants of similar products to submit such data.
2. Add the phrase, "EPA Registration No. 239-2654" to the label before you release the product for shipment.
3. Submit three (3) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of labeling is enclosed for your records.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL <i>Neekie K. Wattens for Robert J. Taylor</i>	DATE OCT 17 1996
--	---------------------

FRONT PANEL

Roundup® Rainfast Super Concentrate Weed & Grass Killer

NEW! MEASURING CAP AND POUR SPOUT INCLUDED

NEW! LARGER SIZE Covers xx sq ft

Now easier to measure and pour. Child Resistant Cap

Kills the root so weeds don't come back. No root. No weed. No problem.

Built-in measuring cap, No odor, Water - based formula

Mix with water to make up to 21 / 85 gallons of spray solution [varies with qt / gal container size]

Covers up to 300 sq ft per gallon of spray, 75 sq ft per qt, 55 sq ft per 24 oz

Does not have soil activity, Controls existing weeds, is not a preemergent

Kills unwanted weeds and grasses, roots and all, kills to the root, kills weeds roots and all

Use in / Apply with a BIG SHOT™ Multi-Purpose Sprayer or other tank sprayer, ORTHO® DIAL 'n SPRAY®, ORTHO SPRAY-ETTE® or other ORTHO hose-end sprayers

Use to prepare sites for large plantings, for planting flower beds, for planting fruit trees, ornamentals, vegetables, garden sites and to renovate lawns

Can be used for habitat restoration, controlling exotic vegetation, and for site preparation of wildlife food plots.

Apply Roundup, rainfast starts working immediately.

Guaranteed same effective results even if it rains within hours

New formulation enters the plant within one hour, won't wash off

Quick uptake, eliminates weather concerns, Rainfast in hours - enters the plant on contact

Won't wash off New and Improved Formulation -Now Rainfast - Fast Uptake

Works first time, every time Kills the weed you see and the root you don't

Approved for most/ many lawn and garden uses

Kills over 100 weeds

Can be used around small fruits and vegetables

Kills / spray weeds in flower beds and around fences, trees, shrubs, driveways, walkways and shrubs, in and around fences, patios, paths, sidewalk cracks, walkways,

Economical- mix 3 to 5 tablespoons (1½ - 2½ oz) per gallon, Concentrated For Extra Value

Satisfaction guaranteed or your money back with proof of purchase

Use to refill Roundup Ready-To-Use

For General Weed Control - Kills Weeds And Grasses In 2 To 4 Weeks - Roots & All

New, Improved Formula Completely kills even the toughest weeds and grasses

Multipurpose Grass & Broadleaf Weed Control

Visible Results In 2 to 4 Days Can Reseed or Sod Lawns 7 Days After Treatment

Lawns and gardens can be reseeded or planted soon after treatment.

Ornamental gardens can be reseeded or planted 1 day after treatment.

ACCEPTED
OCT 17 1996
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 239-2654

KEEP OUT OF REACH OF CHILDREN

CAUTION Read precautions and directions on back label.

See back panel booklet for additional precautionary statements

Active Ingredient

Glyphosate, N-(phosphonomethyl)glycine in the form of its isopropylamine salt 41.0%

Inert Ingredients 59.0%

3/10

Net 32 fl oz (1 qt) 946mL, 53.7 fl oz (.42gal) 1.5 L or 128 fl oz (1 gal) 3.7 L
[Fix-a-Form label][Back Cover]

Roundup® Rainfast Super Concentrate Weed & Grass Killer¹ PULL HERE TO OPEN LABEL

Roundup® Rainfast Super Concentrate once it enters the plant, it won't wash off, killing almost all annual and perennial weeds, grasses and other unwanted plants. Mix Roundup with water and use on driveways and walkways, or around fences, trees, flower beds, shrubs, gardens, fruit trees and other areas in your yard. Roundup can also be used for large jobs such as lawn renovation, vegetable and flower garden preparation. Roundup kills weeds by stopping the production of a substance found only in plants. Any Roundup not absorbed by the plant breaks down into natural materials. Roundup will not move in or on the soil to untreated plants. Visible effects are gradual wilting and yellowing advancing to complete browning and root destruction.

Used by American Zoó and Aquarium Association member zoos to effectively control weeds.

Recommended to zoos everywhere by the American Zoo and Aquarium Association for the control of weeds.

Peel open for use directions and further information

PRESS HERE TO RESEAL

CAUTION: Causes eye irritation. Avoid contact with eyes or clothing.
SEE ADDITIONAL PRECAUTIONARY STATEMENTS AND DIRECTIONS INSIDE BOOKLET.

☐ **Medical Information call 1-800-454-2333**
Product Information call 1-800-225-2883

This product is protected by U.S. Patent No. 4,405,531. Other patents pending. No license granted under any non-U.S. patent(s).

REFORMULATION OR REPACKAGING FOR SALE IS PROHIBITED

®Trademark of Monsanto Company
©MONSANTO COMPANY 1996
The SOLARIS Group of Monsanto Company
P.O. Box 5008
San Ramon CA 94583-0808
Form 7-983-01 / Product
EPA Reg. No. 239-new *EALU*
EPA Est. 239-IA-3¹, 524-LA-1^L, 56100-LA-1^o
Superscript is first letter of lot number
Made in USA

Roundup® Rainfast Super Concentrate once it enters the plant, it won't wash off, killing almost all annual and perennial weeds, grasses and other unwanted plants. Mix Roundup with water and use on driveways and walkways, or around fences, trees, flower beds, shrubs, gardens, fruit trees and other areas in your yard. Roundup can also be used for large jobs such as lawn renovation, vegetable and flower garden preparation. Roundup kills weeds by stopping the production of a substance found only in plants. Any Roundup not absorbed by the plant breaks down into natural materials. Roundup will not move in or on the soil to untreated plants. Visual effects are gradual wilting and yellowing advancing to complete browning and root destruction.

Used by American Zoo and Aquarium Association member zoos to effectively control weeds.

Recommended to zoos everywhere by the American Zoo and Aquarium Association for the control of weeds.

CONTROLS WEEDS AND GRASSES INCLUDING:

General Weed Control (Annuals)

Annual Ryegrass	Dog Fennel	London Rocket	Shepherdspurse
Annual Bluegrass	Evening Primrose	Maiden Cane	Smooth Cat's Ear
Barnyardgrass	False Dandelion	Mallow	Smooth Pigweed
Beggarweed	Fiddleneck	Mayweed	Sowthistle
Black Medic	Fall Panicum	Mouseear Chickweed	Spotted Spurge
Blue Toadflax	Field Pennycress	Oxalis	Tansy Ragwort
Brassbuttons	Field Sandbur	Pennsylvania	Tansy Mustard
Blue Mustard	Filaree	Smartweed	Teaweed
Buttercup	Florida Pusley	Prickly Lettuce	Texas Panicum
Bromegrass	Foxtail	Prostrate Spurge	Tumble Mustard
Bur Clover	Goosegrass	Puncture Vine	Sprangletop
Chickweed	Garden Spurge	Redroot Pigweed	Witchgrass
Common Groundsel	Horseweed/marestail	Sandspur	Wild Mustard
Common Plantain	Henbit		
Crabgrass	Knotweed		
Creeping Beggarweed	Lambsquarters		
Diffuse Lovegrass	Little Bitter Cress		

Alder	- Ceanothus	Kudzu	Quackgrass
- Artichoke Thistle	- Cogongrass	Multiflora Rose	Ragweed
Bahiagrass	- Coyote Brush	Nimblewill	Raspberry
Bentgrass	Elderberry	Nutsedge	Red Clover
Bermudagrass	False Dandelion	Oak species	Smooth Bromegrass
Blackberries	Fescue species	Oldenlandia	St. Augustinegrass
Broadleaf Plantain	Field Bindweed (Wild	Orchardgrass	Sumac
Canada Thistle	Morningglory)	Oxalis	Tall Fescue
Cherry species	Honeysuckle	Pennywort	Timothy
Common Ragweed	- Horseradish	Perennial Ryegrass	Torpedograss
Creeping Bentgrass	- Kikuyugrass	- Poison Hemlock	Trumpetcreeper
Creeping Charlie	- Milkweed	- Quaking Aspen	Vaseygrass
Curly dock	Knapweed	- Pampasgrass	- Virginia Creeper
Dandelion	Guineagrass	Wild Sweet Potato	White Clover
Dallisgrass	Horsenettle	- Wild Oats	Whitetop
Dewberry	Iceplant	- Virginia Creeper	Wild Barley
- Common Mullein	Lantana	Poison Oak	Willow
- Cattail	Nightshade, silverleaf	Poison Ivy	- Yellow Starthistle
- Cocklebur	Johnsongrass	Primrose	Yellow Nutgrass
	Kentucky Bluegrass	Purple Nutsedge	Zoysia

For additional weeds controlled by this product call 1-800-225-2883.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **READ ENTIRE LABEL. USE ONLY ACCORDING TO LABEL DIRECTIONS OBSERVING ALL PRECAUTIONS.**

WHEN TO USE

Use anytime weeds and grasses are actively growing. Most treated weeds usually show initial symptoms within 2 to 4 days and complete kill in 1 to 2 weeks. Roundup works best in warm sunny weather with daytime temperature above 60° F. For best results, apply when weeds are small and before seedheads have formed. Reapply, if it rains within 1 to 2 hours / soon after application. If hard-to-control weeds are not killed within 4 weeks, reapply.

WHERE TO USE

For General Weed Control: Use along fences, paths, patios, sidewalks and driveways, around trees, shrubs, and ornamental plantings and flower beds, around buildings, and in brick and gravel walkways. Use to trim and edge landscape areas. Do **NOT** use for spot weed control in lawns since Roundup kills all green plants, including lawn grass.

For Spot Spraying: Use on actively growing weeds in and around flower beds, ornamental trees, fruit and nut trees, grapevines, shrubs, fences, driveways and walkways. Spray when air is calm. Make sure Roundup does not contact the leaves, green stems, or exposed roots of plants you don't want to kill. If necessary, use cardboard or plastic to shield plants. Roundup will not move in or on the soil to untreated plants. If Roundup is used to control weeds around fruit or nut trees or grapevines, allow 21 days before eating the fruit or nuts.

6210

For Landscaping: Use to prepare areas for planting of ornamentals, trees, shrubs, desert landscapes, rock gardens, flower beds or similar plantings. Treated areas can be replanted 1 day after treatment.

For Wildlife Areas: Use to prepare areas for planting wildlife food. Exotic or undesirable plants can be controlled to allow for planting or recovery of native plant species. Spot treatments can be made to selectively remove unwanted plants. Be careful to keep spray off desirable plants.

For Lawn Renovation:

- Use Roundup to kill existing weeds and grasses including the old lawn.
- For best results, apply in Spring or Fall, when daytime temperatures are at least 60° F.
- Under dry conditions, water lawn every other day for a week before using Roundup
- Do not mow for 7 days before or after treatment.
- After 7 days, prepare the soil for planting by raking or rototilling the lawn. Rake up and remove loosened thatch or debris.
- Mix in starter fertilizer and other amendments, if needed. Level the soil.
- Apply seed according to directions on seed package, or install sod. Grass seed must have a good contact with soil to germinate and grow.
- Keep area moist for 2 weeks, to establish new lawn, then water as needed.

For Brush Control: Use when brush is green and growing. If plants are taller than 5 feet, cut back and spray regrowth. Brush sprayed in the fall may not be fully controlled until the following season. Hard-to-control species such as Blackberry, Kudzu, or Poison Oak may require a second application.

STUMP TREATMENT

Stumps can be treated to prevent regrowth. For best results, treat when the vegetation is actively growing and within 5 minutes of being cut down.

- Cut the stump close to the soil surface.
- Drive 4-5 nail holes into the stump.
- Flood the stump with undiluted product.

This treatment will control or suppress many types of woody brush and trees, such as alder, bluegum eucalyptus, madrone, oak, giant reed, saltcedar, sweetgum, and tan oak.

HOW TO USE

7210

IMPORTANT: Roundup is an all-purpose weed and grass killer which will kill almost all plants contacted. If necessary, use cardboard or plastic to shield desirable plants. If plants are accidentally sprayed, rinse off immediately with water. Spray when air is calm. Spray to evenly wet the weed.

To apply this product use

- Plastic, aluminum or stainless steel tank sprayer
- ORTHO DIAL' n SPRAY®
- ORTHO SPRAY-ETTE®
- Other hose-end sprayer recommended for weed killers
- Hand-trigger sprayer

Do not use or store solutions of this product in galvanized steel or unlined steel sprayers, or apply through any type of irrigation system or with a sprinkling can.

Rinse sprayer and flush all sprayer components with water 3 times after use. Spray rinse water on bare soil or gravel. After very thorough cleaning, sprayer may be used to apply other products.

Measuring Cap: To open, squeeze cap sides at the points indicated while unscrewing. The measuring cap has four levels indicated inside. The following table and the measuring cap should be used to determine the amount of Roundup you need. Close cap tightly after use. No need to rinse.

- Level 1 = 1 teaspoon (tsp)
- Level 2 = 1 Tablespoon (Tbs) = 3 tsp
- Level 3 = 1 fl oz (2 Tbs)
- Level 4 = 2 fl oz (4 Tbs)

APPLICATOR	MIXING INSTRUCTIONS General Weed Control Annuals	MIXING INSTRUCTIONS Tough Weed Control Perennials or Brush Lawn Renovation	AREA TO TREAT
Tank Sprayer	Fill cap to Level 2 three times (3 Tbs). Add to 1 gallon of water.	Fill cap to Level 2 five times (5 Tbs). Add to 1 gallon of water.	300 sq ft (30 ft x 10 ft)
ORTHO DIAL' n SPRAY® Hose- End sprayer	Fill cap to Level 2 three times (3 Tbs) and add to sprayer jar. DO NOT ADD WATER. Set dial to 1 1/2 oz and spray.	Fill cap to Level 2 five times (5 Tbs) and add to sprayer jar. DO NOT ADD WATER. Set dial to 2 1/2 oz and spray.	300 sq ft
ORTHO SPRAY-ETTE®	Fill cap to Level 4 three times (6 oz) and add to sprayer jar. Fill to the 4 gallon mark and spray.	Fill cap to Level 4 five times (10 oz) and add to sprayer jar. Fill to the 4 gal mark and spray.	1200 sq ft (30 ft x 40 ft)
Hand trigger sprayers	Fill cap to Level 1 two times (2 tsp). Add to 24 oz of water.	Fill cap to Level 2 one time (1 Tbs). Add to 24 oz of water.	Use for spot treatments or single weeds

[Alternative directions for use when measuring cap packaging is not used]

Use the following table to determine the amount of Roundup you need. Close cap tightly after use. No need to rinse.

- 1 teaspoon (tsp)
- 1 Tablespoon (Tbs) = 3 tsp
- 1 fl oz (2 Tbs)
- 2 fl oz (4 Tbs)

APPLICATOR	MIXING INSTRUCTIONS General Weed Control Annuals	MIXING INSTRUCTIONS Tough Weed Control Perennials or Brush Lawn Renovation	AREA TO TREAT
Tank Sprayer	Use 1 1/2 oz (3 Tbs) Roundup in 1 gal of water.	Use 2 1/2 oz (5 Tbs) Roundup in 1 gal of water.	300 sq ft (30 ft x 10 ft)
ORTHO DIAL 'n SPRAY® Hose-End sprayer	Add 1 1/2 oz (3 Tbs) Roundup to sprayer jar. DO NOT ADD WATER. Set dial to 1 1/2 oz and spray.	Add 2 1/2 oz (5 Tbs) Roundup to sprayer jar. DO NOT ADD WATER. Set dial to 2 1/2 oz and spray.	300 sq ft
ORTHO SPRAY-ETTE®	Add 6 oz Roundup to sprayer jar. Fill to the 4 gal mark and spray.	Add 10 oz Roundup to sprayer jar. Fill to the 4 gal mark and spray.	1200 sq ft (30 ft x 40 ft)
Hand trigger sprayers	Use 2 Tsp in 24 oz of water.	Use 1 Tbs in 24 oz of water.	Use for spot treatments or single weeds

This product can be used to refill Roundup Ready-To-Use Weed & Grass Killer.

RE-SEEDING AND REPLANTING IN SPRAYED AREAS

9/10

Ornamentals and Flowers - May be reseeded or replanted the next day.

Vegetables - To plant listed vegetables, wait 3 days after spraying, before seeding or transplanting. For tomato transplants or unlisted vegetables, wait 30 days after spraying.

beans	Crenshaw melon	mango melon	rhubarb
beet greens	cucumber	melons	rutabaga
broccoli	eggplant	muskmelon	spinach
Brussels sprouts	endive	mustard greens	summer squash
cabbage	garlic	okra	sweet potato
cantaloupe	gourds	onion	tomatillo
carrot	honeydew melon	rape greens	tomato*
cauliflower	honey ball melon	parsley	turnip
casaba melon	horseradish	parsnips	watercress
celery	Jerusalem artichoke	peas	watermelon
chard (Swiss)	kale	pepper	winter squash
chicory	kohlrabi	persian melon	yams
collards	leek	potato	
corn	lentils	pumpkin	
	lettuce	radish	

***Note:** Tomatoes planted from seed only. Wait 30 days for rooted transplants.

Small Fruits and Berries: The following listed crops may be planted by seed, rooted cutting, or transplant 7 days after spraying Roundup. For unlisted small fruit and berries, wait 30 days after spraying.

Blackberry, black raspberry, blueberry, boysenberry, currant, dewberry, elderberry, gooseberry, huckleberry, loganberry, olallieberry, and red raspberry.

Fruit and Nut Trees, Caneberries or Grapevines: If Roundup is used to control weeds around fruit or nut trees, caneberries or grapevines, allow 21 days before eating the fruits or nuts.

For tropical fruits or special ornamental plants call for specific information 1-800-225-2883

STORAGE AND DISPOSAL

STORAGE: Store this product only in its original container and in a secured storage area. Protect container from freezing. **DISPOSAL:** Securely wrap partially filled or empty container in several layers of newspaper and discard in trash. Do not reuse container. **SPILL OR LEAK:** In case of spill or leak, soak up spill with paper towels and discard in trash.

PRECAUTIONARY STATEMENTS Hazards to Humans & Domestic Animals

CAUTION: Causes eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

[Child/pet icon] People and pets may enter treated areas after spray has dried.

FIRST AID: IF IN EYES: Flush eyes with a plenty of water. Get medical attention if irritation persists.

Note to Physicians: Emergency Information call 1-800-454-2333

Environmental Hazards

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

NOTICE: BUYER ASSUMES ALL RESPONSIBILITY FOR SAFETY AND USE NOT IN ACCORDANCE WITH DIRECTIONS.

This product is protected by U.S. Patent No. 4,405,531. Other patents pending. No license granted under any non-U.S. patent(s).

REFORMULATION OR REPACKAGING FOR SALE IS PROHIBITED

☛ **Medical Information call 1-800-454-2333**
Product Information call 1-800-225-2883

©Trademark of Monsanto Company
©MONSANTO COMPANY 1996
The SOLARIS Group of Monsanto Company
P.O. Box 5008
San Ramon CA 94583-0808
Form 7-983-01 / Product
EPA Reg. No. 239-new *EALU*
EPA Est 239-IA-3¹, 524-LA-1⁴, 56100-LA-1⁶
Superscript is first letter of lot number
Made in USA