



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

November 13, 2025

Chris Zemanek
The Scotts Company/ The Ortho Group
P.O. Box 190
Marysville, OH 43040

Subject: Label Amendment - Registration Review Mitigation for Bifenthrin
Product Name: ORTHO HOME DEFENSE INDOOR & OUTDOOR INSECT
KILLER
EPA Registration Number: 239-2663
Case Number: 476136
Application Dates: February 18, 2021

Dear Chris Zemanek:

The Agency, in accordance with the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, has completed reviewing all the information submitted with your application to support the Registration Review of the above referenced product in connection with the Bifenthrin Interim Decision, and has concluded that your submission is acceptable. The label referred to above, submitted in connection with registration under FIFRA, as amended, is acceptable.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling and must be used at your next label printing. You must submit one copy of the final printed labeling before you release the product for

shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 12 months from the date of this letter. After 12 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

If you have any questions about this letter, please contact Samantha Thomas by phone at 202-566-2368, or via email at thomas.samantha@epa.gov.

Sincerely,

A handwritten signature in blue ink, reading "Cathryn Britton". The signature is fluid and cursive, with the first name "Cathryn" and last name "Britton" clearly distinguishable.

Cathryn Britton
Chief, Risk Management and Implementation
Branch V
Pesticide Re-evaluation Division (7508M)
Office of Pesticide Programs

ENCLOSURE: Stamped label

NOTE:

EPA Reg. No. 239-2663

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

Highlighted text is new. Strikethrough text is deleted

Ortho[®] Home Defense[®] Indoor & Outdoor Insect Killer

Alternate Brand Names:

- Ortho Home Defense Perimeter & Indoor Insect Killer Ready-To-Use
- Ortho Home Defense Indoor & Outdoor Insect Killer 5
- Ortho Home Defense MAX Perimeter & Indoor Insect Killer
- Home Defense MAX Perimeter & Indoor Insect Killer

[ICON] For Indoor Use Only/For Outdoor Use Only/ For Both Indoor & Outdoor Use

NOTE TO PM: One of the above options will appear on the FPL.

[ICON] Water Based

ACTIVE INGREDIENT:


Bifenthrin*.....0.05%

OTHER INGREDIENTS.....99.95%

TOTAL..... 100.00%

*Cis isomers 97% minimum, trans isomers 3% maximum

US Patent No. 4,238,505



KEEP OUT OF REACH OF CHILDREN

CAUTION See back panel booklet for additional precautionary statements.

NET/NETO 24 FL OZ (1 PT 8 FL OZ)/709 mL / XX FL OZ / XX mL/L

Optional Instructions for Booklet

[PEEL HERE]

[OPEN RESEALABLE LABEL FOR DIRECTIONS & PRECAUTIONS]

[PRESS TO RESEAL]

Optional Instructions for Side Clip Tape

PULL / PEEL HERE [TO REMOVE TAPE]

NOTE:

EPA Reg. No. 239-2663

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

Highlighted text is new. Strikethrough text is deleted

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

The maximum application rate is 1 fl oz of product per 6.2 sq ft / 128 fl oz (1 gallon) of product per 793.6 sq ft / 24 fl oz of product per 148.8 sq ft / X fl oz (X QT/PT/GAL) per X sq. ft. (0.23 lb bifenthrin per acre per application) when applied to lawns/turf.

NOTE TO PM: The X option is for accommodation of additional sizes and will be based on 1 fl oz per 6.2 sq ft rate.

All outdoor spray applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:

1. Application to pervious surfaces such as soil, lawn, turf, and other vegetation;
 2. Perimeter band treatments of 7 feet wide or less from the base of a man-made structure to pervious surfaces (e.g., soil, mulch, or lawn);
 3. Applications to underside of eaves, soffits, doors, or windows permanently protected from rainfall by a covering, overhang, awning, or other structure;
 4. Applications around potential exterior pest entry points into man-made structures such as doorways and windows, when limited to a band not to exceed one inch;
 5. Applications to vertical surfaces (such as the side of a man-made structure) directly above impervious surfaces (e.g., driveways, sidewalks, etc.), up to 2 feet above ground level;
 6. Applications to vertical surfaces directly above pervious surfaces, such as soil, lawn, turf, mulch or other vegetation) only if the pervious surface does not drain into ditches, storm drains, gutters, or surface waters.
- Spot treatments must not exceed two square feet in size (for example, 2 ft. by 1 ft. or 4 ft. by 0.5 ft.).
 - For soil or foliar applications, do not apply by ground within 25 feet of lakes, reservoirs, rivers, permanent streams, marshes or natural ponds, estuaries and commercial fish farm ponds.
 - Do not spray the product into fish pools, ponds, streams, or lakes. Do not apply directly to sewers or storm drains, or to any area like a drain or gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur.
 - Do not allow the product to enter any drain during or after application.
 - Do not apply directly to impervious horizontal surfaces such as sidewalks, driveways, and patios except as a spot or crack-and-crevice treatment.
 - Treat surfaces to ensure thorough coverage but avoid runoff.
 - To treat insects harbored in voids and cracks-and-crevices, applications must be made in such a manner to limit dripping and avoid runoff onto untreated structural surfaces and plants.
 - Do not make applications during rain. Avoid making applications when rainfall is expected before the product has sufficient time to dry (minimum 4 hours).
 - Rainfall within 24 hours after application may cause unintended runoff of pesticide application.
 - Do not apply or irrigate to the point of runoff.
 - Do not apply when the wind speed is greater than 15 mph.
 - Treat surfaces to ensure thorough coverage but avoid runoff.
 - To treat insects harbored in voids and cracks-and-crevices, applications must be made in such a manner to limit dripping and avoid runoff onto untreated structural surfaces and plants.



Do not allow to enter indoor or outdoor drains. No permita la entrada a desagües internos o externos.

Follow proper disposal procedures on this label. Siga las indicaciones del etiquetado para el desecho apropiado del producto.

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

Highlighted text is new. Strikethrough text is deleted

SPRAYER APPLICATOR LANGUAGE SECTION

Option 1 [QUICK CONNECT TRIGGER SPRAYER]/ [Applicator Name]Directions]

[QUICK CONNECT SPRAYER [TRIGGER SPRAYER] [Applicator Name] Directions]

-[Illustration 1] Remove sprayer. Pull cord ALL THE WAY OUT.

-[Illustration 2] Insert [color of plug] plug into spout (on cap) until it clicks.

-[Illustration 3] Flip up spout. Open nozzle at end of sprayer

----- ***End of Option 1*** -----

----- OPTION 2 [PNS II / PULL 'N SPRAY]/ SPRAYMASTER [Applicator Name] Directions] -----

Illustration # 1

- Remove sprayer from side carrier [holder] [clip] and unwrap hose completely.
- Insert [color of plug] plug at end of hose into [color of spout] spout on cap until it clicks.
- Flip up spout. [Spout must remain up while spraying.]

Illustration #2

- Point sprayer away from body.
- Grasp sprayer by the handle.
- Slowly pull ring at bottom of sprayer handle until it stops to ready the sprayer.
- [Hold for two (2) seconds to allow product to fill sprayer.]

Illustration #3

- Twist nozzle at end of sprayer to adjust spray pattern.

Illustration #4

- Press and hold button on sprayer to begin spraying.
- Pull ring at sprayer bottom again as needed to continue spraying.
- Use only for spot / perimeter treatment. Do not spray into the air.

[HOW TO APPLY/USE:][icon]

[Follow illustrations and instructions above. Twist nozzle at end of sprayer to desired spray pattern. Point sprayer away from body and press sprayer button to begin spraying. Pull ring at sprayer bottom again as needed to continue spraying.]

-----***End of Option 2***-----

-----OPTION 3 [BATTERY POWERED WAND] [COMFORT WAND][COMFORT SHOT WAND][APPLICATOR [APPLICATOR NAME] DIRECTIONS]-----

[APPLICATOR/ DEVICE/APPLICATOR NAME/ DIRECTIONS]

[1. Remove] Remove [applicator name] from side [carrier] [holder] [clip]. [Illustration #1&2]

- [Unwrap hose completely.]
- [Remove protective strip from battery compartment to activate batteries.]

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

Highlighted text is new. Strikethrough text is deleted

[2. Connect] Insert [color of plug] plug at end of hose into [color of spout] spout on cap until it clicks. Flip up spout. Spout must remain up while spraying. [Illustration #3]

[3. Extend] Flip open [applicator name] until it locks into position. [Illustration #4]

[4. Spray] Twist nozzle at end of [applicator name] to desired spray pattern. Ensure trigger lock is disengaged before spraying. Hold [color of trigger] trigger for continuous spray. [Illustration #5]

[HOW TO APPLY/USE:] [icon]

[Follow illustrations and instructions above. Twist nozzle at end of [applicator name] to desired spray pattern. Point [applicator name] away from body and hold [color of trigger] trigger for continuous spray. Release trigger to stop spray.]

[After Use: Twist nozzle to OFF position. [Engage trigger lock.] Flip the [applicator name] closed and store on the side [carrier] [holder] [clip].

Important Use Information: Do not submerge in water. When storing sprayer for long periods, remove batteries.

To replace batteries: Open battery compartment at bottom of [applicator name]. Remove used batteries and replace with four new AA batteries in correct position as marked per diagram inside battery compartment. Securely close battery compartment door. Always use a complete set of the same type when replacing batteries. Never mix alkaline, carbon-zinc or rechargeable batteries.

-----***End of Option 3***-----

---OPTION 4 [Pump 'n Go][EZ Sprayer][APPLICATOR [APPLICATOR NAME] DIRECTIONS]---

CUT [Illustration # 1]

1. Carefully cut the two [enter color] [white] zip ties securing the hose and pump handle with scissors. Use caution not to cut the [enter color] [white] hose.

CONNECT [Illustration #2]

2. Unwind hose. Firmly push the connector at the end of the hose onto the spout on the pump, until it locks into place.

EXTEND WAND [Illustration #3]

3. Lift sprayer wand off bottle. Push [enter color] [yellow] button while pulling out on the wand nozzle tip. Fully extend wand until [enter color] [yellow] button snaps into SPRAY position. NOTE: [Enter color] [White] trigger will not function until wand is fully extended and [enter color] yellow button is visible in the spray position,

PUMP [Illustration # 4]

4. [Make sure handle is screwed on TIGHTLY or the bottle will not pressurize.] Pump container 10-20 [X-X] times to pressurize bottle. A full bottle requires fewer pumps than an empty bottle. Pumping to the higher range will provide longer spray duration. After pumping, push pump down and turn handle clockwise to lock into carrying position. NOTE: This bottle is designed to expand under pressure and cannot be over-pressurized.

SPRAY [Illustration # 5]

5. Aim wand. Spray by pushing down [enter color] [white] trigger with thumb. Adjust spray pattern by rotating [enter color] [white] nozzle tip up to one-half rotation.

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

Highlighted text is new. Strikethrough text is deleted

STORE [Illustration # 6]

6. When finished spraying, push the [enter color] [yellow] button and push the wand until the [enter color] [yellow] button snaps back into the original storage position. Place wand back onto the bottle with nozzle facing down.

DEPRESSURIZE [Illustration # 7]

7. Push pump handle all the way down and turn pump handle and cap counter-clockwise to relieve pressure, then retighten prior to storing.

-----***End of Option 4***-----

----OPTION 5 [OTHER PUMP STYLE] [PUMP-N-SPRAY] [APPLICATOR (DEVICE) [APPLICATOR NAME] DIRECTIONS]----

1. TO USE [Illustration #1]

Remove wand from holster and pull the hose from the storage compartment. Turn the pump handle clockwise/counterclockwise to make sure the pump is tight [and push the pop-up pressure indicator completely down] before pumping.

2. TO PUMP [Illustration #2]

Turn the pump handle clockwise/counterclockwise to tighten, then slightly turn handle clockwise/counterclockwise to release handle for pumping. [Pump the sprayer] [until the pressure indicator pops up about an inch]. [That's your signal you are ready to spray.] Turn the pump handle clockwise/counterclockwise [one-quarter turn] to secure the handle for carrying.

3. TO SPRAY [Illustration #3]

Begin spraying by pushing the lever on the spray handle down. Rotate the nozzle at the tip of the wand to adjust spray from a stream to gentle mist. For continuous spraying, push the lever down and slide forward to lock. Pull back to release.

4. TO STORE [Illustration #4]

Slowly turn the pump handle clockwise/counterclockwise to untighten and release pressure [or turn pressure relief valve clockwise] until it snaps; once pressure is released, continue to turn until closed. Then turn back clockwise/counterclockwise to retighten the handle. Push the hose back into the storage compartment and put the wand back in holster.

Optional [Reuse and] Refill Directions

REFILL: This container may be refilled with [Ortho® Home Defense® Indoor & Outdoor Insect Killer [Product Name]]. To refill pour [Ortho® Home Defense® Indoor & Outdoor Insect Killer] [Product Name] into this container. DO NOT add water.

-----***End of Option 5***-----

-----Optional Troubleshooting Section for [Battery Powered] [Comfort Wand] [Comfort Shot Wand] [Pump 'N Go] [EZ Sprayer][Applicator [Applicator Name] Directions]-----

Troubleshooting Tips:

Problem: Sprayer does not spray [function].

Possible Cause: Batteries not installed properly.

Solution: See instructions for correct battery placement.

Problem: Sprayer makes a straining noise [Sprayer runs but nothing [no product] comes out].

Possible Cause: Nozzle is turned Off.

Solution: Turn nozzle to [desired] spray setting [position].

NOTE:

EPA Reg. No. 239-2663

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

Highlighted text is new. Strikethrough text is deleted

Possible Cause: [Red] [color] plug at end of hose is not flipped up.

Solution: Insert [color of plug] plug at end of hose into [color of spout] spout on cap until it clicks and flip up spout.

Possible Cause: Sprayer is not primed.

Solution: Press and hold button on sprayer for about X **(10 / 15 / 20 / 30)** seconds to prime the sprayer.

Problem: Spray pattern is weak [or uneven] [product flow is uneven or dribbles out of nozzle].

Possible Cause: Weak batteries.

Solution: Install a fresh set of batteries.

Possible Cause: [Red] [color of plug] plug at end of hose is not flipped up.

Solution: Insert [color of plug] plug at end of hose into [color of spout] spout on cap until it clicks. [Attach coupler to the cap] and flip up spout.

Possible Cause: Nozzle not fully open.

Solution: Turn nozzle to [desired] spray setting [position].

End of Optional Troubleshooting Section for [Battery Powered] [Comfort Wand] [Comfort Shot Wand] [Pump 'N Go] [EZ Sprayer][Applicator [Applicator Name] Directions]

| | Indoor Surfaces | Outdoor Surfaces |
|---|--|---|
| Before You Apply | <ul style="list-style-type: none"> - Cover or remove exposed food (including pet food). - Cover all food processing surfaces and utensils. | <ul style="list-style-type: none"> - Do not allow this product to contact water suppliers. - Do not spray into air. |
| How To Apply | <p>Shake Well. Set spray nozzle to indoor setting [sprayer icon]. Hold sprayer 12 inches from surfaces being sprayed. [Apply a 4 in band along the surfaces being treated.] [Apply a 4 in. band along the interior of your home in areas where insects are are-occurring problem.] Spray until slightly wet without soaking.</p> <p><i>Image of typical Indoor Application</i></p> <p>[Kitchens] [Bathrooms] [Doors & Windows] [Basements]</p> | <p>Shake Well. Set spray nozzle to outdoor [sprayer icon] setting Hold sprayer 12inches from surfaces being sprayed. [Apply a 12 in band along the surfaces being treated.] [Apply a 12 in. band along the exterior perimeter of your home. Spray until slightly wet without soaking.]</p> <p><i>Image of typical Outdoor Application</i></p> <p>[Perimeter Foundations] [Garages] [Doors & Windows] [Patios & Decks]</p> |
| After You Apply [Re-entry icon] | <ul style="list-style-type: none"> • People and Pets may re-enter treated areas after spray has dried. • Thoroughly wash all food processing surfaces and utensils with soap and water before reuse. • Repeat as needed. Re-treatment is recommended at least once per season. • For long lasting residual control/action leave spray undisturbed. The product will keep on killing for up to 12 months*. (* for listed pests indoors) | |
| Fleas & Ticks (Including ticks that may transmit Lyme Disease) | <p>Do not spray animals. Pets resting quarters may be treated with this product.</p> <p>How To Apply Spot treat infested areas including pet resting quarters and localized areas of floors/floor coverings (rugs, carpet, tile, vinyl & wood) where pests may be present. Old bedding of pets should be removed and replaced with clean, fresh bedding after treatment of the pet area. To control the source of flea infestation, pets inhabiting the treated premises should themselves be treated with a product registered for application to animals.</p> | |

Ants

Apply directly to ants and [ant] trails.

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

Highlighted text is new. Strikethrough text is deleted

STORAGE AND DISPOSAL

----- Option 1 for Trigger Sprayer [APPLICATOR NAME] -----

STORAGE AND DISPOSAL [trash can icon & storage illustration]

PESTICIDE STORAGE (illustration): Rotate nozzle to closed position [**or** turn sprayer nozzle to OFF [symbol]]. Close nozzle on trigger sprayer. Store product in original container in a safe place. Keep from freezing.

PESTICIDE DISPOSAL: If empty: Nonrefillable. Do not reuse or refill this container. Place in trash or offer for recycling if available. **If partly filled:** Do not pour or dispose down-the-drain or sewer. Call your local solid waste agency for local disposal options.

----- Option 2 [For NESTED TRIGGER SPRAYER [APPLICATOR NAME] -----

STORAGE AND DISPOSAL [Trash Can Icon & Storage Illustration]

PESTICIDE STORAGE (Illustration): Flip down [color of] spout to close. **NO NEED TO DISCONNECT**

TRIGGER SPRAYER. Close nozzle on trigger sprayer [Turn sprayer to “OFF” symbol]. Place sprayer back in side clip [carrier] [holder]. [Snap sprayer back in place.] Store product in original container in a safe place. Keep from freezing.

DISPOSAL: If empty: Nonrefillable. Do not reuse or refill this container. Place in trash or offer for recycling if available. **If partly filled:** Do not pour or dispose down-the-drain or sewer. Call your local solid waste agency for local disposal options.

----- Option 3 [For PNS II/PULL 'N SPRAY II/SPRAYMASTER (1.33 GAL)] -----

STORAGE AND DISPOSAL [Trash Can Icon & Storage Illustration]

PESTICIDE STORAGE: Completely discharge/dispense product in sprayer prior to storage. Twist sprayer nozzle to the OFF position. Flip down [color of spout] spout on cap. **NO NEED TO DISCONNECT SPRAYER HOSE FROM CAP.** Place sprayer back inside carrier on bottle with the nozzle facing down. Store this product in its original container, in a secure area. Protect container from freezing.

PESTICIDE DISPOSAL: If empty: Non-refillable. Do not reuse or refill this container. Place in trash or offer for recycling if available. **If partly filled:** Do not pour or dispose down-the-drain or sewer. Call your local solid waste agency for local disposal options.

Option 4 for [BATTERY POWERED WAND] [COMFORT WAND] [COMFORT SHOT WAND] [APPLICATOR NAME]

STORAGE AND DISPOSAL [Illustration] [Icon]

PESTICIDE STORAGE: Flip down [color of spout] spout on cap. **NO NEED TO DISCONNECT SPRAYER HOSE FROM CAP.** Completely discharge/dispense product in sprayer prior to storage. Twist sprayer nozzle to the OFF position. [Engage trigger lock.] Flip the [applicator name] wand closed and place [sprayer] back inside carrier [clip] [holder]. Store this product in its original container, in a secure area. Protect container from freezing.

PESTICIDE DISPOSAL: If empty: Non-refillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. **If partly filled:** Do not pour or dispose down-the-drain or sewer. Call your local solid waste agency for local disposal options.

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

Highlighted text is new. Strikethrough text is deleted

Option 5 for PUMP 'n GO [EZ SPRAYER] [APPLICATOR NAME]

STORAGE AND DISPOSAL [Illustration] [Icon]

PESTICIDE STORAGE: When finished spraying, push the [enter color] [yellow] button and push the wand until the [enter color] [yellow] button snaps back into the original storage position. Place wand back onto the bottle with nozzle facing down. Push pump handle all the way down and turn pump handle and cap counter-clockwise to relieve pressure, then retighten prior to storing. Store this product in its original container, in a secure area. Protect container from freezing.

PESTICIDE DISPOSAL: Non-refillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Do not pour or dispose down-the-drain or sewer. Call your local solid waste agency for local disposal options.

Option 6 [OTHER PUMP STYLE][PUMP-N-SPRAY]

STORAGE AND DISPOSAL [Illustration] [Icon]

PESTICIDE STORAGE: Slowly turn the pump handle clockwise/counterclockwise to untighten and release pressure [or turn pressure relief valve clockwise] until it snaps; once pressure is released, continue to turn until closed. Then turn back clockwise/counterclockwise to retighten the handle. Push the hose back into the storage compartment and put the wand back in holster. Keep from freezing. Keep pesticide in original container.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Do not reuse or refill this container unless the directions for use allow refill according to the directions contained on the REFILL section. See the REFILL section for details. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Do not pour or dispose down-the-drain or sewer. Call your local solid waste agency for local disposal options.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals [Icon] Exclamation point

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

FIRST AID:

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

Note To Physician: Emergency information call 1-877-465-5161

ENVIRONMENTAL HAZARDS: This pesticide is extremely toxic to fish and aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

NOTE:

EPA Reg. No. 239-2663

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

Highlighted text is new. Strikethrough text is deleted

Drift and run-off from treated areas may be hazardous to aquatic organisms in neighboring areas. Care should be used when spraying to avoid fish and reptile pets in/around ornamental ponds. This product is highly toxic to bees exposed to direct treatment or residues on blooming plants. Do not apply this product or allow it to drift to blooming plants if bees are visiting the treatment area.

PHYSICAL OR CHEMICAL HAZARDS: Do not apply this product in or on electrical equipment due the possibility of shock hazard.

NOTICE: To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

††The Ortho® Guarantee: If for any reason you, the consumer, are not satisfied with this product, mail us your original, proof of purchase to obtain a full refund of your purchase price.

Questions, Comments or Medical Information

1-800-225-2883 www.ortho.com

© 20XX The ORTHO Group. World rights reserved.

Manufactured for [by] /Sold by / Distributed by:

The ORTHO Group

P.O. Box 190

Marysville, OH 43040

EPA Reg. No. 239-2663

EPA Est. 239-IA-3^I, 84064-IA-001^P, 58996-MO-1^A, 239-MS-1^M

Superscript is first letter of lot number

Made in USA

NOTE:

EPA Reg. No. 239-2663

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

Highlighted text is new. Strikethrough text is deleted

Optional Marketing Claims:

Kills Bugs Inside

Keeps Bugs Out!

GUARANTEED^{††}

Ready To Use

Creates a barrier that will kill the listed bugs you have and prevent new listed bugs from coming in all season.

Up to 12 month control indoors*

*For listed insects: Crickets, Spiders (excluding Black Widow and Brown Recluse), Carpet Beetles, Earwigs, Firebrats, Moths and Silverfish.

Kills by Contact

Non-Staining

No Stains

Does Not Stain

No Sticky Mess

Virtually Odor Free

Odor Free

Odorless

Fast Acting Plus Long Residual

Non-staining

INDOOR SURFACES

[Illustration depicting indoor surfaces]

Indoor Surfaces: Apply a 4-inch band along the surfaces being treated

OUTDOOR SURFACES

[Illustration depicting outdoor surfaces]

Outdoor Surfaces: Apply a 12-inch band along the surfaces being treated

KILLS LISTED HOME INVADING INSECTS

Kills Roaches, Ants, Fleas, Ticks, Spiders, Earwigs, Silverfish, and other listed insects. Up to 12-month control indoors for listed insects: Crickets, Spiders (excluding Black Widow and Brown Recluse), Carpet Beetles, Earwigs, Firebrats, Moths and Silverfish.

GRAPHIC- PULL 'N SPRAY®

NO HAND FATIGUE!

CONTINUIOUS ADJUSTABLE SPRAY(Optional)

PNS/PNS II / PULL 'N SPRAY II / SPRAYMASTER™

HomeDefense™ Indoor &Outdoor Insect Killer 5 in the patented PNS/PNS II / Pull 'N Spray II / SprayMaster™ Delivery system is the fast and easy way to kill pests and create a barrier around your home. It gives all the advantages of a trigger sprayer without tiring out your hand.