# ORTHO® WEED B GON®LAWN WEED KILLER3

- Kills Weeds Not Lawns
- Kills Dandelion, Clover & Other Broadleaf Weeds
- Now Faster Acting

23

Rain-Proof in Hours

(See Appendix for additional claims)

#### CONCENTRATE

Active Ingredients Mecoprop, dimethylamine salt ......... 10.60% 2,4-D, dimethylamine salt ...... 3.05% Dicamba, dimethylamine salt ..... 1.30% Other Ingredients ......85.05%

# KEEP OUT OF REACH OF CHILDREN

CAUTION See back panel booklet for additional precautionary statements.

NET 16 FL OZ (1 PT) 473 mL 32 FL OZ (1 QT) 946 mL 1.58 L (.42 GAL) 53 FL OZ 1/2 GAL / 1.89 L 1 GAL / 3.78 L

[icon] WATER BASED

# ACCEPTED

MAR 26 1998

Under the Federal Insecticide Fungicido, and Rodonticido Ac as amended, for the posticide

#### **OPEN**

Resealable Label for Directions & Precautions PRESS TO RESEAL

Kills weeds in your lawn - won't harm lawn grasses. Weed-B-Gon singles out weeds, enters through leaves and moves inside the weed to the roots.

ļ	PRODUCT	FACTS		
,	Treats up to 6,400 sq ft (approx. size of 3 tennis courts) [pt]			
1	Treats up to	o 12,800 sq ft (approx. size of 6 tennis courts) [qf]		
	Treats up to	o 21,200 sq ft (approx. size of 10 tennis courts) [.42 gal]		
1	Treats up to	o 25,600 sq ft (approx. size of 12 tennis courts) [half gal]		
ı	Treats up to 51,200 sq ft (approx. size of 24 tennis courts) [gal]			
	KILLS	Dandelion, Clover, Chickweed [illustration]		
	WEEDS	plus over 80 additional broadleaf weeds		
	WHERE	ON LAWNS [illustration]		
	TO USE	without harming lawn grasses		
١	AMOUNT	Bent, Buffalo, Centipede & St. Augustine (EXCEPT Floratam):		
TO USE 1 fl oz (2 Tbs) / gal of water / 400 sq ft				
		(OR Optional Coverage Rate) ½ fl oz (1 TBS) / gal of water / 200 sq ft		
		Bahia, Bermuda, Fescues, Kentucky Blue, Perennial Rye & Zoysia:  2 fl oz (4 Tbs) / gal of water / 400 sq ft		
		(OR Optional Coverage Rate) 1 fl oz (2 TBS) / gal of water / 200 sq ft		
	<b>2</b>	Questions, Comments or Medical Information call 1-800-225-2883 http://www.ortho.com		

#### THIS PRODUCT CONTAINS:

0.75 lb. 2-(2-methyl-4-chlorophenoxy) propionic acid equivalent per gallon or 8.76% 0.22 lb. 2,4-Dichlorophenoxyacetic acid equivalent per gallon or 2.53% 0.093 lb. 3,6-dichloro-o-anisic acid equivalent per gallon or 1.08% Isomer Specific by AOAC Method 6.DO1-5.

# STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### MIXING INSTRUCTIONS

**FOR SENSITIVE LAWNS:** Bentgrass, Buffalograss, Centipedegrass & St. Augustinegrass (EXCEPT Floratam\*)

Amount to Use: 1 fl oz (2 Tbs) per gallon of water for each 400 sq ft

• [icon] When using Ortho® Dial 'n Spray®: Set dial to 1 oz. Add 2½ fl oz (5 Tbs) to sprayer jar. DO NOT ADD WATER. Spray evenly over 1,000 sq ft until jar is empty.

\* Floratam is a variety of St. Augustinegrass widely grown in Florida.

FOR HARDY LAWNS: Bahiagrass, Bermudagrass, Fescues, Kentucky Bluegrass, Perennial Ryegrass & Zoysiagrass

Amount to Use: 2 fl oz (4 Tbs) per gallon of water for each 400 sq ft

• [icon] When using Ortho® Dial 'n Spray®: Set dial to 2 oz. Add 5 fl oz (10 Tbs) to sprayer jar. DO NOT ADD WATER. Spray evenly over 1,000 sq ft until jar is empty.

1 Tablespoon (Tbs) = 3 teaspoons (tsp)

1 fl oz = 2 Tbs

(OPTIONAL MIXING INSTRUCTIONS - FOR 1 GAL/200 SQ FT COVERAGE RATE)

#### MIXING INSTRUCTIONS

**FOR SENSITIVE LAWNS:** Bentgrass, Buffalograss, Centipedegrass & St. Augustinegrass (EXCEPT Floratam\*)

Amount to Use: 1/2 fl oz (1 Tbs) per gallon of water for each 200 sq ft

- [icon] When using Ortho® Dial 'n Spray®: Set dial to 1 Tbs. Add 2½ fl oz (5 Tbs) to sprayer jar. DO NOT ADD WATER. Spray evenly over 1,000 sq ft until jar is empty.
- \* Floratam is a variety of St. Augustinegrass widely grown in Florida.

FOR HARDY LAWNS: Bahiagrass, Bermudagrass, Fescues, Kentucky Bluegrass, Perennial Ryegrass & Zoysiagrass

Amount to Use: 1 fl oz (2 Tbs) per gallon of water for each 200 sq ft

 [icon] When using Ortho® Dial 'n Spray®: Set dial to 1 oz. Add 5 fl oz (10 Tbs) to sprayer jar. DO NOT ADD WATER. Spray evenly over 1,000 sq ft until jar is empty.

FOR BEST RESULTS				
MEASURE [icon / walking man]	<ul> <li>To treat entire lawn (broadcast application): Use a tank of hose-end sprayer. Measure lawn. Calculate square feet by multiplying length times width. Spray evenly over measured area.</li> <li>To spot treat individual weeds in lawns: Use a tank sprayer.</li> </ul>			
MOW [optional row] [illustration]	Do not mow for 1 to 2 days before or after application.			
WATER [illustration]	<ul> <li>If soil is dry, water 1 to 2 days before application.</li> <li>Rain or watering 6 hours after application will not wash away effectiveness.</li> </ul>			

۱	WHEN TO APPLY
	[illustration]

- Spray when weeds are small and actively growing.
- [Spray when] temperature is below 90<sup>0</sup>F.
- [Spray when] air is calm to avoid spray drift onto landscape plants as contact with foliage may injure flowers, shrubs, trees and other desirable plants.
- Reapplication can be made in 2 to 3 weeks if necessary.
- Newly seeded lawn can be sprayed after first mowing.
- Bare spots can be planted with grass seed 1 week after application.

#### **IMPORTANT**

If an ornamental shrub or tree is in the lawn, keep spray off foliage and exposed roots. St. Augustinegrass, Centipedegrass or Bermudagrass lawns may have delayed green-up if this product is used when lawns are emerging from dormancy or when temperature drops below 45° F within 72 hours of application. Do not spray Carpetgrass, Dichondra or desirable clovers. Do not use on or around fruits, vegetables or flowers. The maximum number of broadcast applications per treatment site is 2 per year. Do not exceed specified dosages for any area.

#### **HOW IT WORKS**

Because broadleaf weeds and grasses grow differently, Weed-B-Gon® kills broadleaf weeds without harming lawns. Weed-B-Gon singles out weeds, enters through leaves and moves inside the weed to the roots.

### WEEDS [icon]

Annual Aster, Bedstraw, Beggarweed, Bindweed, Bittercress, Black Medic, Brassbuttons, Broadleaf Plantain, Buckhorn, Bull Thistle, Burdock, Bur Clover, Burweed, Buttercup, Buttonweed, Carolina Geranium, Carpetweed, Catsear, Chicory, Chickweed, Cinquefoil, Clover, Cocklebur, Common Chickweed, Cudweed, Curly Dock, Dandelion, Dock, English Daisy, False Dandelion, Florida Pusley, Galinsoga, Geranium, Ground Ivy, Hairy Fleabane, Hawkweed, Healall, Henbit, Knawel, Knotweed, Lambsquarters, Lespedeza, Mallow, Matchweed, Morningglory, Mouseear Chickweed, Musk Thistle, Mustard, Narrowleaf Plantain, Oxalis, Pennsylvania Smartweed, Pennywort (Creeping Charlie), Peppergrass, Pigweed, Piney Woods Bedstraw, Plantain, Poison Ivy, Poison Oak, Prickly Lettuce, Prostrate Spurge, Puncture Vine, Purslane, Ragweed, Red Clover, Red Henbit, Scarlet Pimpernel, Sheep Sorrel, Shepherdspurse, Sowthistle, Speedwell, Spotted Spurge, Spurge, Tansy Mustard, Thistle, Velvetleaf, White Clover, Wild Carrot, Wild Garlic, Wild Lettuce, Wild Onion, Wild Strawberry, Yarrow & other broadleaf weeds

## STORAGE AND DISPOSAL [icon]

STORAGE: Store in original container in a locked storage area inaccessible to children or pets. Keep from freezing.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash.

## PRECAUTIONARY STATEMENTS [icon]

#### HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid contact with eyes, skin or clothing. Wear face shield or goggles when mixing, loading or applying this product. When using this product, wear long-sleeved shirt, long pants, socks, shoes and rubber gloves. Personal Hygiene Statements: After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment area until spray has dried.

FIRST AID: IF IN EYES: Immediately flush eyes with plenty of water. Get medical attention if irritation persists. IF ON SKIN: Wash with plenty of soap and water. Get medical attention. Note to Physician: Emergency information call 1-800-225-2883.

ENVIRONMENTAL HAZARDS: This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Do not apply when weather conditions favor drift from target area. When cleaning equipment, do not pour the washwater on the ground; spray or drain over a large area away from wells and other water sources. Most cases of groundwater contamination involving phenoxy herbicides such as 2,4-D and MCPP have been associated with mixing/loading and disposal sites. Caution should be exercised when handling 2,4-D and MCPP pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing or transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

**NOTICE**: Buyer assumes all responsibility for safety and use not in accordance with directions.

© Monsanto Company		
SOLARIS®	:	* t + c t
Manufactured for The SOLARIS Group of Monsanto Company	4 1 1 2 2 4	*
P.O. Box 5008 San Ramon CA 94583-0808 Form	11111 1 11	
EPA Reg. No 239 <del>-new</del> <i>FAAL</i> EPA Est. 239-IA-3 <sup>1</sup> , 58996-MO-1 <sup>A</sup>	(1:(1	<b>,</b>
Superscript is first letter of lot number Made in USA		(

#### **APPENDIX**

- These claims may be presented on the retail container label or on the labeling accompanying the product.
- ◆ Kills Dandelion, Chickweed, Knotweed, Plantain, Henbit, Spurge and many other broadleaf lawn weeds.
- Kills weeds not lawn grasses.
- ♦ Kills weeds not lawns
- ♦ For Lawns Containing Kentucky Bluegrass, Fescues, Bentgrass, Perennial Ryegrass, Bermudagrass, Bahiagrass, Centipedegrass, Zoysiagrass, St. Augustinegrass, and Buffalograss.
- Can be applied with hose-end or pump-up (tank) sprayers.
- ♦ Kills broadleaf weeds roots and all.
- For northern and southern grasses.
- Won't harm lawn grasses shown on container label.
- ♦ Won't harm lawn grasses
- Kills weeds in your lawn.
- Formulated for use on northern and sensitive southern lawns.
- Kills all major broadleaf lawn weeds: List of the weed species.
- Helps provide a beautiful lawn.
- For cool and warm season lawn grasses
- (Brand Name) kills all major broadleaf lawn weeds including dandelion, chickweed, knotweed, in lawns without harming lawn grasses.
- ◆ For use on grass lawns especially Kentucky Bluegrass, Fescues, Perennial Ryegrass, Bentgrass, Bermudagrass, Bahiagrass, Centipedegrass, Zoysiagrass, St. Augustinegrass, and Buffalograss.
- ◆ A Trimec<sup>®</sup> Turf Herbicide Formulation.
- Controls Dandelion, Chickweed, Knotweed, Plantain, Henbit, Spurge and many other broadleaf lawn weeds including those shown on the side panel.
- ◆ "One Quart Covers Up To 12,800 Square Feet" or "One Pint Covers Up To 6,400 Square Feet".
- Can be applied with hose-end and tank sprayers.
- Makes up to \_\_\_\_\_ gallons of spray.
- Now for northern and southern lawns.
- New/now (Brand Name) kills over 100 more weeds.
- ♦ Now kills over 2 times/twice as many weeds.
- Water based.
- Improved package.
- Easy pour spout.
- + Low odor formula.
- Improved low odor formula.
- \* Low odor.
- New formula for northern and southern grasses/lawns.
- ◆ Kills all major broadleaf weeds including Dandelion, Clover, Oxalis, Chickweed, Knotweed Plantain, Henbit, Spurge and others.
- Concentrate

- ♦ Now faster results
- ♦ Now fast acting
- ♦ Rain-Fast in hours
- ♦ For control that doesn't/won't wash away/off.
- Effective even with rain in 6 hours.
- Specially formulated for residential use.
- ◆ Does not harm lawn when used properly
- ♦ Kills Lawn Weeds, Not The Lawn