



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Cheryl H. Prinster
The Scotts Company d/b/a
14111 Scottslawn Road
Marysville, OH 43041

SEP 4 2009

Subject: Label Notification(s) for Pesticide Registration Notice 2007-4 and 98-10

1. Updated directions for use
2. Other minor changes
3. Deleted and added pest

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 and 98-10 dated June 29, 2009 for:

EPA Registration 239-2665

Ortho Weed B Gon Lawn Weed Killer₃

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-4 and 98-10 and finds that the label change(s) requested falls within the scope of PRN-2007-4 and 98-10. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Nicole Williams of my staff at 703-308-5551.

Sincerely,

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 05-31-98

EPA United States Environmental Protection Agency Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number 2392665LBI20090629
---	--	---

Application for Pesticide - Section I

1. Company/Product Number 239-2665 4. Company/Product (Name) The Ortho Group / Ortho Weed-B-Gon Lawn Weed Killer ₃	2. EPA Product Manager Joanne Miller PM# PM-23	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
5. Name and Address of Applicant (Include ZIP Code) The Scotts Company d/b/a The Ortho Group P.O. Box 190 Marysville, Ohio 43040 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(I), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section II

<input type="checkbox"/> Amendment - Explain below. <input type="checkbox"/> Resubmission in response to Agency letters dated. <input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated XX-JXX-XX <input type="checkbox"/> "Me Too" Application <input type="checkbox"/> Other - Explain below.
--	--

NOTIFICATION
SEP - 4 2009

Explanation: Use additional page(s) if necessary. (For section I and Section II.)
Notification of general label revisions per PR Notices 98-10, 2007-4 and 83-3. Please refer to cover letter dated 06/25/09 for certification statement and details of label revisions.

Section III

1. Material This Product Will Be Packaged In:			
Child-Resistant Packaging <input checked="" type="checkbox"/> Yes* <input type="checkbox"/> No *Certification must be submitted	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If "Yes" Unit Packaging wgt. No. per Container	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If "Yes" Package wgt. No. per Container	2. Type of Container <input type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) Plastic Bag
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container	4. Size(s) Retail Container 5 oz, 16 oz, 32 oz	5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input checked="" type="checkbox"/> Other <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			

Section IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Cheryl H. Prinster	Title Senior Scientist	Telephone No. (Include Area Code) (937) 644-7296
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature The Scotts Company BY: <i>Cheryl H. Prinster</i>	3. Title Senior Scientist, Regulatory Affairs	
4. Typed Name Cheryl H. Prinster	5. Date: June 29, 2009 Revised per Agency Request: 8/4/09	



174

The Scotts Company LLC

and Subsidiaries

June 29, 2009

Ms. Joanne Miller
Document Processing Desk
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 S. Crystal Drive
Arlington, VA 22202

Re: Application for Label Notification
Ortho Weed B Gon Lawn Weed Killers
EPA Reg. No. 239-2665

Dear Ms. Miller:


The Scotts Company d/b/a The Ortho Group respectfully requests the approval of the attached Application for Pesticide Registration for a Notification of general label revisions. Included with this cover letter are the following:

- Completed Application for Pesticide Registration/Amendment (Form 8570-1)
- One highlighted version of the master label
- Two clean copies of the master label.
- Copies of Agency correspondence

We have revised our master label to reflect all of the changes requested in letters from the Agency dated September 8 and September 22, 2008. We would also like to take this opportunity to request minor changes via notification in accordance with PR Notices 98-10, 2007-4 and 83-3. We are submitting the revised master label for your review. One copy has been highlighted. The green highlights indicate changes required by the September 2008 letters. The text highlighted in yellow is the subject of this Notification.

In addition to the changes requested in the letter we have made non-notification changes to correct a formatting error that resulted in Storage and Disposal appearing under the Precautionary Statement heading. This did not occur on any final printed labeling and the correction is reflected on the attached master label. We are also correcting the term "application" which appears twice on

14111 Scottslawn Road
Marysville, Ohio 43041
Direct line: 937-644-7296
Facsimile: 937-578-7075
Email: Cheryl.Prinster@Scotts.com



page 3 in the paragraph beginning with "The maximum..." Per an email from Erik Kraft, we are changing the sentence to read "The maximum yearly rate is 10 fl oz of product per 1,000 sq ft. (0.74 lb 2,4-D acid equivalent per acre). A copy of the email is enclosed.

The letter dated September 22, 2008 requested that we revise the Storage and Disposal section as per PR Notices 2007-4 and 83-3. The section includes the prescribed container language and we have updated the headings.

PR Notice 98-10 – Directions for Use: Addition of Tables

On page 5 of the accepted labels there is an "Optional For Best Results Table". We realize that much of the information in the table is required and believe that it is misleading to refer to the entire table as optional. In order to ensure that the necessary statements are not inadvertently considered to be optional, we have clarified the table and added the information in a non-tabular format. The statement [To spot treat individual weeds in lawns: Use a tank sprayer] is an optional statement in the section with the "MEASURE" header. Likewise the "To treat entire lawn (broadcast application) and "Use a tank or hose end sprayer" are optional. These statements will not be used in the Best Results section if they are previously stated in the directions for use. Nor will they be used if the referenced application method does not appear on the specific product label. We have changed the table header to state "Optional Table Format" and we have placed brackets around the headers to indicate that they are optional.

PR Notice 98-10 – Other Revisions

On page 2 we have copied one of our optional claims from the back panel and included it with the optional statement which appears before the product facts box. This more accurately represents the placement of the claims on product labels. On page 1 we have also added the optional word [Contents] to allow the option of stating either Net or Net Contents which are both identified as acceptable by EPA. On page 3 we placed brackets around the "Amount to Use" headings.

PR Notice 98-10 – Adding or Deleting Pests

We are deleting several weeds which we no longer choose to support. The new weed list from the main part of the label will also replace the weed list on the Label Subset A.

PR Notice 98-10 – Directions for Use: Changes in Mixing Directions

On page 5 we have added an option to refill a 1.33 gallon container with a 5 fl oz concentrate and 123 fl oz water to make one gallon of solution. The concentration remains the same and the application rates are not affected by this option. We have also clarified the headings on our Optional Directions for Use sections to better describe the containers to which they pertain and deleted the reference to "Singles" which is an ABN which we are not currently marketing. The same directions would be appropriate for a 5 fl oz concentrate.

In your letter dated September 22, 2008, you asked that we delete a number of claims and that we modify others. We have addressed each of the claims you cited and have either deleted the entire claim or deleted the objectionable language. All of these changes are highlighted.

NOTE: *Bold, italicized text is information for the reader and is not part of the label.*
[Bracketed information is optional text.]

6
17

ORTHO® WEED B GON®LAWN WEED KILLER₃

- ABN:** [Ortho® Weed-B-Gon® Weed Killer For Lawns]
- ABN:** [Ortho® Weed-B-Gon® Concentrate]
- ABN:** [Ortho® Weed-B-Gon® Concentrate for Southern Lawns]
- ABN:** [Ortho® Weed-B-Gon® Max Concentrate Singles]

[CONCENTRATE]

NOTIFICATION

[/icon] [Use with [Ortho®] Dial-N-Spray® or Tank Sprayers]

SEP - 4 2009

(Optional Marketing Claims)

- Kills Weeds, Not Lawns
- Kills Dandelion, Clover & Other Broadleaf [Lawn] Weeds* [see back]
- Rain-Proof in 2-Hours

(See Appendix for list of additional, optional marketing claims)

Active Ingredients

Mecoprop-p, dimethylamine salt *	5.30%
2,4-D, dimethylamine salt**	3.05%
Dicamba, dimethylamine salt***	1.30%
Other Ingredients	90.35%

*(+)-(R)-2-(2-methyl-4-chlorophenoxy) propionic acid equivalent to 4.38%

**2,4-Dichlorophenoxyacetic acid equivalent to 2.53%

***3,6-dichloro-o-anisic acid equivalent to 1.08%

Isomer Specific by AOAC Method 6.DO1-5.

KEEP OUT OF REACH OF CHILDREN

CAUTION See back panel booklet for additional precautionary statements.

NET [CONTENTS] 16 FL OZ (1 PT) 473 mL
 32 FL OZ (1 QT) 946 mL
 1.58 L (.42 GAL) 53 FL OZ
 ½ GAL / 1.89 L
 1 GAL / 3.78 L
 5 FL OZ / 148 MI
 [([4] [3] [2] [1] – 5 FL OZ CONTAINERS)]


NOTE: *Bold, italicized text is information for the reader and is not part of the label.*
[Bracketed information is optional text.]

7
17

[OPEN]
[Resealable Label
for Directions & Precautions]
[PRESS TO RESEAL]

- ◆ [Kills weeds in your lawn - won't harm lawn grasses. [Brand Name] singles out weeds, enters through leaves and moves inside the weed to the roots.] [Rainproof in 2 hours – so it [the weed killing power] won't wash away.]

Optional "Product Facts Table"

PRODUCT FACTS <i>Select appropriate product option</i> Treats up to 6,400 sq ft (approx. size of 3 tennis courts) [pf] Treats up to 12,800 sq ft (approx. size of 6 tennis courts) [qf] Treats up to 21,200 sq ft (approx. size of 10 tennis courts) [.42 gal] Treats up to 25,600 sq ft (approx. size of 12 tennis courts) [half gal] Treats up to 51,200 sq ft (approx. size of 24 tennis courts) [gal]	
KILLS WEEDS	Dandelion, Clover, Chickweed [illustration] plus additional [many other] broadleaf [lawn] weeds*
WHERE TO USE	ON LAWNS [illustration] without harming lawn grasses
AMOUNT TO USE	Bent, Buffalo, Centipede & St. Augustine (EXCEPT Floratam) (Do not use on Floratam): 1 fl oz (2 Tbs) / gal of water / 400 sq ft (OR Optional Coverage Rate) ½ fl oz (1 TBS) / gal of water / 200 sq ft <hr/> Bahia, Bermuda, Fescues, Kentucky Blue, Perennial Rye & Zoysia: 2 fl oz (4 Tbs) / gal of water / 400 sq ft (OR Optional Coverage Rate) 1 fl oz (2 TBS) / gal of water / 200 sq ft
	Questions, Comments or Medical Information call 1-800-225-2883 http://www.ortho.com

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Application Restrictions: Do not apply this product in a way that will contact any person or pet, either directly or through drift.

[ICON] Keep people and pets out of the area during application.

15/8

Do not allow people or pets to enter the treated area until sprays have dried.

Do not use this product on or near desirable plants, including within the dripline of the roots of desirable trees and shrubs, since injury may result.

Do not apply as a fine mist because of potential injury to desirable plants.

Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays and oceans. Do not apply when windy. To prevent product run-off, do not over water the treated areas(s) to the point of runoff or apply when raining or when rain is expected that day. Rinse applicator over lawn or garden area only.

The maximum application rate is 5 fl oz of product per 1,000 sq ft per application (0.37 lb 2,4-D acid equivalent per acre per application). The maximum number of broadcast applications is limited to 2 per year. The maximum yearly rate is 10 fl oz of product per 1,000 sq ft. (0.74 lb 2,4-D acid equivalent per acre).

Personal Hygiene Statements: After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower.

[MIXING] INSTRUCTIONS

FOR SENSITIVE LAWNS: Bentgrass, Buffalograss, Centipedegrass & St. Augustinegrass (EXCEPT Floratam*) (Do not use on Floratam*)

[Amount to Use:] 1 fl oz (2 Tbs) per gallon of water for each 400 sq ft

- [icon] When using **Ortho® Dial 'n Spray®**: Set dial to 1 oz. Add 2½ fl oz (5 Tbs) to sprayer jar. **DO NOT ADD WATER.** Spray evenly over 1,000 sq ft until jar is empty.

* Floratam is a variety of St. Augustinegrass widely grown in Florida.

FOR HARDY LAWNS: Bahiagrass, Bermudagrass, Fescues, Kentucky Bluegrass, Perennial Ryegrass & Zoysiagrass

[Amount to Use:] 2 fl oz (4 Tbs) per gallon of water for each 400 sq ft

- [icon] When using **Ortho® Dial 'n Spray®**: Set dial to 2 oz. Add 5 fl oz (10 Tbs) to sprayer jar. **DO NOT ADD WATER.** Spray evenly over 1,000 sq ft until jar is empty.

(OPTIONAL MIXING INSTRUCTIONS – FOR 1 GAL/200 SQ FT COVERAGE RATE)

[MIXING] INSTRUCTIONS
<p>FOR SENSITIVE LAWNS: Bentgrass, Buffalograss, Centipedegrass & St. Augustinegrass (EXCEPT Floratam*) (Do not use on Floratam)</p> <p>Amount to Use: 1/2 fl oz (1 Tbs) per gallon of water for each 200 sq ft</p> <ul style="list-style-type: none">[icon] When using Ortho® Dial 'n Spray®: Set dial to 1 Tbs. Add 2½ fl oz (5 Tbs) to sprayer jar. DO NOT ADD WATER. Spray evenly over 1,000 sq ft until jar is empty. <p>* Floratam is a variety of St. Augustinegrass widely grown in Florida.</p>
<p>FOR HARDY LAWNS: Bahiagrass, Bermudagrass, Fescues, Kentucky Bluegrass, Perennial Ryegrass & Zoysiagrass</p> <p>Amount to Use: 1 fl oz (2 Tbs) per gallon of water for each 200 sq ft</p> <ul style="list-style-type: none">[icon] When using Ortho® Dial 'n Spray®: Set dial to 1 oz. Add 5 fl oz (10 Tbs) to sprayer jar. DO NOT ADD WATER. Spray evenly over 1,000 sq ft until jar is empty.

(OPTIONAL MIXING INSTRUCTIONS – FOR Refill Bottles)

Note to PM: *The following instructions are intended for 5 fl oz bottles that can be used to make 1 gal in either tank sprayers or EH-1398 Herbicide ready-to-use containers for spot treatment or can be used according to dilution rates for broadcast applications*

[Instructions] For spot treatment:

[1 Bottle [equals] [=] [makes] 1 Gallon]

Amount to Use: Add entire contents (5 fl oz) to an empty tank sprayer, or 1.0 [or 1.33] gallon Ortho Weed-B-Gon Max Ready to Use container only. Slowly fill with 123 fl oz [1 gal] of [clean] tap water.

For broadcast application:

Note to PM: *5 fl oz bottle, may use optional mixing instructions for broadcast applications*

Use [broadcast applicator] - Ortho-Dial 'N Spray applicator.

<p>FOR SENSITIVE LAWNS: Bentgrass, Buffalograss, Centipedegrass & St. Augustinegrass (EXCEPT Floratam*) (Do not use on Floratam)</p> <p>Set dial to 1 oz. Empty contents into Ortho ® Dial 'n Spray® applicator.DO NOT ADD WATER. Spray evenly over 2,000 sq ft until jar is empty.</p> <p>* Floratam is a variety of St. Augustinegrass widely grown in Florida.</p>
<p>FOR HARDY LAWNS: Bahiagrass, Bermudagrass, Fescues, Kentucky Bluegrass, Perennial Ryegrass & Zoysiagrass</p> <p>Set dial to 1 oz. Empty contents into Ortho ® Dial 'n Spray® applicator.DO NOT ADD WATER. Spray evenly over 1,000 sq ft until jar is empty.</p>

10
17

FOR TANK SPRAYERS:

FOR SENSITIVE LAWNS: Bentgrass, Buffalograss, Centipedegrass & St. Augustinegrass (EXCEPT Floratam*) (Do not use on Floratam) Amount to Use: 1 fl oz (2 Tbs) per gallon of water for each 400 sq ft
FOR HARDY LAWNS: Bahiagrass, Bermudagrass, Fescues, Kentucky Bluegrass, Perennial Ryegrass & Zoysiagrass Amount to Use: 2 fl oz (4 Tbs) per gallon of water for each 400 sq ft

(FOR 5 fl oz and 7 fl oz refill bottles used to refill 1 and 1.33 gallon EH-1398 Herbicide ready-to-use containers only)

[Refill Directions]

To refill only an empty 1.33 GAL. [EH-1398 Herbicide Container]
Amount to Use: Add 7 fl oz [5 fl oz] of this product to the empty 1.33 gallon container. Slowly fill with 164 fl oz [123 fl oz] of clean tap water.

To refill only an empty 1 GAL. [EH-1398 Herbicide Container]
Amount to Use: Add 5 fl oz of this product to the empty 1 gallon container. Slowly fill with 123 fl oz of clean tap water.

(End of OPTIONAL MIXING INSTRUCTIONS – FOR refill bottles)

[1 Tablespoon (Tbs) = 3 teaspoons (tsp) 1 fl oz = 2 Tbs]

[For Best Results]

- [To treat entire lawn (broadcast application): [Use a tank or [Ortho® Dial-N-Spray®] hose-end sprayer.] Measure lawn. Calculate square feet by multiplying length times width. Spray evenly over measured area.]
- [To spot treat individual weeds in lawns: Use a tank sprayer.]
- [Do not mow for 1 to 2 days before or after application.]
- If soil is dry, water 1 to 2 days before application.
- Rain or watering 2 hours after application will not wash away effectiveness.
- Spray when weeds are small and actively growing.
- [Spray when] temperature is below 90°F.
- [Spray when] air is calm to avoid spray drift onto landscape plants as contact with foliage may injure flowers, shrubs, trees and other desirable plants.
- Allow at least a 30 day interval between applications of this product.
- Newly seeded lawn can be sprayed after first mowing.
- Bare spots can be planted with grass seed 1 week after application.

Optional Table Format

[FOR BEST RESULTS]	
[MEASURE] [icon / walking man]	<ul style="list-style-type: none">• [To treat entire lawn (broadcast application): [Use a tank or [Ortho® Dial-N-Spray®] hose-end sprayer.] Measure lawn. Calculate square feet by multiplying length times width. Spray evenly over measured area.]• [To spot treat individual weeds in lawns: Use a tank sprayer.]
[MOW] [optional row] [illustration]	<ul style="list-style-type: none">• Do not mow for 1 to 2 days before or after application.
[WATER] [illustration]	<ul style="list-style-type: none">• If soil is dry, water 1 to 2 days before application.• Rain or watering 2 hours after application will not wash away effectiveness.
[WHEN TO APPLY] [illustration]	<ul style="list-style-type: none">• Spray when weeds are small and actively growing.• [Spray when] temperature is below 90°F.• [Spray when] air is calm to avoid spray drift onto landscape plants as contact with foliage may injure flowers, shrubs, trees and other desirable plants.• Allow at least a 30 day interval between applications of this product.• Newly seeded lawn can be sprayed after first mowing.• Bare spots can be planted with grass seed 1 week after application.

IMPORTANT

If an ornamental shrub or tree is in the lawn, keep spray off foliage and exposed roots. St. Augustinegrass, Centipedegrass or Bermudagrass lawns may have delayed green-up if this product is used when lawns are emerging from dormancy or when temperature drops below 45° F within 72 hours of application. Do not spray Carpetgrass, Dichondra or desirable clovers. Do not use on or around fruits, vegetables or flowers. **Do not use on Floratam, a variety of St. Augustinegrass.** The maximum number of broadcast applications per treatment site is 2 per year. Do not exceed specified dosages for any area.

[HOW IT WORKS]

[Because broadleaf weeds and grasses grow differently, [Ortho Weed-B-Gon® Max] [insert appropriate brand name] kills broadleaf weeds without harming lawns. [Insert appropriate brand name] [Ortho Weed-B-Gon Max] singles out weeds, enters through leaves and moves inside the weed to the roots.]

[*WEEDS CONTROLLED [icon]]

Note to PM: Product label may list any or all of the following

[White heath Aster, Bushy Aster, Heath Aster, Purple Aster, White prairie Aster, Catchweed Bedstraw, Marsh Bedstraw, Northern Bedstraw, Creeping Beggarweed, Threeflower Beggarweed, Field Bindweed, Burclover, Common Burdock, Great Burdock, Lawn Burweed, Smallflower Buttercup, Hairy Buttercup, Bushy Buttonweed, Virginia Buttonweed, Black Medic, Carolina Geranium, Carpetweed, Cat's-ear, Chicory, Common Chickweed, Mouseeared Chickweed, Sticky Chickweed, Common Cinquefoil, Oldfield Cinquefoil, Alyce-clover, Crimson Clover, Hop Clover, White Clover, Wandering Cudweed, Purple Cudweed, Narrowleaf Cudweed, Shiny Cudweed, Cupids Shaving Brush, English Daisy, Oxeye Daisy, Common Dandelion, False Dandelion, Catsear Dandelion, Dayflowers, Purple Deadnettle, Dogfennel, Broadleaf Dock, Curly Dock, Dollarweed, Oakleaf Fleabane, Rough Fleabane, Wild Garlic, Ground Ivy, Groundsel, Yellow Hawkweed, Healall, Henbit, Sprawling Horseweed, Prostrate Knotweed, Tufted Knotweed, Lambsquarters, Lespedeza, Alkali Mallow, Venice Mallow, Common Mallow, Little Mallow, Dwarf Mallow, Bristly Mallow, Marestalk, Horseweed, Mat Lippia, Ball Mustard, Black Mustard, Blue Mustard, Indian Mustard, Tumble Mustard, Wild Mustard, Tansy Mustard, White Mustard, Wormseed Mustard, Wild Onion, Pennywort, Asiatic Pennywort, Virginia Pepperweed, Prostrate Pigweed, Redroot Pigweed, Smooth Pigweed, Tumble Pigweed, Pineappleweed, Broadleaf Plantain, Buckhorn Plantain, Blackseeded Plantain, Poison Ivy, Poison Oak, Purslane, Brazil Pusley, Largeflower Pusley, Florida Pusley, Giant Ragweed, Common Ragweed, Western Ragweed, Lanceleaf Ragweed, Yellow Rocket, , Sibara, Red Sorrel, Sheep Sorrel, Shepardspurse, Pennsylvania Smartweed, Swamp Smartweed, Ladysthumb Smartweed, Pale Smartweed, , Bilobed Speedwell, Common Speedwell, Corn Speedwell, Ivyleaf Speedwell, Persian Speedwell, Purslane Speedwell, Slender Speedwell, Snow Speedwell, Thymeleaf Speedwell, Winter Speedwell, , Spotted Spurge, Prostrate Spurge, Swinecress, Bull Thistle, Canada Thistle, Flodman Thistle, Cotton Thistle, Distaff Thistle, Drummonds Thistle, Elk Thistle, Gray Thistle, Italian Thistle, Leafy Thistle, Meadow Thistle, Milk Thistle, Platte Thistle, Plumeless Thistle, Russian Thistle, Scotch Thistle, Slenderflower Thistle, Tall Thistle, Wavyleaf Thistle, Yellowspine Thistle, Camplipoda Veronica, Violet, Field Violet, Wild Carrot, Wild Lettuce, Woodsorrel, Creeping Woodsorrel, Yellow Woodsorrel, Florida Yellow Woodsorrel, Common Yarrow, Western Yarrow, Yellow Yarrow]

STORAGE AND DISPOSAL *[icon]*

PESTICIDE STORAGE: Store in original container in a locked storage area inaccessible to children or pets. Keep from freezing.

PESTICIDE AND CONTAINER DISPOSAL: **If empty:** Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS *[icon]*

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Harmful if swallowed. Wear long sleeved shirt, long pants, socks, and shoes.

NOTE: ***Bold, italicized text is information for the reader and is not part of the label.***
[Bracketed information is optional text.]

13
17

Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

FIRST AID:

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

Note to Physician: Emergency information call 1-800-225-2883.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

This product has properties and characteristics associated with chemicals detected in groundwater. The use of this product in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

NOTICE: To the extent consistent with applicable law, it is the manufacturer's intent that the buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

[The ORTHO Guarantee]

[If for any reason you are not satisfied with this product, mail us proof of purchase to obtain a full refund of your purchase price.]

[Visit www.ortho.com for complete Spanish translation.]

[icon] [Questions, Comments or Medical Information]

[icon] [call 1-800-225-2883 [<http://www.ortho.com>]

Manufactured for
The ORTHO Group
P.O. Box 190
Marysville, OH 43040
EPA Reg. No 239-2665
EPA Est. 239-IA-3¹, 58996-MO-1^A
Superscript is first letter of lot number
[Made in USA]
[Copyright 2008 The Ortho Group. World rights reserved.]

Optional Marketing Claims - Appendix

- I. These claims may be presented on the retail container label or on the labeling accompanying the product.
 - ◆ Kills Dandelion, Chickweed, Knotweed, Plantain, Henbit, Spurge and other broadleaf lawn weeds as listed.
 - ◆ Kills weeds - not lawn grasses.
 - ◆ Kills weeds – not lawns
 - ◆ For Lawns Containing Kentucky Bluegrass, Fescues, Bentgrass, Perennial Ryegrass, Bermudagrass, Bahiagrass, Centipedegrass, Zoysiagrass, St. Augustinegrass, and Buffalograss.
 - ◆ Can be applied with hose-end or pump-up (tank) sprayers.
 - ◆ For northern and southern grasses.
 - ◆ Won't harm lawn grasses shown on container label.
 - ◆ Won't harm lawn grasses
 - ◆ Kills weeds in your lawn.
 - ◆ Formulated for use on northern and sensitive southern lawns.
 - ◆ Kills major broadleaf lawn weeds as listed. Helps provide a beautiful lawn.
 - ◆ For cool and warm season lawn grasses
 - ◆ (Brand Name) kills major broadleaf lawn weeds including dandelion, chickweed, and knotweed, in lawns without harming lawn grasses.
 - ◆ For use on grass lawns especially Kentucky Bluegrass, Fescues, Perennial Ryegrass, Bentgrass, Bermudagrass, Bahiagrass, Centipedegrass, Zoysiagrass, St. Augustinegrass, and Buffalograss.
 - ◆ A Trimec[?] Turf Herbicide Formulation.
 - ◆ Controls Dandelion, Chickweed, Knotweed, Plantain, Henbit, Spurge and other broadleaf lawn weeds as listed [on the side panel].
 - ◆ "One Quart Covers Up To 12,800 Square Feet" or "One Pint Covers Up To 6,400 Square Feet".
 - ◆ Can be applied with hose-end and tank sprayers.
 - ◆ Makes up to ____ gallons of spray (Volume dependent upon package size)
 - ◆ Now for northern and southern lawns.
 - ◆ Kills over 2 times/twice as many weeds.
 - ◆ Water based.
 - ◆ Low odor formula.
 - ◆ Low odor.
 - ◆ [Brand Name] Kills major broadleaf weeds including Dandelion, Clover, Oxalis, Chickweed, Knotweed Plantain, Henbit, Spurge and others as listed.
 - ◆ Concentrate
 - ◆ For control that doesn't/won't wash away/off.

15
17

- ◆ Effective even with rain in 2 hours.
- ◆ Does not harm lawn when used properly
- ◆ [Weed-B-Gon] kills [lawn] weeds, not [the] lawn(s) (grass).
- ◆ ORTHO® WEED-B-GON® for the lawn.
- ◆ Kills weeds down to the root.
- ◆ Rainproof (rain-fast) in two [2] hours.
- ◆ Kills broadleaf weeds in your lawn.
- ◆ Won't harm most lawn grasses.
- ◆ Ideal for spot treating individual lawn weeds.
- ◆ Rain proof in hours.
- ◆ Kills Dandelion, Clover and Other Broadleaf Weeds—Won't Harm Lawns.
- ◆ Kills Weeds—Not Lawn Grasses
- ◆ Guaranteed [Results]
- ◆ Won't harm lawns, guaranteed.
- ◆ Guaranteed not to harm the lawn.
- ◆ Guaranteed to kill weeds, not grass [the lawn].
- ◆ Starts working on contact
- ◆ Fast results
- ◆ Fast-acting formula
- ◆ Weeds begin wilting overnight
- ◆ Weeds begin to wilt and die overnight
- ◆ Rainproof in 2 hours – so it [the weed killing power] won't wash away.
- ◆ Rainproof in 2 hours so you won't have to respray.
- ◆ Kills to the root so weeds don't [won't] ever come [grow] back.
- ◆ Kills even tough lawn weeds
- ◆ Kills up to XXX weeds [lawn weeds] as listed.
- ◆ Weed-B-Gon singles out weeds leaves [lawn] grass(es) alone [unharmed].
- ◆ For use on lawns
- ◆ Targets weeds, leaves grass [the lawn] unharmed.
- ◆ Contains Trimec® Formula
- ◆ Helps keep[s] the lawn look [ing] beautiful.
- ◆ Easy to use
- ◆ Ideal for use in between fertilizer applications to spot treat weeds
- ◆ Trial Size [2 fl oz Trial Size]
- ◆ Free [Sample]
- ◆ *[Icon]* Use with [Ortho®] Dial-N-Spray® or Tank Sprayers
- ◆ It's Rain-Proof™ Brand is Rain two hours after spraying won't wash away the weed killing power!
- ◆ For weeds outside the lawn (on driveways, sidewalks, [patios and mulched areas] / [etc.]) – use **[Ortho GroundClear Complete Vegetation Killer] / [Ortho Season-Long Grass & Weed Killer] / [Ortho Season-Long Max grass & Weed Killer]**. It kills weeds and grasses [you see] and prevents new [growth for up to 1 year] / [ones from growing for an entire season].
- ◆ Kills Lawn Weeds!
- ◆ Ortho & Your Environment – Your yard is a place for family and pets to enjoy. That's why Ortho products are designed with care to provide effective solutions to weed problems. For best results, please follow instructions for appropriate usage, storage and disposal.
- ◆ No Measuring, No Mess [Brand Name] makes using concentrates easier than ever. No more measuring and no more mess. Mix each pre-measured bottle with one gallon of water to deliver consistent results that kill even the toughest weeds down to the root. And its formula won't harm your lawn – guaranteed.
- ◆ Pre-measured concentrate bottles
- ◆ Perfect for Tank Sprayers
- ◆ 1 Bottle [equals] [=] [makes] 1 Gallon
- ◆ Visit www.ortho.com for complete Spanish translation

16
17

LABEL SUBSET A (To be used for private label)
BRANDNAME [logo]

[Weeds Controlled]

Note to PM: Product label may list any or all of the following

[White heath Aster, Bushy Aster, Heath Aster, Purple Aster, White prairie Aster, Catchweed Bedstraw, Marsh Bedstraw, Northern Bedstraw, Creeping Beggarweed, Threeflower Beggarweed, Field Bindweed, Burclover, Common Burdock, Great Burdock, Lawn Burweed, Smallflower Buttercup, Hairy Buttercup, Bushy Buttonweed, Virginia Buttonweed, Black Medic, Carolina Geranium, Carpetweed, Cat's-ear, Chicory, Common Chickweed, Mouseeared Chickweed, Sticky Chickweed, Common Cinquefoil, Oldfield Cinquefoil, Alyce-clover, Crimson Clover, Hop Clover, White Clover, Wandering Cudweed, Purple Cudweed, Narrowleaf Cudweed, Shiny Cudweed, Cupids Shaving Brush, English Daisy, Oxeye Daisy, Common Dandelion, False Dandelion, Catsear Dandelion, Dayflowers, Purple Deadnettle, Dogfennel, Broadleaf Dock, Curly Dock, Dollarweed, Oakleaf Fleabane, Rough Fleabane, Wild Garlic, Ground Ivy, Groundsel, Yellow Hawkweed, Healall, Henbit, Sprawling Horseweed, Prostrate Knotweed, Tufted Knotweed, Lambsquarters, Lespedeza, Alkali Mallow, Venice Mallow, Common Mallow, Little Mallow, Dwarf Mallow, Bristly Mallow, Marestalk, Horseweed, Mat Lippia, Ball Mustard, Black Mustard, Blue Mustard, Indian Mustard, Tumble Mustard, Wild Mustard, Tansy Mustard, White Mustard, Wormseed Mustard, Wild Onion, Pennywort, Asiatic Pennywort, Virginia Pepperweed, Prostrate Pigweed, Redroot Pigweed, Smooth Pigweed, Tumble Pigweed, Pineappleweed, Broadleaf Plantain, Buckhorn Plantain, Blackseeded Plantain, Poison Ivy, Poison Oak, Purslane, Brazil Pusley, Largeflower Pusley, Florida Pusley, Giant Ragweed, Common Ragweed, Western Ragweed, Lanceleaf Ragweed, Yellow Rocket, , Sibara, Red Sorrel, Sheep Sorrel, Shepardspurse, Pennsylvania Smartweed, Swamp Smartweed, Ladysthumb Smartweed, Pale Smartweed, , Bilobed Speedwell, Common Speedwell, Corn Speedwell, Ivyleaf Speedwell, Persian Speedwell, Purslane Speedwell, Slender Speedwell, Snow Speedwell, Thymeleaf Speedwell, Winter Speedwell, , Spotted Spurge, Prostrate Spurge, Swinecress, Bull Thistle, Canada Thistle, Flodman Thistle, Cotton Thistle, Distaff Thistle, Drummonds Thistle, Elk Thistle, Gray Thistle, Italian Thistle, Leafy Thistle, Meadow Thistle, Milk Thistle, Platte Thistle, Plumeless Thistle, Russian Thistle, Scotch Thistle, Slenderflower Thistle, Tall Thistle, Wavyleaf Thistle, Yellowspine Thistle, Camplipoda Veronica, Violet, Field Violet, Wild Carrot, Wild Lettuce, Woodsorrel, Creeping Woodsorrel, Yellow Woodsorrel, Florida Yellow Woodsorrel, Common Yarrow, Western Yarrow, Yellow Yarrow]

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Application Restrictions: Do not apply this product in a way that will contact any person or pet, either directly or through drift.

[ICON]

Keep people and pets out of the area during application.

Do not allow people or pets to enter the treated area until sprays have dried.

Do not use this product on or near desirable plants, including within the dripline of the roots of desirable trees and shrubs, since injury may result.

Do not apply as a fine mist because of potential injury to desirable plants.

Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays and oceans. Do not apply when windy. To prevent product run-off, do not over water the treated areas(s) to the point of runoff or apply when raining or when rain is expected that day. Rinse applicator over lawn or garden area only.

The maximum application rate is 5 fl oz of product per 1,000 sq ft per application (0.37 lb 2,4-D acid equivalent per acre per application). The maximum number of broadcast applications is limited to 2 per year. The maximum yearly rate is 10 fl oz of product per 1,000 sq ft (0.74 lb 2,4-D acid equivalent per acre).

Personal Hygiene Statements: After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower.

MIXING INSTRUCTIONS

Bentgrass, Buffalograss, Centipedegrass & St. Augustinegrass (EXCEPT Floratam). Do not use on Floratam or other improved varieties of St. Augustinegrass. Do not apply to St. Augustinegrass or centipedegrass emerging from winter dormancy.

Amount to Use: 1 fl oz (2 Tbs) per gallon of water for each 400 sq ft

When using Ortho® Dial 'n Spray®: Set dial to 1 oz. Add 2-1/2 fl oz (5 Tbs) to sprayer jar. DO NOT add water. Spray evenly over 1,000 sq ft until jar is empty.

Bahiagrass, Bermudagrass, Fescues, Kentucky Bluegrass, Perennial Ryegrass & Zoysiagrass

Amount to Use: 2 fl oz (4 Tbs) per gallon of water for each 400 sq ft

When using Ortho® Dial 'n Spray®: Set dial to 2 oz. Add 5 fl oz (10 Tbs) to sprayer jar. DO NOT add water. Spray evenly over 1,000 sq ft until jar is empty.

1 Tablespoon (Tbs) = 3 teaspoons (tsp)

1 fl oz = 2 Tbs

HOW TO USE

To treat entire lawn (broadcast application): Use a tank or hose-end sprayer. Measure lawn. Calculate square feet by multiplying length times width. Spray evenly over measured area.

To spot treat individual weeds in lawns: Use a tank sprayer.

WHEN TO MOW

Do not mow for 1 to 2 days after application.

WHEN TO WATER

If soil is dry, water 1 to 2 days before application.

WHEN TO USE

- Spray when weeds are small and actively growing
- Spray when temperature is below 90°F
- Spray when air is calm to avoid spray drift onto landscape plants as contact with foliage may injure flowers, shrubs, trees and other desirable plants
- Allow at least a 30 day interval between applications of this product.
- Newly seeded lawn can be sprayed after first mowing.
- Bare spots can be planted with grass seed 1 week after application.

IMPORTANT

If an ornamental shrub or tree is in the lawn, keep spray off foliage and exposed roots.

St. Augustinegrass, Centipedegrass or Bermudagrass lawns may have delayed green-up if this product is used when lawns are emerging from dormancy or when temperature drops below 45° F within 72 hours of application. Do not spray Carpetgrass, Dichondra or desirable clovers. Do not use on or around fruits, vegetables or flowers. The maximum number of broadcast applications per treatment site is 2 per year. Do not exceed specified dosages for any area.