
Please read instructions on n		2666	3.21.2	UD3	roved.	OMB No.	2070-0060	Approvel expires 2-28-9	
SEPA	on Agency 460		Registra Amendr ✓ Other		ation	OPP Identifier Number			
		Applicatio	n for Pestici	de - Secti	ion I				
1. Company/Product Number 239-2666 4. Company/Product (Name)			2. EPA Product Manager Joanne Miller PM#				3. Proposed Classification V None Restricted		
Weed-B-Gon Ready-Spray Isomer Formula			23						
5. Name and Address of Applicant <i>(Include ZIP Code)</i> The Scotts Company d/b/a The ORTHO Group 14111 Scottslawn Rd Marysville, OH 43041			6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No						
				ict Name _					
			Section -	<u></u>					
Amendment - Explain Resubmission in resp Notification - Explain	dated		Agency letter datedN				TIFICATION R 2 1 2003		
penalties under sections 12 a			Section -	1					
1. Material This Product Will					I				
Certification must Unit Packaging Unit Packaging Unit Packaging Unit Packaging Yes No If "Yes" No. per			Water Soluble Packaging 2. Tr Yes No If "Yes" No. per Package wgt container			2. Type of	ype of Container Metal Plastic Glass Paper Other (Specify)		
e submitted Location of Net Contents Information Label Container			ail Container	Container 5. Location of Label Dire				ns	
6. Manner in Which Label is		Lithog Paper Stenci	raph glued led	Other	·····				
			Section - I	V					
1. Contact Point /Complete	items directly below f	or identificatio	n of individual to b	e contected, i	if nece	ssary, to pi	r		
Name Charles T. Levey			TitleTelephorManager, Federal Registrations937-644					No. (Include Area Code)	
l certify that the states I acknowledge that an both under applicable I	y knowlinglly faise or		all attachments th			ate and co		6. Date, Application Received ((Stamped)	
2. signarifro			3. Title Manager, Federal Registrations						
i. Typed Name Charles T. Levey			5. Date March 17, 2003						

EPA Form 8570-1 (Rev. 3-94) Previous editions are obsolete.

.



Page 1

Page 2

Ĩ4,

50

7

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.



Measure lawn. Calculate square feet by multiplying length times width.
 Use the amount indicated for your lawn variety.
 FOR SENSITIVE LAWNS: 8 oz (1/4 bottle) treats 3,200 sq ft.
 Bentgrass, buffalograss, centipedegrass and St. Augustinegrass (DO NOT USE on floratam, a variety of St. Augustinegrass widely grown in Florida)
 FOR HARDY LAWNS: 8 oz (1/4 bottle) treats 1,600 sq ft.
 Bahiagrass, Bermudagrass, fescues, Kentucky bluegrass, perennial ryegrass and zoysiagrass

HOW TO USE THE READY-SPRAY SYSTEM					
CONNECT	 Shake well before using. Connect sprayer to hose. Turn on water. 				
SPRAY	 To begin spraying, point nozzle in the direction you want to spray. Bend small yellow plastic tab on side of sprayer back and turn knob clockwise to ON position. Spray evenly over measured area. 				
FINISH	 To stop spraying, bend small yellow plastic tab back and turn knob counter clockwise to OFF position. Turn off water. Relieve water pressure by bending plastic tab back and turning knob to ON position until water slows to a drip. Then turn knob back to OFF position. Disconnect sprayer from hose. 				

FOR BEST RESULTS Do not mow for 1 to 2 days after application. MOW If soil is dry, water 1 to 2 days before application. WATER • Rain or watering 2 hours after application will not wash away effectiveness. WHEN TO Spray when: - weeds are small and actively growing APPLY ... - temperature is below 90°F - air is calm to avoid spray drift onto landscape plants as contact with foliage may injure flowers, shrubs, trees and other desirable plants · Reapplication can be made in 2 to 3 weeks if necessary. Newly seeded lawn can be sprayed after first mowing.

Bare spots can be planted with grass seed 1 week after application.

IMPORTANT

If an ornamental shrub or tree is in the lawn, keep spray off foliage and exposed roots. St. Augustinegrass, centipedegrass or Bermudagrass lawns may have delayed green-up if this product is used when lawns are emerging from dormancy or when temperature drops below 45°F within 72 hours of application. Do not spray carpetgrass, dichondra or desirable clovers. **Do not use on floratam, a variety of St. Augustinegrass.** Do not use on or around fruits, vegetables or flowers. The maximum number of broadcast applications per treatment site is 2 per year. Do not exceed specified dosages for any area.

HOW IT WORKS

Because broadleaf weeds and grasses grow differently, the Weed-B-Gon® LawnGuard™ Formula kills broadleaf weeds without harming lawns. Weed-B-Gon singles out weeds, enters through leaves and moves inside the weed to the roots.

†WEEDS CONTROLLED

White heath aster, bushy aster, heath aster, purple aster, white prairie aster, catchweed bedstraw, marsh bedstraw, northern bedstraw, hairy beggarticks, creeping beggarweed, threeflower beggarweed, Florida bellflower, Florida betony, field bindweed, hairy bittercress, whitehead broom, burclover, common burdock, great burdock, lawn burweed, smallflower buttercup, hairy buttercup, bushy buttonweed, Virginia buttonweed, black medic, Carolina geranium, carpetweed, wild carrot, cat's-ear, smooth chaff-flower, chicory, common chickweed.

Page 3

mouseeared chickweed, sticky chickweed, chicory, common cinquefoil, oldfield cinquefoil,

narrowleaf cudweed, shiny cudweed, cupids shaving brush, English daisy, oxeye daisy, common dandelion, faise dandelion, catsear dandelion, dayflowers, purple deadnettle, dichondra, dogfennel, doveweeg, broadleaf dock, curly dock, dollarweed, doveweed,

heartleaf drymary, eclipta, facelis, oakleaf fleabane, rough fleabane, wild garlic, Carolina

geranium, clammy ground cherry, smooth ground cherry, ground ivy, groundsel, yellow

hawkweed, healall, henbit, sprawling horseweed, innocense (blue eyed Mary), knawel, prostrate knotweed, tufted knotweed, kochia, lambsquarters, lespedeza, field madder, alkali mallow, Venice mallow, common mallow, little mallow, dwarf mallow, bristly mallow, marcela

(yellow joyweed), marestail, horseweed, mat lippia, milkweed, moneywort, mugwort,

Alyce-clover, crimson clover, hop clover, white clover, wandering cudweed, purple cudweed,

WEED'S CONTROLLED. (continued)

Front

OPEN Resealable Label for Directions & Precautions

Makes lawn weed control easy. Simply connect hose to attached sprayer. Eliminates mixing, measuring and messy clean-up. Kills dandelion, clover & other broadleaf weeds. Won't harm lawns – guaranteed! Rain-proof![™] brand. Rain two hours after spraving won't wash away the weed killing power!

KILLS WEEDS, NOT LAWNS

PRODUCT FACTS

Treats up to 12,800 sq ft (approximate size of 6 tennis courts) Dandelion, Clover, Chickweed plus over **KILLS WEEDS** 200 additional lawn weeds[†] WHERE TO USE ON LAWNS without harming lawn grasses Bentgrass, buffalograss, centipedegrass and St. Augustinegrass AMOUNT TO (DO NOT USE on floratam) 8 oz (1/4 bottle) treats 3,200 sq ft SPRAY Bahiagrass, Bermudagrass, fescues, Kentucky bluegrass, perennial rvegrass and zovsiagrass 8 oz (1/4 bottle) treats 1,600 sg ft

Questions, Comments or Medical Information? Call 1-800-225-2883 www.ortho.com

ORTHO WEED BGO

Specially formulated for residential use. For weeds gutside the lawn (on driveways, sidewalks, etc.) - use Ortho GroundClear® Complete Vegetation Killer. It kills weeds and grasses and prevents new growth for up to 1 year.

*(+)-(R)-2-(2-methyl-4-chlorophenoxy) propionic acid equivalent to 4.38% *2.4-Dichlorophenoxyacetic acid equivalent to 2.53% ***3.6-dichloro-o-anisic acid equivalent to 1.08%

Isomer Specific by AOAC Method 6.D01-5. Manufactured for

The ORTHO Group

Marysville, OH 43040

Form LBXXXXXXXXXX

P.O. Box 190

EPA Reg. No. 239-2666 EPA Est. 239-IA-31, 58996-MO-14 Superscript is first letter of lot number Måde in ÜSA



FRO

common mullein, moth mullein, Mexican morningglory, bigroot morningglory, ivyleaf morningglory, tall morningglory, red morningglory, ball mustard, black mustard, blue mustard, Indian mustard, tumble mustard, wild mustard, tansy mustard, white mustard, wormseed mustard, bitter nightshade, eastern black nightshade, silverleaf nightshade, cutleal nightshade, hairy nightshade, wild onion, old world diamond flower, birdseye pearlwort, Florida pellatory, pennywort, Asiatic pennywort, peppergrass, Virginia pepperweed, prostrate pigweed, redroot pigweed, smooth pigweed, tumble pigweed, pineappleweed, broadleaf plantain, buckhorn plantain, blackseeded plantain, poison ivy, poison oak, cutleaf evening primrose, showy evening primrose, purple cudweed, purslane, Brazil pustey, largeflower pustey, Florida pustey, giant ragweed, common ragweed, western ragweecl, lanceleaf ragweed, redweed, yellow rocket, field sandbur, longspine sandbur, Mexican or Texas sandbur, southern sandbur, sibara, red sorrel, sheep sorrel, shepardspurse, Pennsylvania smartweed, swamp smartweed, ladysthumb smartweed, pale smartweed, bitter sneezeweed, bilobed speedwell, common speedwell, corn speedwell, lvyleaf speedwell, Persian speedwell, purstane speedwell, slender speedwell, snow speedwell, thymeleaf speedwell, winter speedwell, common spiderwort, spotted spurge, prostrate spurge, corn spurry, swinecress, bull thistle, Canada thistle, Flodman thistle, cotton thistle, distaff thistle, Drummonds thistle, elk thistle, gray thistle, Italian thistle, leafy thistle, meadow thistle, milk thistle, Platte thistle, plumeless thistle, Russian thistle, Scotch thistle, slenderflower thistle, tall thistle, wavyleaf thistle, yellowspine thistle, stiff verbena, camplippida Veronica, common vetch, hairy vetch, winter vetch, wooley vetch, violet, field violet, wild carrot, wild lettuce, woodsorrel, creeping woodsorrel, yellow woodsorrel, Florida

STORAGE & DISPOSAL

STORAGE:Store in original container in a locked storage area inaccessible to children or pets. Keep from freezing

vellow woodsorrel, wooleyleaf bursage, common yarrow, western yarrow, yellow yarrow

DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

5.7

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid contact with eyes, skin or clothing. Wear face shield or goggles when mixing, loading or applying this product. When using this product, wear long-sleeved shirt, long pants, socks, shoes and rubber gloves. Personal Hygiene Statements: After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower.



Do not allow people (other than applicator) or pets on treatment area during application. Do not n enter treatment area until spray has dried.

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. Note to Physician: Emergency information call 1-800-225-2883.

ENVIRONMENTAL HAZARDS: This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from target area. When cleaning equipment, do not pour the washwater on the ground; spray or drain over a large area away from wells and other water sources. Most cases of groundwater contamination involving phenoxy herbicides such as 2,4-D and MCPP-p have been associated with mixing/loading and disposal sites. Caution should be exercised when handling 2,4-D and MCPP-p pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing or transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

NOTICE: Buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

The ORTHO Guarantee

If for any reason you are not satisfied with this product, mail us proof of purchase to obtain a full refund of your purchase price.

> **Questions, Comments or Medical Information?** Call 1-800-225-2883

www.ortho.com

© 2003, Licensed by The QRTHO Group. World rights reserved. Manufactured for The ORTHO Group ••• P.O. Bax 190 Marysville, OH 43040 Form LBXXXXXXXXXXXXXX

EPA Reg. No. 239-2666 EPA/Est. 239-IA+31, 58996-MO-14 Superscript is first letter of lot number Made in USA

The Scotts Company

and Subsidiaries



March 17, 2003

Joanne Miller U.S. Environmental Protection Agency Office of Pesticide Programs Registration Division, H7505C Ariel Rios Building 1200 Pennsylvania Ave., N.W. Washington, DC 20460

Subject: Notification of alternate brand names (PR Notice 98-10) ORTHO Weed-B-Gon Lawn Weed Killer3, EPA Reg. No. 239-2665 and Weed-B-Gon Ready-Spray Isomer Formula, EPA Reg. No. 239-2666

Dear Joanne Miller:

The ORTHO Group is submitting into application alternate brand names for the subject products. ORTHO Weed-B-Gon Lawn Weed Killer3, EPA Reg. No. 239-2665 - alternate brand name is ORTHO Weed-B-Gon Concentrate and Weed-B-Gon Ready-Spray Isomer Formula, EPA Reg. No. 239-2666 – alternate brand name is ORTHO Weed-B-Gon Ready-Spray. Please find enclosed the following:

- 1) Application Form 8570-1 for each of the product registrations.
- 2) One (1) copy of the final printed label for each of the product registrations.

Please call me at 937-644-7696, if you have any questions regarding this submission. Thank you in advance for your cooperation.

Sincerely,

The Scotts Company / Charles T. Levey Manager, Federal Registrations

