U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (M7505C) 401 "M" St., S.W. Washington, D.C. 20460 NOTICE OF PESTICIDE: Registration Registration der FIFRA, as amended) der FIFRA, as amended) der Granular Insecticide e and Address of Registrant (include ZIP Code): e and Address of Registrant (include ZIP Code): e and Address of Registrant (include ZIP Code): e ColLARIS Group of Monsanto O. Box 5006 n Ramon, CA 94583-0906 E: Changes in labeling differing in substance from that accepted in connection with this, registration must submitted to and accepted by the Registration Division profit to use of the label in connecte. In any the basis of information furnished by the registrati, the above named pesticide is hereby isterationed they refer to the above EA registration must. The basis of information furnished by the registrant, the above named pesticide is hereby isteration of a product under this Act is not to be construed as giving the registrant a right to here of the issue of the accepted of the registrant a right to luster use of the name or to its use if it has been covered by others. This product is conditionally registered in accordance with FRA sec. 3(C)(7)(A) provided that you: 1. Submit and/or cite all data required for registration/ registration of your product under FIFRA sec. 3(c)(5) when the ency requires all registrants of similar products to submit such ta; and submit acceptable responses: required for reregistration/
 e SOLARIS Group of Monsanto O. Box 5006 n Ramon, CA 94583-0906 a: Changes in labeling differing in substance from that accepted in connection with this registration musit submitted to and accepted by the Registration Division prior to use of the label in connected. In any respondence on this product always refer to the above EPA registration number. The basis of information furnished by the registrant, the above named pesticide is hereby istered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. istration is in no way to be construed as an endorsement or recommendation of this product by the Agency. order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cell the registration of a pesticide in accordance with the Act. The acceptance of any name in connection h the registration of a product under this Act is not to be construed as giving the registrant a right to lusive use of the name or to its use if it has been covered by others. This product is conditionally registered in accordance with FRA sec. 3(c)(7)(A) provided that you: Submit and/or cite all data required for registration/registration of your product under FIFRA sec. 3(c)(5) when the ency requires all registrants of similar products to submit such
he basis of information furnished by the registrant, the above named pesticide is hereby stered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. stration is in no way to be construed as an endorsement or recommendation of this product by the Agency. rder to protect health and the environment, the Administrator, on his motion, may at any time suspend or el the registration of a pesticide in accordance with the Act. The acceptance of any name in connection the registration of a product under this Act is not to be construed as giving the registrant a right to usive use of the name or to its use if it has been covered by others. This product is conditionally registered in accordance with FRA sec. 3(c)(7)(A) provided that you: 1. Submit and/or cite all data required for registration/ registration of your product under FIFRA sec. 3(c)(5) when the ency requires all registrants of similar products to submit such
FRA sec. 3(c)(7)(A) provided that you: 1. Submit and/or cite all data required for registration/ registration of your product under FIFRA sec. 3(c)(5) when the ency requires all registrants of similar products to submit such
your product under FIFRA section 4.
 Make the following label changes: a. Revise the EPA Registration Number to read, "EPA Reg. No. 239-2667".
b. Add the following statement to the label: This chemical has the properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow may result in groundwater contamination.

,

page 2 EPA Reg. No. 239-2667

3. Submit two (2) copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,

Joseph M. Tarano

Marion J. Johnson, Jr. Product Manager 10 Insecticide Branch Registration Division (7505C) ORTHO® GRUB-B-GON™ Granular Insecticide, EPA Reg. No. 239-NEW ABN: GRUB-B-GON™ Grub Killer ABN: GRUB-B-GON™ Lawn Insect Killer ABN: BUG-B-GON® Grub Killer ABN: ORTHO® GRUB KILLER ABN: GRUB-B-GON[™] RESEALABLE BAG [icon] pair of scissors DO NOT CUT BELOW DOTTED LINE

[*lcon*] OUTDOOR USE ONLY [*lcon*] LAWN USE ONLY For Lawns Use on Lawns

Treats 5,500 sq ft [12.5 lb. size]

[In the text below, "grubs" may be replaced with "grubs and caterpillars", "pests" or "insects". Additionally "and" may be replaced with "&".]

Now/New Exclusive Formula Easy to Use/Apply [Granules] Low Dust Granules Starts Working in Hours Lasts for Months Long Lasting Formula Guaranteed Grub Control Satisfaction Guaranteed Season- Long Grub Control Season-Long Protection from Grubs Apply Once, Kills /Works for [6] Months Apply Once, Kills for the Entire Season Apply Just Once Per Season One Application Kills Grubs All Season One Application Works All Season One Application Stops Lawn Damage [from Grubs] Once Applied Grubs Stop Damaging Your Lawn

Effective All Season Long Kills Grubs All Season Works All Season Kills Grubs, Protects Your Lawn Kills Grubs, Protects Your Lawn Kills Grubs Beetle Grubs Kills Grubs that Damage Lawns Kills Grubs that Damage Lawns Kills Grubs that Cause Lawn Damage Controls/Kills Grubs for a Lush and Healthy Lawn Stops Grubs in Their Tracks to End Lawn Damage Effective in Early, Mid and Late [Grub] Season Effective Anytime During Grub Season Use Anytime – Spring through Fall Use Anytime During Grub Season

ACCEPTED with COMMENTS In EPA Letter Dated:

JUN 17 1998 Under the Federal Insetticide, Fungicide, and Rodenticide Act, as anouded, for the posticide registered under EPA Reg. No. 259-2467 Use Anytime – Before or After You See [Evidence of] Grubs It's Never Too Late With Grub-B-Gon Kills the Grubs You See and the Ones You Don't Consistent Performance – Every Time Kills Grubs not Earthworms [or Bees] Won't/Doesn't Harm Earthworms [or Bees] Won't/Doesn't Harm Beneficial Insects [such as Earthworms and Bees] Contains No Organophosphate(s) Non-Organophosphate Insecticide Odor Free Virtually Odor Free No Odor Odorless

Big and/or Small. GRUB-B-GON Kills 'em All. Guaranteed. Big or Small. Only GRUB-B-GON Kills 'em All. Guaranteed.

Contains MACH 2[™] Exclusive (With) Feed Blocker Action

GRUB-B-GON. Any Grub, Anytime. Season Long Anytime is the Right Time with GRUB-B-GON Kills/Controls Grubs Anytime (In Season) Kills Anytime. Kills Season Long Use me (GRUB-B-GON) Anytime for Season Long Control

GRUB-B-GON Kills the Grubs Others Leave Behind Kills Mature Grubs Other Products Miss

Prevents and Stops Grub Damage Stops and Prevents Grub Damage A Strong Prevention. A Quick Cure Kills the Grubs You have. Prevents the Ones You Don't

Effective Anytime in Season. Not Just Early Effective Season Long Control. Whenever You Apply It Effective in (Anytime) Spring, Summer and Fall

GRUB-B-GON - Takes the Guesswork Out of Grub Treatment/Grub Control GRUB-B-GON - Eliminates the Guesswork From Killing Grubs GRUB-B-GON - No Guesswork. No Grubs Be Certain. Use GRUB-B-GON

No Watering Necessary No Watering In Necessary

GRUB-B-GON - Your One Step Solution to the Grub Menace GRUB-B-GON - One Step, One Time. No Grubs

Single Use-Season Long Control Works in Hours. Lasts All Season

GRUB-B-GON - Your Lawn Rescue Kit - Grub Prevention, Grub Cure,

239-new/2.2

NPA 3/17/98; Substitute Label of 5/20/98

No Guesswork, Not Hassle, No Grubs

Active Ingredient	
Halofenozide	
Other Ingredients	

IOPTIONAL STATEMENTI

Not for sale or use in Nassau and Suffolk Counties, New York.

KEEP OUT OF REACH OF CHILDREN CAUTION See back panel for additional precautionary statements.

والأعراق والمعلية

NET WT 12.5 LB / 5.68 kg

230-000-22

NPA 3/57/98; Substitute Laber of 5/20/98

** TOTAL PAGE.003 **

/0

[In the text below, "grubs" may be replaced with "grubs and caterpillars", "pests" or "insects". Additionally "and" may be replaced with "&".]

HOW IT WORKS

Unique mode-of-action. Acts like/ Mimics a substance found only in [molting] insects.

Kills grubs that damage your lawn. Starts working in hours, killing all grubs in 2 to 7 days. Easy to use granules help keep your lawn green and healthy [by controlling grubs all season long].

Kills grubs that damage your lawn without harming earthworms. Grass roots [can] absorb Grub-B-Gon so effectiveness won't wash away with rain or frequent watering. Grubs stop feeding in hours and die within 7 days. Grubs are controlled all season long, so your lawn stays green and healthy.

KILLS BUGS/	[illustration]
INSECTS/PESTS	White Grubs*, Armyworms, Cutworms and Sod Webworms
WHERE	[illustration]
TO USE	ON LAWNS
AMOUNT	[illustration]
TOUSE	2 ¼ lbs (X cups) per 1,000 sq ft [1 lb active ingredient per acre]
[phone icon] Que	estions, Comments or Medical Information
	1 1-800-225-2883 http://www.ortho.com

* White Grubs Including larvae of European Chafer, Northern and Southern Masked Chafer(s), Japanese Beetle, Oriental Beetle, Asiatic Garden Beetle, May/June Beetle, Black Turfgrass Ataenius, Green June Beetle, Annual Bluegrass Weevil/Hyperodes, Billbugs and Aphodius Beetle

Specially formulated for residential use.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

[In the text below, "grubs" may be replaced with "grubs and caterpillars", "pests" or "insects". Additionally "and" may be replaced with "&".]

[FOR BEST RESULTS]

HOW TO APPLY [optional icon]

- Measure lawn. Calculate square feet by multiplying length times width. [Walking man icon]
- Apply evenly over measured area, treating entire lawn to ensure complete grub protection/control.
- ог
- Measure your lawn to calculate its square feet (LXW) [icon]
- Apply evenly over measured area.
- Be sure to treat the entire lawn to ensure complete grub protection/control.

WHEN TO MOW & WATER/HOW TO PREPARE LAWNS [optional icon]

- Grub-B-Gon begins to work as soon as granules contact the soil.
- Mowing your lawn before application helps granules reach the soil.
- Watering after application [, although not necessary,] quickly moves granules to the soil.

OF

- To work, granules must reach the soil [where grubs feed.]
- Mowing your lawn before application helps the granules reach the soil faster.
- Watering after application, although not necessary, also speeds the granules contact with the soil and starts killing grubs sooner.

WHEN TO APPLY [optional icon]

- Apply anytime between spring and fall [when grubs are present and actively feeding near the soil surface].
- A single application provides season- long grub [killing and] protection/control.

Important: Do not use on or around fruits or vegetables.

[SUGGESTED SPREADER SETTINGS - INSERT SPREADER CHART HEADINGS HERE]

STORAGE AND DISPOSAL [optional icon]

STORAGE: Store in original bag / container in a safe place.

DISPOSAL: Do not reuse bag / container. Securely wrap partially filled or empty bag / container in newspaper and put in trash.

PRECAUTIONARY STATEMENTS [optional icon] HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: May cause eye irritation. Harmful if absorbed through skin, inhaled or swallowed. Avoid breathing dust. Avoid contact with eyes, skin or clothing. Wear shirt and pants, gloves, and shoes plus socks. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if product gets inside clothing. Then wash thoroughly and put on clean clothing

[Reentry icon] People and pets may enter treated area anytime after application.

FIRST AID: IF SWALLOWED: Call a physician or poison Control Center. Drink one or two glasses of water and induce vomiting by touching back of throat with finger. If person is unconscious do not give anything by mouth and do not induce vomiting. IF ON SKIN: Wash with plenty of soap and water. Get medical attention. IF IN EYES: Flush eyes with plenty of water. Consult a physician if irritation persists. IF INHALED: Move victim to fresh air.

ENVIRONMENTAL HAZARDS: Do not apply directly to any body of water. Do not put product or rinse water down any drain.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

©Monsanto Company _____

Manufactured for The SOLARIS Group of SOLARIS® Monsanto Company P.O. BOX 5008 San Ramon CA 94583-0808 Form_____ EPA Reg. No. EPA Est [Superscript is first letter of lot number] Made in USA 8/8