239-2680

08/14/2001	
------------	--

1/7

WITED STATES	U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (H7505C) 1200 Pennsylvania Ave, NW	EPA Reg. Number: 239-2680	Date of Issuance: AUG 1 4 2001		
A ROTECTO	Washington, D C. 20460 NOTICE OF PESTICIDE:	Term of Issuance:	Conditional		
	<u>x</u> Registration				
	Reregistration	Name of Pesticide P			
(under FIFRA, as am	ended)	Gon Multi-P	Ortho Concentrate Bug-B- Gon Multi-Purpose Insect		
		Killer			
	f Registrant (include ZIP Code):				
The Scotts Co 14111 Scottsla					
Marysville, OF					
	eting differing in substance from that accepted in connection with this report to use of the label in commerce. In any correspondence on this pro		, ,		
-	of the name or to its use if it has been covered by others.				
provided that product unde products to su you product u	uct is <u>conditionally</u> registered in accordance you submit and/or cite all data required for r FIFRA sec. $3(c)(5)$ when the Agency required ubmit such data; and submit acceptable responder FIFRA section 4.	registration/reregi ires all registrants onses required for	istration of your of similar reregistration of		
provided that product unde products to su you product u Please sub product for si printed labeli cancellation i product beari copy of the la	you submit and/or cite all data required for r FIFRA sec. 3(c)(5) when the Agency requ ubmit such data; and submit acceptable resp	registration/reregi ires all registrants onses required for el for before your for a further descr th, the registration ur release for shipt of these condition ave any questions	istration of your of similar reregistration of release the ription of final will be subject to ment of the hs. A stamped		

)


APRONT TOSTIVIOI

ORTHO® Concentrate BUG-B-GON Multi-Purpose Insect Killer

[Indicates optional text]

MAKES UP TO 96 GALLONS [OF SPRAY] (quart) MAKES UP TO 48 GALLONS [OF SPRAY] (pint) Covers up to 16,000 sq ft of lawn (quart)

NEW LOOK NEW FORMULA NEW FROM ORTHO



[Icon} For OUTDOOR USE ONLY CONCENTRATE Contains Esfenvalerate, a Synthetic Pyrethroid Multi-Purpose Insect Killer Low Odor

Kills Beetles (including Japanese Beetle), Caterpillars (including **Tent Caterpillar**, **Gypsy Moth**, Tomato Hornworm), Ants, Fleas, **Lyme Disease** Ticks and [&] other lawn, garden and [&] nuisance pests [insects] [bugs]

Use On [For] Roses, Flowers, Shrubs, Vegetables, Lawns and [&] Other Outdoor Surfaces

Controls [Kills over] [more than] 75 insects [bugs] [pests]

Kills [Controls over] [more than] 75 insects [bugs] [pests] on vegetables, flowers, lawns, and [&] shrubs

Can be used on [most popular] vegetables (see back panel for details) Use in [on] Vegetable Gardens

Active Ingredient	
Esfenvalerate	0.425%
Other Ingredients*	99.575%
*Contains petroleum distillate	

KEEP OUT OF REACH OF CHILDREN WARNING

See back panel booklet for additional precautionary statements.

NET 32 FL OZ (1 QT) 946 mL

ORTHO Concentrate BUG-B-GON Multi-Purpose Insect Killer

Open Reseatable Label for Directions & Precautions PRESS TO RESEAL

)

ORTHO Concentrate BUG-B-GON Multi-Purpose Insect Killer controls over seventy-five garden and nuisance pests. This bug killer will not harm your roses, flowers, vegetables, lawn or shrubs. Reapply BUG-B-GON as directed for a more beautiful garden.

Thank you for choosing ORTHO. You'll like the results and so will your yard and garden.

[DNS icon]ORTHO Concentrate BUG-B-GON Multi-Purpose Insect Killer is easy to apply with [an Ortho Dial 'n Spray®], hose-end or tank sprayer.

PRODUCT	FACTS
KILLS	
PESTS [INS	SECTS] [BUGS]
	Aphids, Beetles (including Japanese Beetle), Caterpillars (including Tomato Hornworm), Whiteflies, Ants, Fleas, Ticks (including Lyme Disease Ticks) Cockroaches, Spiders and [&] other lawn, garden and [&] nuisance bugs [insects] [pests]
	[Option to list other pests listed on this label in this section.]
WHERE TO) USE/
AMOUNT T	O USE
	 In Gardens: (2 Tbs) 1 fl oz / gallon water
	(On Flowers, Shrubs and [&] Vegetables)
	 On Lawns: 2 tsp / gallon water for each 167 sq ft
	For Nuisance Pests Outdoors: 2 oz / gal water / 1000 sq ft
	 On Other Outdoor Surfaces: 4 Tbs (2 fl oz) per gallon of water for each 1,000 sq ft
	estions, Comments or Medical Information ?

Specially formulated for residential use.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USING

IN GARDENS [Icon]

MIXING INSTRUCTIONS In Gardens

Amount to Use: 1 fl oz (2 Tbs) per gallon of water for hose-end or tank sprayer [DNS icon] When using Ortho Dial 'n Spray®

- 1. Set dial to 1 oz.
- 2. Pour product into sprayer to fill jar one-quarter to one-half full. DO NOT add water.
- 3. After spraying, unused product can be poured back into its original container.

1 Tablespoon (Tbs) = 3 teaspoons (tsp) 1 fl oz = 2 Tbs

HOW TO APPLY

[Use a Tank, Ortho Dial 'n Spray[®], or Hose-End Sprayer] Spray plant to wet the upper and lower leaf surfaces until dripping.

WHEN TO APPLY

Apply as necessary to maintain control waiting at least 7 days between each application.

PLANTS

Ornamental Plants including: Roses, Flowers and [&] Shrubs Vegetables: See list in following table.

Vegetables	Days to Wait to Harvest	Vegetables	Days to Harvest	Vegetables	Days to Harvest
Artichoke	7	Dry Beans	21	Potatoes	7
Broccoli	3	Dry Peas	21	Pumpkin	3
Cabbage	3	Eggplant	7	Radishes	7
Carrots	7	Green Peas	3	Snap Beans	3
Cauliflower	3	Melons	3	Squash	3
Collards	7	Peppers	7	Sweet Corn	1
Cucumbers	3			Tomatoes	1

PESTS [BUGS] [INSECTS] CONTROLLED [KILLED] On Ormamental Plants (In Roses, Flowers & Shrubs)

On Ornamental Plants (In Roses, Flowers & Shrubs)

Aphid, Armyworm, Balsam Woolly Adelgid, Buckhorn Aphid, Cabbage Looper, Cucumber Beetle (adults) - spotted and [&] striped, Cutworm, European Pine Sawfly, Fall Webworm, Flea Beetle, Grasshopper, Gypsy Moth, Imported Cabbageworm, Japanese Beetle, Leafhopper, Looper, Northern Pine Weevil, Pine Chafer, Pine Coreid Bug, Red Pine Sawfly, Redheaded Pine Sawfly, Saltmarsh Caterpillar, Spittlebugs, Tent Caterpillar and [&] Whitefly 417

On Vegetables and [&] Melons

1.

Alfalfa Caterpillar, Alfalfa Looper, Aphid, Armyworm, Artichoke Plume Moth, Beet Armyworm, Buckhorn Aphid, Cabbage Looper, Carrot Weevil, Celery Looper, Chinch Bug, Colorado Potato Beetle, Corn Earworm, Corn Rootworm (adults), Cowpea Curculio, Cucumber Beetle (adults) - spotted and [&] striped, Cutworm, Diamondback Moth, European Corn Borer, Flea Beetle, Grasshopper, Green Cloverworm, Imported Cabbageworm, Leafhopper, Looper, Lygus Bug, Mexican Bean Beetle, Painted Lady Caterpillar, Pea Aphid, Pea Weevil, Pepper Weevil, Pickleworm, Potato Leafhopper, Potato Psyllid, Potato Tuberworm, Rindworm, Saltmarsh Caterpillar, Sap Beetle, Southwestern Corn Borer, Squash Bug, Squash Vine Borer, Stalk Borer, Stink Bug, Tarnished Plant Bug, Tobacco Hornworm, Tomato Fruitworm, Tomato Hornworm, Tomato Pinworm, Vegetable Leafminer, Velvetbean Caterpillar, Western Bean Cutworm and [&] Whitefly

ON OTHER OUTDOOR SURFACES

BUGS [INSECTS] [PESTS] CONTROLLED [KILLED]

Ants, Cockroaches (including German and Asian Cockroaches), Crickets, Palmetto Bugs, Sowbugs, Pillbugs, Spiders, and Ticks (including Lyme Disease Ticks).

MIXING INSTRUCTIONS On Other Outdoor Surfaces

Amount to Use: 4 Tbs (2 fluid ounces) per gallon of water for each 1000 square feet of outside surfaces [in a hose-end or tank sprayer].

[When using Ortho Dial 'n Spray[®] (Dial 'n Spray Icon)Set dial to 2 fluid ounces (2 oz) 2. Add 12 Tbs (6 fluid ounces) to sprayer jar. DO NOT add water.

3. Spray evenly over 3,000 sq ft (50' x 60')

HOW TO APPLY

[Use a Tank, **Ortho Dial 'n Spray[®]**, or Hose-End Sprayer]. Spray outdoor surfaces of buildings, porches, patios, garages and [&] other areas where these bugs [insects] [pests] have been seen or are found. Do not spray in or near fishponds or other bodies of water.

ON LAWNS

BUGS [INSECTS] [PESTS] CONTROLLED [KILLED]

Fleas and [&] Ticks (including Lyme Disease ticks Also kills foraging fire ants upon direct contact.

MIXING INSTRUCTIONS On Lawns

Amount to Use: 2 tsp per gallon of water for each 167 sq ft for hose-end sprayers [DINS icon] When using Ortho Dial 'n Spray®

- 1. Set dial to 2 tsp.
- 2. Add 6 fl oz (12 Tbs) to sprayer jar. DO NOT add water.
- 3. Spray evenly over 3000 sq ft (50 X 60)

511

1 Tablespoon (Tbs) = 3 teaspoons (tsp) 1 fl oz = 2 Tbs

HOW TO APPLY

[Use a Tank, Ortho Dial 'n Spray®, or Hose-End Sprayer].

- Measure lawn. Calculate square feet by multiplying length times width. [walking man icon]
- Spray evenly over measured area. Treat entire lawn. Also spray under trees and shrubs.
- [Treat fire ant mounds with Ortho Orthene® Fire ant Killer.]

WHEN TO MOW LAWN

For best results, mow a day or two before spraying.

WHEN TO APPLY

Apply as necessary waiting 7 to 14 days between each application.

Important:

[Reentry icon] People and pets may enter treated area after spray has dried.

Do not spray animals. Dogs, cats, [their kennels] and their bedding should also be treated with a registered flea and tick control product in conjunction with this application. Avoid contamination of food and feedstuffs.

STORAGE AND DISPOSAL [Trash Can Icon]

STORAGE: Store in original container in a safe place.

DISPOSAL: Do not reuse container. Securely wrap partially filled or empty container in newspaper and put in trash.

PRECAUTIONARY STATEMENTS [Exclamation Pint lcon] HAZARDS TO HUMANS & DOMESTIC ANIMALS WARNING:

Causes skin irritation and moderate eye irritation. Do not get on skin, eyes or clothing. Harmful if inhaled or absorbed through skin. Avoid breathing vapor or spray mist. Wash with soap and water after handling. Remove contaminated clothing and wash before reuse.

FIRST AID:

IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor or treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for treatment.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

Note to Physician: Emergency Information call 1-800-225-2883. Contains Petroleum Distillate – vomiting may cause aspiration pneumonia.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Drift from treated areas may be hazardous to organisms in adjacent aquatic sites. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

Combustible, do not use or store near heat or open flame.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Questions, Comments or Medical Information ? Call 1-800-225-2883 www.ortho.com

Ortho®, Dial 'n Spray®, Registered trademarks of Monsanto Company EVERCIDE® - Registered trademark of McLaughlin Gormley King Co. © Monsanto Company 1999

Manufactured for The ORTHO Group P.O. Box 1749 Columbus, OH 43216 EPA Reg. No. 239-2680 EPA Est. **58996-MO-1** Made in USA