|  | 84 06/25/2002   |  |  |  |  |
|--|---|--|--|--|--|
| ST MATEO STATES  | U.S. ENVIRONMENTAL PROTECTION AGENCY<br>Office of Pesticide Programs<br>Registration Division (H7505C)<br>401 "M" St., S.W  | EPA Reg. Number:<br>239-2684   | Date of Issuance:<br>JUN 2 5 2002  |  |  |
|  | Washington, D.C. 20460  | Term of Issuance:  | Term of Issuance: Unconditional  |  |  |
|  | NOTICE OF PESTICIDE:  |  |  |  |  |
| <u>x</u> Registration  |   | Name of Pesticide Product:   |  |  |  |
| under FIFRA, as amen   | Are FIFRA as amended Reregistration ORTHO Lawn Insect K   |  | n Insect Killer  |  |  |
|  |   | Granules   |  |  |  |
| The Scotts Co<br>4111 Scottsla<br>Marysville, O  |   |  |  |  |  |
|  | ng differing in substance from that accepted in connection with this registration<br>in commerce. In any correspondence on this product always refer to the above E   |  | d by the Registration Division   |  |  |
| In the basis of information the basis of information the basis of the  | tion furnished by the registrant, the above named pesticide is hereby registered/n  | eregistered under the Federal Ins  | ecticide. Fungicide and  |  |  |
|  | y to be construed as an endorsement or recommendation of this product by the A  | 1  |  |  |  |
|  | otion, may at any time suspend or cancel the registration of a pesticide in accord<br>duct under this Act is not to be construed as giving the registrant a right to exclu-   |  |  |  |  |
| This produ   | at is unconditionally maintained in concernance with  |  | 5) Once a nesticida  |  |  |
| need for conti-<br>lata are requin<br>such data und  | ct is unconditionally registered in accordance with<br>nowever, it is not regarded as permanently accept<br>nual reassessment of pesticides. If the Agency do<br>red to maintain in effect an existing registration, the<br>FIFRA section (3).  | able. Registration of the state | loes not eliminate the y time, additional  |  |  |
| need for conti-<br>lata are requin<br>such data und  | nowever, it is not regarded as permanently accept<br>nual reassessment of pesticides. If the Agency do<br>red to maintain in effect an existing registration, t   | able. Registration determines that, at an the Agency will requ   | loes not eliminate the<br>y time, additional<br>uire submission of   |  |  |
| need for continuata are requin<br>such data und<br>l. Make   | nowever, it is not regarded as permanently accept<br>nual reassessment of pesticides. If the Agency do<br>red to maintain in effect an existing registration, t<br>er FIFRA section (3).  | able. Registration of<br>etermines that, at an<br>the Agency will requ<br>CPA Reg. No. 239-2<br>ed) to be effective in   | loes not eliminate the<br>y time, additional<br>uire submission of<br>684".                                      |  |  |
| heed for continuata are required for continuate are required by the such data under th | nowever, it is not regarded as permanently accept<br>nual reassessment of pesticides. If the Agency do<br>red to maintain in effect an existing registration, the<br>er FIFRA section (3).<br>The following labeling changes:<br>Revise the EPA Registration Number to read "E<br>Delete the claim "Specially designed (formulate   | able. Registration of<br>etermines that, at an<br>the Agency will requ<br>PA Reg. No. 239-2<br>ed) to be effective in<br>an implied safety cl<br>from the Appendix   | loes not eliminate the<br>y time, additional<br>uire submission of<br>684".<br>low<br>aim.                       |  |  |
| need for continuata are requin<br>such data und<br>l. Make<br>a.<br>b.   | <ul> <li>nowever, it is not regarded as permanently accept nual reassessment of pesticides. If the Agency dered to maintain in effect an existing registration, there FIFRA section (3).</li> <li>the following labeling changes:</li> <li>Revise the EPA Registration Number to read "E Delete the claim "Specially designed (formulate concentrations", since this may be construed as Delete the following heightened efficacy claims considered false and misleading under 40 CFR * "Contact Action Chemistry"</li> </ul>   | able. Registration of<br>etermines that, at an<br>the Agency will requ<br>PA Reg. No. 239-2<br>ed) to be effective in<br>an implied safety cl<br>from the Appendix   | loes not eliminate the<br>y time, additional<br>uire submission of<br>684".<br>low<br>aim.                       |  |  |
| need for continuata are requin<br>such data und<br>l. Make<br>a.<br>b.   | <ul> <li>nowever, it is not regarded as permanently accept nual reassessment of pesticides. If the Agency dured to maintain in effect an existing registration, the refield to maintain in effect an existing registration, the refield to maintain in effect an existing registration, the refield to maintain in effect an existing registration, the refield to maintain in effect an existing registration, the refield to maintain in effect an existing registration, the refield to maintain in effect an existing registration, the refield to maintain in effect an existing registration, the refield to maintain in effect an existing registration, the refield to maintain in effect an existing registration, the refield to maintain in effect an existing registration, the refield to maintain in effect an existing registration, the refield to maintain in effect an existing registration, the refield to maintain in effect an existing registration, the refield to maintain in effect an existing registration, the refield to maintain in effect an existing registration, the refield to maintain in effect an existing registration, the refield to maintain in effect an existing registration, the refield to maintain in effect an existing registration (3).</li> <li>Revise the EPA Registration Number to read "E Delete the claim "Specially designed (formulate concentrations", since this may be construed as Delete the following heightened efficacy claims considered false and misleading under 40 CFR - "Contact Action Chemistry"</li> <li>"Maximum Insect Potency Formula"</li> </ul> | able. Registration of<br>etermines that, at an<br>the Agency will requ<br>EPA Reg. No. 239-2<br>ed) to be effective in<br>an implied safety cl<br>from the Appendix<br>§156.10(5):   | loes not eliminate the<br>y time, additional<br>uire submission of<br>684".<br>low<br>aim.                       |  |  |
| need for continuata are requin<br>such data und<br>l. Make<br>a.<br>b.   | <ul> <li>nowever, it is not regarded as permanently accept<br/>nual reassessment of pesticides. If the Agency do<br/>red to maintain in effect an existing registration, it<br/>er FIFRA section (3).</li> <li>the following labeling changes:</li> <li>Revise the EPA Registration Number to read "E<br/>Delete the claim "Specially designed (formulate<br/>concentrations", since this may be construed as</li> <li>Delete the following heightened efficacy claims<br/>considered false and misleading under 40 CFR</li> <li>"<u>Contact Action Chemistry</u>"</li> <li>"<u>Maximum Insect Potency Formula</u>"</li> <li>"<u>eliminates/destroys/eradicates/wipes ou</u></li> </ul>   | able. Registration of<br>etermines that, at an<br>the Agency will requ<br>PA Reg. No. 239-2<br>ed) to be effective in<br>an implied safety cl<br>from the Appendix<br>§156.10(5):  | loes not eliminate the<br>y time, additional<br>uire submission of<br>684".<br>low<br>aim.                       |  |  |
| need for continuata are requin<br>such data und<br>l. Make<br>a.<br>b.   | <ul> <li>nowever, it is not regarded as permanently accept nual reassessment of pesticides. If the Agency dured to maintain in effect an existing registration, the refield to maintain in effect an existing registration, the refield to maintain in effect an existing registration, the refield to maintain in effect an existing registration, the refield to maintain in effect an existing registration, the refield to maintain in effect an existing registration, the refield to maintain in effect an existing registration, the refield to maintain in effect an existing registration, the refield to maintain in effect an existing registration, the refield to maintain in effect an existing registration, the refield to maintain in effect an existing registration, the refield to maintain in effect an existing registration, the refield to maintain in effect an existing registration, the refield to maintain in effect an existing registration, the refield to maintain in effect an existing registration, the refield to maintain in effect an existing registration, the refield to maintain in effect an existing registration, the refield to maintain in effect an existing registration, the refield to maintain in effect an existing registration (3).</li> <li>Revise the EPA Registration Number to read "E Delete the claim "Specially designed (formulate concentrations", since this may be construed as Delete the following heightened efficacy claims considered false and misleading under 40 CFR - "Contact Action Chemistry"</li> <li>"Maximum Insect Potency Formula"</li> </ul> | able. Registration of<br>etermines that, at an<br>the Agency will requ<br>EPA Reg. No. 239-2<br>ed) to be effective in<br>an implied safety cl<br>from the Appendix<br>§156.10(5):<br>at/decimates/blasts/<br>ests/Insects/Bugs  | loes not eliminate the<br>y time, additional<br>uire submission of<br>684".<br>low<br>aim.<br>. These claims are |  |  |

|   | Signature of Approving Official: | Date: |
|---|----------------------------------|-------|
| 1 |                                  |       |
|   |                                  |       |
|   |                                  |       |

N

# 2/7

# Page 2 EPA Reg. No. 239-2684

٩

- d. Delete the following claims from the Appendix: "Kills Lawn Pests/Insects/Bugs on Contact"; "Kills Unwanted pests/insects/bugs on contact"; and "Contact Action Chemistry". Since this product must be watered in for effective control, the claim that it works "on contact" is misleading.
- e. Delete the claims "With Southern Insect Control" and "Controls Southern Insects" from the Appendix or specify the insects to which these claims refer.
- f. Identify spreaders other than Scotts spreaders in the spreader settings table for consumers who do not have a Scotts spreader.
- 2. Please submit two (2) copies of your final printed label before you release the product for shipment. Please refer to the A-79 enclosure for a further description of final printed labeling.

A stamped copy of the label is enclosed for your records. If you have any questions regarding this action, please contact Susan Stanton of my team at (703) 305-5218.

Sincerely,

George T. LaRocca Product Manager (13) Insecticide Branch Registration Division (7505C)

Enclosures

239-NEW

| ORTHO Lawn Insect | Killer Granules<br>ACCEPTED<br>with COMMENTS<br>In EPA Letter Dated:  | <b></b>             |       |
|-------------------|---|---------------------|-------|
| For Residential   | JUN 25 2002   | • • •               |       |
| Lawn Use Only     | Under the Federal Insecticide,<br>Fungicide, and Rodenticide Act,<br>as amended, for the pesticide<br>resistered under EPA Reg. No- | • • •<br>• •<br>• • | ₩<br> |
| Active Ingredient | registered under EPA Reg. No.<br>239-2684   |                     | . • • |
| Bifenthrin*       |   |                     |       |
| Other Ingredients |   |                     | •••   |
|                   |   |                     |       |

\*Cis isomers 97% minimum, trans isomers 3% maximum.

## KEEP OUT OF REACH OF CHILDREN

CAUTION See additional precautionary statements on back of bag.

[back of bag] CUT HERE TO OPEN

١

ORTHO<sup>®</sup> LAWN INSECT KILLER GRANULES is the smart solution for fast control of unwanted pest problems.

- Specially designed [formulated] to be effective in low concentrations
- Controls a wide variety of listed insects above and below the lawn's surface:
  - Ants
  - □ Fleas
  - D Ticks
    - Mole crickets
  - Chinch bugs
  - Other lawn-damaging insects.
- Won't harm your lawn.
- Ready to use.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

In New York State, this product may NOT be applied to any grass or turf area (lawns) within 100 feet of a water body (lake, pond, river, stream, wetland, or drainage ditch).

In New York State, do make a single repeat application of ORTHO<sup>®</sup> LAWN INSECT KILLER GRANULES if there are signs of renewed insect activity, but not sooner than two weeks after the first application.

Apply when insect activity or damage is first observed in the lawn (lawn thins and turns brown or moths fly from the grass when you mow). Don't treat just the browned area of lawn. To prevent further damage, treat entire lawn.

# Surface Feeding Lawn Insects

Use ORTHO® Lawn Insect Killer Granules for the control of ants, including Carpenter, Red Harvester, Odorous Pyramid, Pharaoh(Sugar)Ants, Armyworms (including Fall Armyworms), Billbug (Including Bluegrass Billbug), Chiggers, Chinch Bugs, Crickets, Cutworms (including Black Cutworms), Earwigs, Grasshoppers, Mealybugs, Sod Webworms (Lawn Moth), and Weevils (including Hyperodes and Bluegrass). Uniformly apply 1.2 to 2.4 pounds over a 1,000 sq. ft. area of lawn using any hand or power operated gravity or rotary type spreader designed for the application of granular materials. A X pound bag will treat a X to X sq. ft. area of lawn. Water thoroughly immediately after application. Treat when insects first appear and re-treat as necessary. Repeat application is necessary only if there are signs of renewed insect activity. Repeat application should be limited to no more than once per seven days.

| Argentine Ants, Black<br>Turf Ants, Black<br>Turfgrass Ataenius, Fleas<br>(including Cat Fleas),<br>Leahoppers, Spiders<br>(including Brown Recluse<br>Spiders) and Ticks<br>(including Brown Dog | Uniformly apply 2.4 pounds over a<br>1,000 sq. ft. area of lawn. Water<br>thoroughly immediately after<br>application. |
|---|--|
| Ticks)<br>Centipedes, Millipedes,   | Uniformly apply 4.8 pounds over a  |
| Pavement Ants, Mole   | 1,000 sq. ft. area of lawn. For mole   |

| Crickets (including Tawny | crickets, treat in late spring. Water |  |  |  |  |
|---------------------------|---------------------------------------|--|--|--|--|
| Mole Crickets)            | thoroughly immediately after          |  |  |  |  |
|                           | application.                          |  |  |  |  |
| For Scorpions and         | Uniformly apply 9.6 pounds over a     |  |  |  |  |
| Sowbugs/Pillbugs          | 1,000 sq. ft. area of lawn. Water     |  |  |  |  |
|                           | thoroughly immediately after          |  |  |  |  |
|                           | application.                          |  |  |  |  |

Food utensils such as tablespoons/teaspoons must not be used for food purposes after use in measuring pesticides.

٩

| SPREADER TIPS<br>For best results, use a Scotts® spreader         |   |     |     |            |   |
|---|---|-----|-----|------------|---|
| Spreader  | Spreader Settings:<br>Pounds of Product per 1000<br>sq. ft. |     |     | Directions |   |
|   | 1.2   | 2.4 | 4.8 | 9.6        | -   |
| Scotts <sup>®</sup><br>AccuGreen <sup>®</sup><br>drop<br>spreader | X   | X   | X   | X          | Mow lawn first if grass<br>is tall enough to touch<br>the bottom of the<br>spreader. First apply<br>two header strips.<br>Operate spreader the<br>longest way of the<br>lawn. Overlap wheel<br>marks to ensure uniform<br>feeding. Shut off<br>spreader when you have<br>reached the header<br>strips or stopped. |
| Scotts®<br>SpeedyGree<br>n® rotary                                | X   | X   | X   | X          | Shut off spreader<br>anytime you stop. For<br>complete coverage make<br>each pass about five<br>feet from the previous<br>one, so some<br>overlapping occurs.<br>Avoid applying this<br>product on flower,<br>vegetable and shrub<br>plantings.   |

#### STORAGE AND DISPOSAL

**STORAGE:** Store in original bags/containers only. Store in a cool, dry place and avoid excess heat. Carefully open bags/containers. After partial use close tightly. Do not contaminate water, food or feed by storage or disposal.

**DISPOSAL:** If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

### PRECAUTIONARY STATEMENTS

١

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

| FIRST AID     | +  |  |  |  |  |
|---------------|--|--|--|--|--|
| IF SWALLOWED: | <ul> <li>Call poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul> |  |  |  |  |
| IF IN EYES:   | <ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>  |  |  |  |  |

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

NOTE TO PHYSICIAN This product is a pyrethroid. If large amounts have been ingested, milk, cream and other digestible fats and oils may increase absorption and so should be avoided.

#### ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

**NOTICE:** Buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

#### THE ORTHO GUARANTEE

If for any reason you are not satisfied with this product, mail us proof of purchase for full refund of purchase price.

| [phone icon]    | Questions, | Comments  | or        | Medical | Information |
|-----------------|------------|-----------|-----------|---------|-------------|
| call 1-800-225- | 2883       | www.ortho | <b></b> c | om      |             |

© 2001, The ORTHO Group. World rights reserved. Manufactured for The ORTHO Group P.O. Box 1749 Columbus, OH 43216 EPA Reg. No. 239-NEW Made in USA

٦

### Appendix

**Contains Fourth generation Pyrethroid** Fourth generation Pyrethroid Chemistry **Contact Action Chemistry** Maximum Insect Potency Formula Kills Ants, Fleas, Ticks & Other Listed Insects Treats up to 8,300 sq ft (for 10 lb bag) [For] Outdoor Multi-Insect Control Kills Lawn Pests/Insects/Bugs on Contact Specially formulated for Lawn Pest/Insect/Bug Control Kills/controls/eliminates/destroys/eradicates/wipes out/decimates/blasts/crushes/annihilates/terminates/stops/gets rid of/ Lawn Pests/Insects/Bugs Great/effective/fantastic/dynamite/wonderful/full/Incredible Pest/Insect/Bug control Kills [Controis] Unwanted pests/insects/bugs in Lawns Kills Unwanted pests/insects/bugs on Contact Controls [Kills] Lawn-Destroying [Lawn-Invading] Pests/Insects/Bugs **Exceptional Value!** Kills Chinch Bugs, Mole Crickets and Cutworms Kills Surface and Subsurface Pests/Insects/Bugs That Ruin Your Lawn Easy-to-Spread Soil-Penetrating Formula Reaches Deep Below Ground Deep Reaching Formula that Kills Lawn-Destroying Pests/Insects/Bugs Protects your lawn by killing pests/insects/bugs Guaranteed to Work or Your Money Back Satisfaction Guaranteed The Smart Solution to Pest/Insect/Bug Problems Solves [Your] Pest/Insect/Bug Problems Fast [Also] Kills Scorpions Virtually Odor-Free Fast Acting [Formula] Visible Effects [in Hours] **Broad Spectrum** Kills Insects, Spiders and Ticks Won't Harm Lawns Keeps [Lawn] Insects Away for Up to 2 Months [8 Weeks] Kills Tough Lawn Insects [and Keeps them Away for Up to 2 Months [8 Weeks]] Insect Protection Ready To Use With Southern Insect Control **Controls Southern Insects**