

239-2689

9/3/2004

1/11



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:

239-2689

Date Issued: SEP 9 2004

Term of Issuance:

Conditional

Name of Pesticide Product:

Lawn Crabgrass and Weed Killer

NOTICE OF PESTICIDE:

- Registration
- Reregistration
(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

The Scotts Company D/B/A The ORTHO Group
P.O. Box 190
Marysville, OH 43040

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/ reregistration of your product when the Agency requires all registrants of similar products to submit data.
2. Make the following label changes listed below before you release the product for shipment:
 - a. Add the phrase, "EPA Reg. No. 239-2689".
 - b. On page 2 and everywhere it appears on the labeling delete "Weed-B-Gon" and substitute with this products brand name.

Signature of Approving Official:

IS

Date:

SEP - 3 2004

page 2
EPA Reg. No. 239-2689

3. Submit one (1) copy of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

4. Submit the results of storage stability (GRN 830.6317) and corrosion characteristics (GRN 830.6320) studies to EPA upon completion.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Joanne I. Miller
Product Manager (23)
Herbicide Branch
Registration Division (7505C)

Enclosure

Lawn Crabgrass and Weed Killer

3/11

**Kills Crabgrass, Dandelion, Clovers, Plantains, Chickweeds, Oxalis,
Spurges, Henbit, English Daisy, Wild Onion
And Other Listed Weeds**

For Home Lawns Only

ACTIVE INGREDIENTS:

Quinclorac.....	0.10%
Mecoprop-p, dimethylamine salt.....	0.22%
2,4-D, dimethylamine salt.....	0.12%
Dicamba, dimethylamine salt.....	0.05%
OTHER INGREDIENTS:.....	99.51%
TOTAL	100.00%

THIS PRODUCT CONTAINS:

- Quinclorac acid 0.1%
 - (+)-(R)-2-(2-methyl-4-chlorophenoxy) propionic acid equivalent 0.18%
 - 2,4-Dichlorophenoxyacetic acid equivalent 0.10%
 - 3,6-dichloro-o-anisic acid equivalent 0.04%
- Isomer Specific by AOAC Methods
Contains the single isomer form of Mecoprop-p.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel booklet for additional Precautionary Statements.

- NET CONTENTS: 6 fl. oz. / 177 mL
- NET CONTENTS: 24 fl. oz. (1 pt, 8 fl. oz.) 710 mL
- NET CONTENTS: 64 fl. oz. (1/2 gallon) 1.89 L
- NET CONTENTS: 1 gallon/3.78 L
- NET CONTENTS: 1.33 gallons/5.03L
- NET CONTENTS: 1.58 gallons/5.98 L
- NET CONTENTS: 1.75 gallons/6.62 L

MANUFACTURED BY:
 The ORTHO Group
 Post Office Box 190
 Marysville, OH 43040
 EPA Reg. No. 239-XXXX
 EPA Est. No. 239-IA-3¹, 58996-MO-1^A
 Superscript is first letter of lot number
 Made in USA

ACCEPTED
 with COMMENTS
 in EPA Letter Docket
 SEP 9 2004

Under the Federal Insecticide,
 Fungicide, and Rodenticide Act
 as amended for the pesticide
 registered under EPA Reg. No.

239-2689

DIRECTIONS FOR USE

4/11

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is for spot treatment only. For entire lawn treatment [broadcast applications] use Ortho Weed-B-Gon Weed Killer for Lawns Concentrate or Ortho Weed-B-Gon Crabgrass Killer for Lawns.

Product Facts

Container treats more than	50 weeds	6 fluid ounce size
Container treats more than	200 weeds	24 fluid ounce size
Container treats more than	500 weeds	Half gallon size
Container treats more than	1000 weeds	Gallon size
Container treats more than	1333 weeds	1.33 gallon size
Container treats more than	1580 weeds	1.58 gallon size

KILLS WEEDS

Broadleaf: Dandelion, Clover, Chickweed and many other broadleaf weeds.

Grassy Weeds: Crabgrass and other grassy weeds

[Kills Broadleaf weeds such as dandelion, clover, chickweed, and others.]

[Kills crabgrass, and some other grassy weeds.]

WHERE TO USE

ON LAWNS—Bahia grass, bentgrass, bermudagrass, buffalograss, centipedegrass, fescue, Kentucky bluegrass, perennial ryegrass, St. Augustinegrass (do not use on 'Floritam' a variety of St Augustinegrass) and zoysiagrass without harming lawn grasses.

(WHAT TO EXPECT) (optional information)

Weeds begin to wilt and die within 24 hours. Weeds die completely within 14 - 28 days after application. Won't harm lawn grasses.

(Re-Entry Icon)

People or pets may re-enter treatment area after spray has dried.



Questions, Comments or Medical Information
Call 1-800-225-2883 www.ortho.com

Kills weeds in your lawn—won't harm lawn grasses. Weed-B-Gon singles out weeds, enters through leaves and moves inside the weed to the roots.

-OR-

Weed-B-Gon kills weeds in lawns—roots and all. Ready-To-Use. No mixing. No measuring.

For weeds **OUTSIDE** the lawn (on driveways, sidewalks, patios and mulched areas) – use Ortho Season-Long Grass & Weed Killer. It kills & prevents weeds all season long.

WEEDS Controlled: *[illustration]*

Barnyardgrass, large crabgrass, smooth crabgrass, giant foxtail, green foxtail, yellow foxtail, broadleaf signalgrass, junglerice, *Make 2 sequential applications at 14 to 21 day interval to control kikuyugrass and torpedograss*

Bur Clover, Carpetweeds, Chickweeds, Creeping Charlie, Cudweed, Curly Dock, Dandelion, English Daisy, False Dandelion, Field Bindweed, Filaree, Florida Pusley, Heartleaf Drymary, Henbit, Oxalis, Pennywort, Plantains, Purslane, Red Sorrel, Sheep Sorrel, Speedwell, Spurges, Spurweed, Thistles, Toadflax, White Clover, Wild Carrot, Wild Geranium, Wild Onion, and other broadleaf weeds.

5/11

WHEN TO APPLY: [icon]

- Spray when [any time] weeds are actively growing.
- For Best Results - Spray when daytime temperatures are above 45°F and below 90°F.
- Rain or watering 1 hour after application will not wash away effectiveness.
- For Best Results – If turf is drought stressed water lawn and spray weeds 3 days later when the weeds are not drought stressed.

Bare spots in lawns can be reseeded 4 weeks after application.

IMPORTANT: Do not use this product for controlling weeds in vegetable gardens, flower beds or around shrubs or ornamental plants. Do not use on or around fruits, vegetables or flowers. Temporary discoloration may occur on St. Augustine, centipede and bentgrass lawns. Do not use on Floratam, a variety of St. Augustine grass.

-----**OPTION 1 (QCS/Trigger)**-----

(Quick Connect Sprayer Package Design Directions:)

NOW with Quick Connect Sprayer. 1. Pull sprayer from bottle. 2. Pull [color] hose connector and coil from sprayer handle. 3. Insert hose connector into [color] sprout on cap until it clicks into place. 4. Flip up spout. Turn sprayer nozzle to open, and spray.

Quick Connect Sprayer. 1. Remove sprayer. Pull cord ALL THE WAY OUT. 2. Insert red plug into spout (on cap) until it clicks. 3. Flip up spout. Open nozzle at end of sprayer.

HOW TO APPLY/USE: [icon]

Turn sprayer nozzle to open. Adjust spray nozzle to give a coarse spray. Aim at center of weed and spray to lightly cover. To avoid spray drift, hold spray nozzle 2 feet or less from targeted weed.

Optional Marker language

Turn sprayer nozzle to desired position – FOAM or STREAM. FOAM marks treated weeds allowing you to easily see where you've sprayed. STREAM provides a coarse spray that does not foam. (Both settings provide the same weed control results.) Aim at center of weed and spray to lightly cover. To avoid spray drift, hold spray nozzle 2 feet or less from targeted weed.

(Trigger Sprayer:)

HOW TO APPLY/USE: [icon]

- Turn sprayer nozzle to open.
- Adjust sprayer nozzle as desired. [set sprayer to a coarse spray]
- Aim at center of weed and spray to lightly cover. To avoid spray drift, hold spray nozzle 2 feet or less from targeted weed.

[Optional MARKER LANGUAGE]

Turn sprayer nozzle to desired position – FOAM or STREAM. FOAM marks treated weeds allowing you to easily see where you've sprayed. STREAM provides a coarse spray that does not foam. (Both settings provide the same weed control results.)

Aim at center of weed and spray to lightly cover. To avoid spray drift, hold spray nozzle 2 feet or less from targeted weed.

-----**End of Option 1**-----

(Applicator Device Directions)

(Illustration #1)

- Remove sprayer from side carrier and unwrap hose completely.
- Insert (color of plug) plug at end of hose into (color of spout) spout on cap until it clicks.
- Flip up spout. Spout must remain up while spraying

(Illustration #2)

- Twist nozzle at end of sprayer to desired spray pattern.

[Optional MARKER LANGUAGE]

- Turn sprayer nozzle to desired position – FOAM or STREAM. FOAM marks treated weeds allowing you to easily see where you've sprayed. STREAM provides a coarse spray that does not foam. (Both settings provide the same weed control results.)

(Illustration #3)

- Point sprayer away from body.
- Grasp sprayer by the handle.
- Slowly pull ring at bottom of sprayer handle until it stops and hold for two (2) seconds to ready the sprayer.

(Illustration #4)

- Press and hold button on sprayer to begin spraying.
- Pull ring at sprayer bottom again as needed to continue spraying.

HOW TO APPLY/USE: *[icon]*

Follow illustrations and instructions above. Twist nozzle at end of sprayer to desired spray pattern. Point sprayer away from body and press sprayer button to begin spraying. Pull ring at sprayer bottom again as needed to continue spraying.

[Optional MARKER LANGUAGE]

Follow illustrations and instructions above. Twist nozzle at end of sprayer to desired spray pattern. [Turn sprayer nozzle to desired position – FOAM or STREAM. FOAM marks treated weeds allowing you to easily see where you've sprayed. STREAM provides a coarse spray that does not foam.] (Both settings provide the same weed control results.) Point sprayer away from body and press sprayer button to begin spraying. Pull ring at sprayer bottom again as needed to continue spraying.

Aim at center of weed and spray to lightly cover. To avoid spray drift, hold spray nozzle 2 feet or less from targeted weed.

-----End of Option 2-----

Important: Spray only the weed, not the entire lawn. Do not use clippings as mulch or compost.

STORAGE & DISPOSAL

(Following to be used with all Storage Text) Keep from freezing. Keep pesticide in original container. Do not put into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry

place, preferably in a locked storage area.

7/11

STORAGE: (for PNS [III]/Pull 'N Spray [III]) Completely discharge/dispense product in sprayer prior to storage. Flip down (color of spout) spout on cap. DO NOT DISCONNECT SPRAYER HOSE FROM CAP. Place sprayer back inside carrier on bottle with the nozzle facing down.

STORAGE: (for Quick Connect Sprayer and bottle) Flip down spout to close. No need to disconnect trigger sprayer. Close nozzle on trigger sprayer [Turn sprayer nozzle to "OFF" [X]]. Snap sprayer back in place.

STORAGE: (for conventional trigger sprayers larger than 24 fl. oz.) Place trigger sprayer under handle on container to keep sprayer above the level of contents.

STORAGE: (for conventional trigger sprayers) Rotate nozzle to closed position. –OR– Turn sprayer nozzle to "OFF" [X].

CONTAINER DISPOSAL:

If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partly filled: Call you local solid waste agency of 1-800-CLEANUP for disposal instruction. Never place unused product down any indoor or outdoor drain.

[Re-entry icon] People and pets may re-enter area after spray has dried.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. When using this product, wear long-sleeved shirt, long pants, socks, shoes, rubber gloves and protective eyewear.

Personal Hygiene Statements:

After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower.

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

Environmental Hazards:

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.



Questions, Comments or Medical Information call 1-800-225-2883 www.ortho.com

NOTICE: Buyer assumes all risks of use, storage or handling of this product not in accordance with label directions.

The ORTHO Guarantee

If for any reason you are not satisfied with this product, mail us proof of purchase to obtain a full refund of your purchase price.

8/11

APPENDIX

- 1. Formula Claims:** These claims may be presented on the retail container label or on the labeling accompanying the product.
- ◆ Weed-B-Gon kills weeds - not lawns.
 - ◆ ORTHO® WEED-B-GON® for the lawn.
 - ◆ For a beautiful Weed-Free Lawn
 - ◆ Use Weed-B-Gon to control weeds everywhere in your lawn.
 - ◆ Kills weeds down to the root.
 - ◆ Rainproof [brand] in 1 hour.
 - ◆ Kills broadleaf and grassy weeds in your lawn.
 - ◆ Kills crabgrass and other weeds in your lawn.
 - ◆ Ideal for spot treating individual lawn weeds.
 - ◆ Rain proof in hours.
 - ◆ Kills Dandelion, Clover, Crabgrass [and over 220 other lawn weeds]—Won't Harm Lawns.
 - ◆ Kills Weeds—Not Lawn Grasses
 - ◆ Guaranteed [Results]
 - ◆ Kills weeds the first time, every time, guaranteed.
 - ◆ Guaranteed not to harm one single blade of grass.
 - ◆ Won't harm lawns, guaranteed.
 - ◆ Guaranteed not to harm the lawn.
 - ◆ Guaranteed to kill weeds, not the lawn.
 - ◆ Starts working on contact
 - ◆ Fast results
 - ◆ Fast-acting formula
 - ◆ Weeds begin wilting overnight
 - ◆ Weeds begin to wilt and die overnight
 - ◆ Weed control for any season
 - ◆ Rainproof in 1 hour – so it [the weed killing power] won't wash away.
 - ◆ Rainproof in 1 hour so you won't have to respray.
 - ◆ Kills to the root so weeds don't [won't] ever come [grow] back.
 - ◆ Kills more weeds
 - ◆ Stronger
 - ◆ Complete root [weed] kill
 - ◆ Kills all major [common] broadleaf weeds
 - ◆ Kills the toughest weeds fast
 - ◆ Complete kill
 - ◆ Kills even tough lawn weeds
 - ◆ Kills over 225 weeds [lawn weeds]
 - ◆ Weed-B-Gon singles out weeds leaves grass alone [unharmed].
 - ◆ For use on lawns
 - ◆ How it works – Weed-B-Gon's exclusive [special] [LawnGuard™] [LawnProtect™] [smart] [proven] formula specifically targets [seeks out] weeds, killing them, while leaving the grass [lawn] unharmed – guaranteed.
 - ◆ How it works – Weed-B-Gon [LawnGuard™] [LawnProtect™] contains [is] a special [unique] [exclusive] blend of proven ingredients that seek out [target] and destroy [kill] weeds, while leaving the [your] grass [lawn] unharmed – guaranteed.
 - ◆ How it works – Weed-B-Gon contains an exclusive [Any-Weed™] [brand name] formula [blend of ingredients] that kills BOTH broadleaf weeds and crabgrass [in one easy step!], without harming your lawn – guaranteed
 - ◆ Specially formulated to kill weeds, not the lawn.
 - ◆ Targets weeds, leaves grass [the lawn] unharmed.

9/11

- ◆ Made [scientifically formulated] [special formula] for use on lawns.
- ◆ Kills weeds, not lawns.
- ◆ LawnGuard™ [LawnProtect™]
- ◆ With LawnGuard™ [LawnProtect™]
- ◆ Contains LawnGuard™ [LawnProtect™] formula.
- ◆ Contains Ortho's [Weed-B-Gon's] exclusive [special] [scientific] LawnGuard™ [LawnProtect™] formula.
- ◆ Kills broadleaf and [or] grassy weeds [crabgrass] with one application [product]
- ◆ Exclusive [special] [patented] formula [technology].
- ◆ Exclusive [special] LawnGuard™ [LawnProtect™] formula.
- ◆ Exclusive blend of ingredients
- ◆ The Weed-B-Gon Advantage™
- ◆ Now with LawnGuard™ [LawnProtect™]
- ◆ With LawnGuard™ [LawnProtect™] Weed Control
- ◆ New Formula!
- ◆ New
- ◆ Now
- ◆ Helps keep lawn[s] healthy and weed-free.
- ◆ Helps keep[s] the lawn look [ing] beautiful.
- ◆ Easy to use
- ◆ Requires no mixing, no measuring and no messy cleanup
- ◆ Great [ideal] for spot treatments
- ◆ Ideal for use in between [as a supplement to] fertilizer applications
- ◆ Ideal for use in between fertilizer applications to spot treat weeds
- ◆ 100% root kill
- ◆ Total root kill
- ◆ Free [Sample]
- ◆ Works in 24 hours
- ◆ Overnight results
- ◆ Kills broadleaf weeds plus crabgrass
- ◆ Kills the toughest crabgrass [grassy weeds] [broadleaf weeds]
- ◆ Kills crabgrass & other grassy weeds
- ◆ Now kills crabgrass (too!)
- ◆ [See] [Visible] Results in 24 hours
- ◆ Rain-proof in 1 hour
- ◆ Maximum weed control
- ◆ Kills broadleaf [weeds] and grassy weeds [crabgrass] with one spray
- ◆ [One product] kills two types of weeds [broadleaf and crabgrass]
- ◆ Kills weeds to the MAX
- ◆ Kills [even] the toughest [lawn] weeds
- ◆ Ortho's [our] best lawn weed killer [weed killer for lawns]
- ◆ Ortho's [our] fastest lawn weed killer [weed killer for lawns]
- ◆ Ortho's [our] most-effective lawn weed killer [weed killer for lawns]
- ◆ Ortho's [our] most powerful lawn weed killer [weed killer for lawns]
- ◆ Ortho's [our] only complete lawn weeds killer [weed killer for lawns]
- ◆ Kills the root
- ◆ Tough on weeds. Gentle [easy] on lawns.
- ◆ Complete weed control for your lawn
- ◆ Kills all major lawn weeds
- ◆ Just as mean, keeps grass green
- ◆ One [simple] solution
- ◆ All in one [weed killer] [weed control]
- ◆ Keep your lawn totally weed free
- ◆ Kills more weeds [than ever before]
- ◆ [Exclusive] [patented] Any-Weed™ [brand name] Formula

- ◆ Kills broadleaf and grassy weeds [with one product] [all in one] [in one easy step]
- ◆ One [easy] [simple] solution for dandelions, clover and crabgrass
- ◆ Keeping your lawn weed-free has never been easier
- ◆ Kills Field Bindweed

10/11

II: WEEDS CONTROLLED

- White heath Aster, Bushy Aster, Heath Aster, Purple Aster, White prairie Aster, Catchweed Bedstraw, Marsh Bedstraw, Northern Bedstraw, Hairy Beggarticks, Creeping Beggarweed, Threeflower Beggarweed, Florida Bellflower, Florida Betony, Field Bindweed, Hairy Bittercress, Whitehead Broom, Burclover, Common Burdock, Great Burdock, Lawn Burweed, Smallflower Buttercup, Hairy Buttercup, Bushy Buttonweed, Virginia Buttonweed, Black Medic, Carolina Geranium, Carpetweed, Wild Carrot, Cat's-ear, Smooth Chaff-flower, Chicory, Common Chickweed, Mouseeared Chickweed, Sticky Chickweed, Chicory, Common Cinquefoil, Oldfield Cinquefoil, Alyce-clover, Crimson Clover, Hop Clover, White Clover, Wandering Cudweed, Purple Cudweed, Narrowleaf Cudweed, Shiny Cudweed, Cupids Shaving Brush, English Daisy, Oxeye Daisy, Common Dandelion, False Dandelion, Catsear Dandelion, Dayflowers, Purple Deadnettle, Dichondra, Dogfennel, Doveweed, Broadleaf Dock, Curly Dock, Dollarweed, Doveweed, Heartleaf Drymary, Eclipta, Facelis, Oakleaf Fleabane, Rough Fleabane, Wild Garlic, Carolina Geranium, Clammy Ground Cherry, Smooth Ground Cherry, Ground Ivy, Groundsel, Yellow Hawkweed, Healall, Henbit, Sprawling Horseweed, Innocense (blue eyed Mary), Jointvetch, Knawel, Prostrate Knotweed, Tufted Knotweed, Kochia, Lambsquarters, Lespedeza, Field Madder, Alkali Mallow, Venice Mallow, Common Mallow, Little Mallow, Dwarf Mallow, Bristly Mallow, Marcela (yellow joyweed), Marestalk, Horseweed, Mat Lippia, Milkweed, Moneywort, Mugwort, Common Mullein, Moth Mullein, Mexican Morningglory, Bigroot Morningglory, Ivyleaf Morningglory, Tall Morningglory, Red Morningglory, Ball Mustard, Black Mustard, Blue Mustard, Indian Mustard, Tumble Mustard, Wild Mustard, Tansy Mustard, White Mustard, Wormseed Mustard, Bitter Nightshade, Eastern Black Nightshade, Silverleaf Nightshade, Cutleaf Nightshade, Hairy Nightshade, Wild Onion, Old World Diamond Flower, Birdseye Pearlwort, Florida Pellatory, Pennywort, Asiatic Pennywort, Peppargrass, Virginia Pepparweed, Prostrate Pigweed, Redroot Pigweed, Smooth Pigweed, Tumble Pigweed, Pineappleweed, Broadleaf Plantain, Buckhorn Plantain, Blackseeded Plantain, Poison Ivy, Poison Oak, Cutleaf Evening Primrose, Showy Evening Primrose, Purple cudweed, Purslane, Brazil Pusley, Largeflower Pusley, Florida Pusley, Giant Ragweed, Common Ragweed, Western Ragweed, Lanceleaf Ragweed, Redweed, Yellow Rocket, Field Sandbur, Longspine Sandbur, Mexican or Texas Sandbur, Southern Sandbur, Sibara, Red Sorrel, Sheep Sorrel, Shepardspurse, Pennsylvania Smartweed, Swamp Smartweed, Ladysthumb Smartweed, Pale Smartweed, Bitter Sneezeweed, Bilobed Speedwell, Common Speedwell, Corn Speedwell, Ivyleaf Speedwell, Persian Speedwell, Purslane Speedwell, Slender Speedwell, Snow Speedwell, Thymeleaf Speedwell, Winter Speedwell, Common Spiderwort, Spotted Spurge, Prostrate Spurge, Corn Spurry, Swinecress, Bull Thistle, Canada Thistle, Flodman Thistle, Cotton Thistle, Distaff Thistle, Drummonds Thistle, Elk Thistle, Gray Thistle, Italian Thistle, Leafy Thistle, Meadow Thistle, Milk Thistle, Platte Thistle, Plumeless Thistle, Russian Thistle, Scotch Thistle, Slenderflower Thistle, Tall Thistle, Wavyleaf Thistle, Yellowspine Thistle, Stiff Verbena, Campilipoda Veronica, Common Vetch, Hairy Vetch, Winter Vetch, Wooley Vetch, Violet, Field Violet, Wild Carrot, Wild Lettuce, Woodsorrel, Creeping Woodsorrel, Yellow Woodsorrel, Florida Yellow Woodsorrel, Wooleyleaf Bursage, Common Yarrow, Western Yarrow, Yellow Yarrow

III: Applicator Claims

- ◆ Now with Quick Connect Sprayer
- ◆ Quick Click Sprayer
- ◆ Quick & Easy to Use
- ◆ No Leaks or Mess
- ◆ EASY-TO-USE [Store]
- ◆ The easy way to spray Weed-B-Gon
- ◆ The easier way to spray
- ◆ No [More] Hand Fatigue
- ◆ No more squeeze, squeeze, squeeze
- ◆ 33% more than 1 gallon size
- ◆ Precise control for maximum accuracy
- ◆ Consistent spray for maximum accuracy
- ◆ No more tired hands
- ◆ Change the way you spray

- ◆ Ideal for large or small jobs [areas]
- ◆ Great for large or small jobs [areas]
- ◆ Precise control—sprays only what you want
- ◆ Adjustable spray nozzle for maximum control
- ◆ Adjustable spray pattern for maximum control
- ◆ Cut your time spent spraying in half
- ◆ You're always ready to spray
- ◆ It's always ready to spray
- ◆ Targets weeds in tight places
- ◆ Save [s] time and energy
- ◆ One pull [delivers] [=] 34 trigger sprays
- ◆ Improved [Applicator]!/Improved [Application]!
- ◆ Improve Applicator System! [Device!]/Improved Application System! [Device!]
- ◆ Improved [!]
- ◆ No pumping, just pull
- ◆ The easier way to kill weeds
- ◆ the easy way to kill lawn weeds
- ◆ Exclusive [technology]
- ◆ Patented [technology]

IV Marker Claims

- ◆ See [shows] exactly where [the weeds] [what] [how much] you [you've] spray [sprayed] [applied].
- ◆ See [shows] [marks] area covered [treated] [sprayed].
- ◆ Foam [Visible Foam]
- ◆ Marks [shows] treated [sprayed] weeds [for up to 10 minutes]
- ◆ Marks [shows] the weeds you've sprayed
- ◆ Easily [easy to] [makes it easy/easier to] see exactly where [the weeds] [what] you've sprayed [treated] [applied]
- ◆ Treated [sprayed] weeds stay visible [marked] [can easily be seen] for up to 10 minutes.
- ◆ See where [what] you spray technology
- ◆ Marker [foam] [foaming] technology
- ◆ Hit [spray] [target] exactly what you want.
- ◆ Foam marks the spot
- ◆ New!
- ◆ Now!
- ◆ Non-staining
- ◆ Does [will] not stain.
- ◆ Stain-free [formula].
- ◆ Accurate
- ◆ Visible results
- ◆ The accurate way to spray
- ◆ RapidStrike™ [SureStrike™] [MAXStrike™] [brand name] [Foam]
- ◆ Foaming Action
- ◆ Penetrates weeds completely [quickly]
- ◆ Sticks to weeds for tough weed control
- ◆ Covers weeds completely