



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

September 5, 2024

Mandy Slack
Sr. Analyst, Regulatory Affairs
The Scotts Company d/b/a/ The Ortho Group
PO Box 190
Marysville, OH 43040

Subject: Label Amendment - Registration Review Mitigation for Quinclorac and
Mecoprop-p
Product Name: LAWN CRABGRASS AND WEED KILLER
EPA Registration Number: 239-2689
Application Dates: August 29, 2024 and December 2, 2020
Decision Numbers: 596206, 568492

Dear Mandy Slack:

The Agency, in accordance with the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, has completed reviewing all the information submitted with your application to support the Registration Review of the above referenced product in connection with the Quinclorac and Mecoprop-p Interim Decisions, and has concluded that your submission is acceptable. The label referred to above, submitted in connection with registration under FIFRA, as amended, is acceptable.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling and must be used at your next label printing. You must

submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 12 months from the date of this letter. After 12 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

If you have any questions about this letter, please contact DeMariah Koger by phone at (202)-566-2288, or via email at Koger.demariah@epa.gov.

Sincerely,

A handwritten signature in blue ink, appearing to read "Linda Arrington", with a stylized flourish at the end.

Linda Arrington, Branch Chief
Risk Management and Implementation Branch 4
Pesticide Re-Evaluation Division
Office of Pesticide Programs

ENCLOSURE: Stamped label

[For Home Lawns Only]

Lawn Crabgrass and Weed Killer

Alternate Brand Names

Ortho® Weed B Gon® Max™ Plus Crabgrass Control
 Ortho® Weed B Gon® Max™ Plus Crabgrass Killer
 Scotts® Weed B Gon® Max™ Plus Crabgrass Control
 Scotts® Turf Builder® Touch Up
 Scotts® Touch Up
 Scotts® EZ Weed
 Scotts® Sidekick
 Scotts® Weed Sweep

ACCEPTED

Sep 05, 2024

Under the Federal Insecticide, Fungicide
 and Rodenticide Act as amended, for the
 pesticide registered under
 EPA Reg. No. 239-2689

ACTIVE INGREDIENTS:

Quinclorac.....	0.10%
Mecoprop-p, dimethylamine salt.....	0.22%
2,4-D, dimethylamine salt.....	0.12%
Dicamba, dimethylamine salt.....	0.05%
OTHER INGREDIENTS:.....	99.51%
TOTAL	100.00%

THIS PRODUCT CONTAINS:

Quinclorac acid 0.1%
 (+)-(R)-2-(2-methyl-4-chlorophenoxy) propionic acid equivalent 0.18%
 2,4-Dichlorophenoxyacetic acid equivalent 0.10%
 3,6-dichloro-o-anisic acid equivalent 0.04%
 Isomer Specific by AOAC Methods
 Contains the single isomer form of Mecoprop-p.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See [back/side/top/bottom] [panel/label/booklet] for additional precautionary statements.

[See back for directions.]

NET CONTENTS: 6 fl oz/177 ml, 24 fl oz/710 ml [1 pt/8 fl oz], 64 fl oz/1.89 L [½ gallon],
 1 gallon/3.78 L, 1.33 gallons/5.03L. 1.58 gallons/5.98 L, 1.75 gallons/6.62 L, 2 gallons/7.56 L

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. When using this product, wear long-sleeved shirt, long pants, socks, shoes, rubber gloves and protective eyewear.

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment. [Medical Information Call 1-877-465-5161]

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic invertebrates. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. This product may adversely affect nontarget plants.

To protect the environment, do not apply directly to or allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, or oceans. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticides off the treatment area. Rinse applicator over lawn or garden area only.

This product has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

NON-TARGET ORGANISM ADVISORY: This product is toxic to plants and may adversely impact the forage and habitat of non-target organisms, including pollinators, in areas adjacent to the treated site. Protect the forage and habitat of non-target organisms by following label directions intended to minimize spray drift.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Restrictions/[IMPORTANT]

- Keep people and pets out of the area during application.
- Spray only the weed, not the entire lawn. This product is for spot treatment only.
- Do not apply this product in a way that will contact any person or pet, either directly or through drift.
- Do not allow people or pets to enter the treated area until sprays have dried.
- Do not use this product for controlling weeds in vegetable gardens, flower beds or around shrubs or ornamental plants.
- Do not use on or around fruits, vegetables or flowers.
- Do not use this product on or near desirable plants, including within the dripline of roots of desirable trees and shrubs, as injury may result.
- Do not use clippings as mulch or compost.

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

- Do not apply as a fine mist because of potential injury to desirable plants.
- Do not apply more than 3.5 liters/1000 sq ft per application (0.34 lb ae quinclorac, 0.6 lb ae MCP-P, 0.34 lb ae 2,4-D and 0.13 lb ae dicamba/Acre).
- Do not apply more than 2 times per year to the same area.

[WEEDS Controlled [Kills Weeds Including]:

Some or all of the following weeds will appear on the product label

White heath Aster, Bushy Aster, Heath Aster, Purple Aster, White prairie Aster, Barnyardgrass, Catchweed Bedstraw, Marsh Bedstraw, Northern Bedstraw, Hairy Beggarticks, Creeping Beggarweed, Threeflower Beggarweed, Florida Betony, Field Bindweed, Hairy Bittercress, Burclover, Common Burdock, Great Burdock, Lawn Burweed, Smallflower Buttercup, Hairy Buttercup, Bushy Buttonweed, Virginia Buttonweed, Black Medic, Carolina Geranium, Carpetweed, Cat's-ear, Chicory, Common Chickweed, Mouseeared Chickweed, Sticky Chickweed, Common Cinquefoil, Oldfield Cinquefoil, Alyce-clover, Crimson Clover, Hop Clover, White Clover, Large Crabgrass, Smooth Crabgrass, Wandering Cudweed, Purple Cudweed, Narrowleaf Cudweed, Shiny Cudweed, English Daisy, Oxeye Daisy, Common Dandelion, False Dandelion, Catsear Dandelion, Dayflowers, Purple Deadnettle, Dichondra, Dogfennel, Doveweed, Broadleaf Dock, Curly Dock, Dollarweed, Facelis, Oakleaf Fleabane, Rough Fleabane, Wild Garlic, Carolina Geranium, Giant Foxtail, Green Foxtail, Yellow Foxtail, Ground Ivy, Groundsel, Yellow Hawkweed, Healall, Henbit, Sprawling Horseweed, Junglerice, Kikuyugrass*, Knawel, Prostrate Knotweed, Tufted Knotweed, Kochia, Lambsquarters, Lespedeza, Alkali Mallow, Venice Mallow, Common Mallow, Little Mallow, Dwarf Mallow, Bristly Mallow, Maretail, Horseweed, Moneywort, Mexican Morningglory, Bigroot Morningglory, Ivyleaf Morningglory, Tall Morningglory, Red Morningglory, Ball Mustard, Black Mustard, Blue Mustard, Indian Mustard, Tumble Mustard, Wild Mustard, Tansy Mustard, White Mustard, Wormseed Mustard, Wild Onion, Birdseye Pearlwort, Pennywort, Asiatic Pennywort, Peppargrass, Virginia Pepparweed, Prostrate Pigweed, Redroot Pigweed, Smooth Pigweed, Tumble Pigweed, Pineappleweed, Broadleaf Plantain, Buckhorn Plantain, Blackseeded Plantain, Poison Ivy, Poison Oak, Cutleaf Evening Primrose, Showy Evening Primrose, Purslane, Brazil Pusley, Largeflower Pusley, Florida Pusley, Giant Ragweed, Common Ragweed, Western Ragweed, Lanceleaf Ragweed, Yellow Rocket, Sibara, Broadleaf Signalgrass, Red Sorrel, Sheep Sorrel, Shepherd's-purse, Pennsylvania Smartweed, Swamp Smartweed, Ladysthumb Smartweed, Pale Smartweed, Bitter Sneezeweed, Bilobed Speedwell, Common Speedwell, Corn Speedwell, Ivyleaf Speedwell, Persian Speedwell, Purslane Speedwell, Slender Speedwell, Snow Speedwell, Thymeleaf Speedwell, Winter Speedwell, Spotted Spurge, Prostrate Spurge, Corn Spurry, Swinecress, Bull Thistle, Canada Thistle, Flodman Thistle, Cotton Thistle, Distaff Thistle, Drummonds Thistle, Elk Thistle, Gray Thistle, Italian Thistle, Leafy Thistle, Meadow Thistle, Milk Thistle, Platte Thistle, Plumeless Thistle, Russian Thistle, Scotch Thistle, Slenderflower Thistle, Tall Thistle, Wavyleaf Thistle, Yellowspine Thistle, Torpedograss*, Camplipoda Veronica, Common Vetch, Hairy Vetch, Winter Vetch, Wooley Vetch, Violet, Field Violet, Wild Carrot, Wild Lettuce, Woodsorrel, Creeping Woodsorrel, Yellow Woodsorrel, Florida Yellow Woodsorrel, Wooleyleaf Bursage, Common Yarrow, Western Yarrow, Yellow Yarrow

**Make 2 sequential applications at 14 to 21 day interval to control kikuyugrass and torpedograss*

[WHERE TO USE]

[On Lawns – Bermudagrass*, Buffalograss, Fescue, Kentucky bluegrass, Perennial Ryegrass, and Zoysiagrass without harming lawn grasses.]

[*Temporary discoloration may occur on Bermudagrass.]

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

[Weeds begin to wilt and die within 24 hours. Weeds die completely within 14 – 28 days after application. Won't harm lawn grasses.]

WHEN TO APPLY: [icon]

- Spray when [any time] weeds are actively growing.
- For Best Results - Spray when daytime temperatures are above 45°F and below 90°F.
- Rain or watering 1 hour after application will not wash away effectiveness.
- For Best Results – If turf is drought stressed water lawn and spray weeds 3 days later when the weeds are not drought stressed.
- Bare spots in lawns can be reseeded 4 weeks after application.

Directions For Use Options Based On Applicator

Option 1 – Conventional Trigger Sprayer

[[Applicator Name] [Applicator/Sprayer] Directions]

HOW TO APPLY/USE: [icon]

- Turn sprayer nozzle to open.
- Adjust sprayer nozzle as desired. [set sprayer to a coarse spray]
- Aim at center of weed and spray to lightly cover.
- To avoid spray drift, hold spray nozzle 2 feet or less from targeted weed.

Optional How To Apply When Using Marker

- Turn sprayer nozzle to desired position – FOAM or STREAM.
- FOAM marks treated weeds allowing you to easily see where you've sprayed.
- STREAM provides a coarse spray that does not foam. [Both settings provide the same weed control results.]
- Aim at center of weed and spray to lightly cover.
- To avoid spray drift, hold spray nozzle 2 feet or less from targeted weed.

STORAGE & DISPOSAL

PESTICIDE STORAGE: [Small] [Applicator Name] Rotate nozzle to closed position. –OR– Turn sprayer nozzle to "OFF" [X]. Keep from freezing. Keep pesticide in original container. Do not put into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area.

PESTICIDE DISPOSAL AND/CONTAINER HANDLING: Non-refillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instruction. Never place unused product down any indoor or outdoor drain.

PESTICIDE STORAGE: [Large] [Applicator Name] Place trigger sprayer under handle on container to keep sprayer above the level of contents. Keep from freezing. Keep pesticide in original container. Do not put into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area.

PESTICIDE DISPOSAL AND/CONTAINER HANDLING: Non-refillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instruction. Never place unused product down any indoor or outdoor drain.

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

Option 2 – Quick Connect Sprayer

[[Applicator Name] [Applicator/Sprayer] Directions]

[Quick Connect Sprayer] [1. Pull sprayer from bottle. 2. Pull [color] hose connector and coil from sprayer handle. 3. Insert hose connector into [color] spout on cap [until it clicks] into place.] [4.] [Flip up spout.] Turn sprayer nozzle to open, and [pull trigger to] spray.

or

[Quick Connect Sprayer] [1. Remove sprayer. Pull cord ALL THE WAY OUT. 2. Insert red plug into spout [on cap] [until it clicks].] [3.] [Flip up spout.] Open nozzle at end of sprayer [and pull trigger to spray].

HOW TO APPLY/USE: [icon]

- Turn sprayer nozzle to open.
- Adjust spray nozzle [as desired] [to give a coarse spray].
- [Aim at center of weed and spray to lightly cover.]
- [To avoid spray drift, hold spray nozzle 2 feet or less from targeted weed.]

Optional How To Apply When Using Marker

- Turn sprayer nozzle to desired position – FOAM or STREAM.
- FOAM marks treated weeds allowing you to easily see where you've sprayed.
- STREAM provides a coarse spray that does not foam. [Both settings provide the same weed control results.]
- Aim at center of weed and spray to lightly cover.
- To avoid spray drift, hold spray nozzle 2 feet or less from targeted weed.

STORAGE & DISPOSAL

PESTICIDE STORAGE: [**Applicator Name**] Flip down spout to close. No need to disconnect trigger sprayer. Close nozzle on trigger sprayer [Turn sprayer nozzle to "OFF" [X]]. Snap sprayer back in place. Keep from freezing. Keep pesticide in original container. Do not put into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area.

PESTICIDE DISPOSAL AND/ CONTAINER HANDLING: Non-refillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instruction. Never place unused product down any indoor or outdoor drain.

Option 3 – Pull 'N Spray II

[[Applicator Name] [Applicator/Sprayer] Directions]

[Illustration #1]

- [Remove sprayer from side carrier and unwrap hose completely.]
- [Insert [color of plug] plug at end of hose into [color of spout] spout on cap [until it clicks].]
- [Flip up spout]. Spout must remain up while spraying.]]

[Illustration #2]

- Twist nozzle at end of sprayer to desired spray pattern.

[Illustration #3]

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

- Point sprayer away from body.
- Grasp sprayer by the handle.
- Slowly pull ring at bottom of sprayer handle until it stops and hold for two (2) seconds to ready the sprayer.

[Illustration #4]

- Press and hold button on sprayer to begin spraying.
- Pull ring at sprayer bottom again as needed to continue spraying.

HOW TO APPLY/USE: [icon]

- Follow illustrations and instructions above.
- Twist nozzle at end of sprayer to desired spray pattern.
- Point sprayer away from body and press sprayer button to begin spraying.
- Pull ring at sprayer bottom again as needed to continue spraying.
- Aim at center of weed and spray to lightly cover.
- To avoid spray drift, hold spray nozzle 2 feet or less from targeted weed.

Optional How To Apply When Using Marker

- Follow illustrations and instructions above.
- Turn sprayer nozzle to desired position – FOAM or STREAM.
- FOAM marks treated weeds allowing you to easily see where you've sprayed.
- STREAM provides a coarse spray that does not foam.
- [Both settings provide the same weed control results.]
- Point sprayer away from body and press sprayer button to begin spraying.
- Pull ring at sprayer bottom again as needed to continue spraying.
- Aim at center of weed and spray to lightly cover.
- To avoid spray drift, hold spray nozzle 2 feet or less from targeted weed.


Optional Refill [and Reuse] Directions

[The Pull 'N Spray II/Applicator Name [applicator/wand] may be reused with the available Lawn Crabgrass and Weed Killer/Product Name refill bottle/container. Read and follow instructions in Reuse Directions to reuse the applicator.]

Refill [and Reuse] Directions

How to attach the [Pull 'N Spray II/Applicator Name] [applicator/wand] to Lawn Crabgrass and Weed Killer/Product name [refill bottle]:



Removing [Pull 'N Spray II/Applicator Name] [applicator] from original bottle:

	Remove the [applicator name] [applicator] by pulling the [color of plug] [red] plug from the [color of spout] [red] spout on cap. [Illustration]
	[At the bottom of the side [clip] [carrier] [holder] press the middle tab up and slide the [clip] [carrier] [holder] upwards to remove it from the bottle.] [Illustration]

Adding [Pull 'N Spray II/Applicator Name] [applicator] to Lawn Crabgrass and Weed Killer/Product Name:

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

	[Slide the side [clip] [carrier] [holder] downward on the knob located [at right-hand] [on the] side of the refill container.] [Illustration]
	Insert [color of plug] [red] plug at end of hose into [color of spout] [red] spout on cap [until it clicks]. [Illustration]

STORAGE & DISPOSAL

PESTICIDE STORAGE: [Pull 'N Spray II/Applicator Name] [Applicator]: Completely discharge/dispense product in sprayer prior to storage. Flip down [color of spout] spout on cap. **DO NOT DISCONNECT SPRAYER HOSE FROM CAP.** Place sprayer back inside carrier on bottle with the nozzle facing down. Keep from freezing. Keep pesticide in original container. Do not put into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area.

PESTICIDE DISPOSAL AND/ CONTAINER HANDLING: Pull 'N Spray II/Applicator Name can be reused with Lawn Crabgrass and Weed Killer/Product Name refill bottle/container. Follow instructions in the Reuse Directions when reusing [applicator name]. Non-refillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instruction. Never place unused product down any indoor or outdoor drain.

Option 4 – Battery Powered Wand/Comfort Wand

[[Applicator Name] [Applicator/Wand] Directions]

[[1. Remove] Remove [applicator name] Wand from side [holder/clip] [Illustration #1&2]

- Unwrap hose completely
- Remove protective strip from battery compartment to activate batteries]

[[2. Connect] Insert [color of plug] plug at end of hose into [color of spout] spout on cap [until it clicks. Flip up spout.] [Spout must remain up while spraying] [Illustration #3]]

[3. Extend] Flip open [applicator name] wand until it locks into position [Illustration #4]

[4. Spray] Twist nozzle at end of [applicator name] wand to desired spray pattern. [Ensure trigger lock is disengaged before spraying.] Hold (color of trigger) trigger for continuous spray. [Illustration #5]

HOW TO APPLY/USE: [icon]

- Follow illustrations and instructions above.
- Twist nozzle at end of [applicator name] wand to desired spray pattern.
- Point [applicator name] wand away from body and Hold [color of trigger] trigger for continuous spray.
- Release trigger to stop spray.
- Aim at center of weed and spray to lightly cover.
- To avoid spray drift, hold spray nozzle 2 feet or less from targeted weed.

Optional How To Apply When Using Marker

- Follow illustrations and instructions above.
- Turn sprayer nozzle to desired position – FOAM or STREAM.

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

- FOAM marks treated weeds allowing you to easily see where you've sprayed.
- STREAM provides a coarse spray that does not foam.
- [Both settings provide the same weed control results.]
- Point sprayer away from body and Hold [color of trigger] trigger for continuous spray.
- Release trigger to stop spray.]
- Aim at center of weed and spray to lightly cover.
- To avoid spray drift, hold spray nozzle 2 feet or less from targeted weed.

[After Use: twist nozzle to OFF position. [Engage trigger lock.] Flip the [applicator name] wand closed and store on the side [holder/clip).]

Important Use Information: Do not submerge in water. When storing sprayer for long periods, remove batteries.

To replace batteries: Open battery compartment at bottom of [applicator name] wand. Remove used batteries and replace with four new AA batteries in correct position as marked per diagram inside battery compartment. Securely close battery compartment door. Always use a complete set of the same type when replacing batteries. Never mix alkaline, carbon-zinc or rechargeable batteries.

Optional Trouble Shooting Section for [Battery Powdered Wand] [Applicator Name]

Troubleshooting Tips:

Problem: Sprayer does not spray [function].

Possible Cause: Batteries not installed properly.

Solution: See instructions for correct battery placement.

Problem: Sprayer makes a straining noise [Sprayer runs but nothing [no product] comes out].

Possible Cause: Nozzle is turned Off.

Solution: Turn nozzle to (desired) spray setting [position].

Possible Cause: [Red] [color] plug at end of hose is not flipped up.

Solution: Insert [color of plug] plug at end of hose into [color of spout] spout on cap [until it clicks and flip up spout.]

Possible Cause: Sprayer is not primed.

Solution: Press and hold button on sprayer for about [X] seconds to prime the sprayer.

Problem: Spray pattern is weak [or uneven] [product flow is uneven or dribbles out of nozzle].

Possible Cause: Weak batteries.

Solution: Install a fresh set of batteries.

Possible Cause: [Red] [color of plug] plug at end of hose is not flipped up.

Solution: Insert [color of plug] plug at end of hose into [color of spout] spout on cap [until it clicks]. [Attach coupler to the cap] and [flip up spout.]

Possible Cause: Nozzle not fully open.

Solution: Turn nozzle to [desired] spray setting [position].

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.



Optional Refill [and Reuse] Directions

[The Comfort Wand/Applicator Name [applicator/wand] may be reused with Lawn Crabgrass and Weed Killer/Product Name refill bottle/container. Read and follow instructions in Reuse Directions to reuse the applicator.]



Refill [and Reuse] Directions

How to attach the [Comfort Wand/Applicator Name] [applicator/wand] to Lawn Crabgrass and Weed Killer/Product name [refill bottle]:

Removing [Comfort Wand/Applicator Name] [applicator] from original bottle:

	Remove the [applicator name] [applicator] by pulling the [color of plug] [red] plug from the [color of spout] [red] spout on cap. [Illustration]
	[At the bottom of the side [clip] [carrier] [holder] press the middle tab up and slide the [clip] [carrier] [holder] upwards to remove it from the bottle.] [Illustration]

Adding [Comfort Wand/Applicator Name] [applicator] to Lawn Crabgrass and Weed Killer/Product Name:

	[Slide the side [clip] [carrier] [holder] downward on the knob located [at right-hand] [on the] side of the refill container.] [Illustration]
	Insert [color of plug] [red] plug at end of hose into [color of spout] [red] spout on cap [until it clicks]. [Illustration]

STORAGE & DISPOSAL

PESTICIDE STORAGE: [Applicator Name] [Applicator]: Flip down (color of spout) spout on cap. NO NEED TO DISCONNECT SPRAYER HOSE FROM CAP. Completely discharge/dispense product in sprayer prior to storage. Twist sprayer nozzle to the OFF position. [Engage trigger lock.] . Flip the [applicator name] wand closed and place [sprayer] back in side carrier [clip] [holder]. Keep from freezing. Keep pesticide in original container. Do not put into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area.

PESTICIDE DISPOSAL AND/CONTAINER HANDLING: Comfort Wand /Applicator Name can be reused with Lawn Crabgrass and Weed Killer/Product Name refill bottle/container. Follow instructions in Reuse Directions when reusing [applicator name]. Non-refillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instruction. Never place unused product down any indoor or outdoor drain.

Option 5 – Easy-Shot System

[[Applicator Name] [Applicator] Directions]

[Insert:] Attach refill bottle by removing cap and twisting into [applicator name]. Do not over-tighten. [Illustration #1]

[Spray:] Twist nozzle at end of wand to desired spray pattern. Hold [color of trigger] trigger for continuous spray. [Illustration #2]

For hard to reach areas

[Extend:] Extend wand by sliding wand forward until it locks into place [Illustration #3]

[Remove:] Remove wand and aim at target while holding the [applicator name] facing toward the ground. [Illustration #4]

[OPTIONAL DIRECTIONS:]

[Clean:] Remove cartridge and clean applicator after each use. [Always clean applicator before switching from one Ortho® product to another.] See [applicator name] applicator for cleaning directions.

- Remove refill cartridge from [applicator name]
- Remove cap from cleaning cartridge and fill with tap water
- Replace cap and insert cleaning cartridge by twisting into [applicator name]
- Spray in an area that is designated by this product label until cleaning cartridge is empty.]

HOW TO APPLY/USE: *[icon]*

- Follow illustrations and instructions above.
- Twist nozzle at end of sprayer to desired spray pattern.
- Point sprayer away from body and hold [color of trigger] trigger for continuous spray.
- Aim at center of weed and spray to lightly cover.
- To avoid spray drift, hold spray nozzle 2 feet or less from targeted weed.

[After Use:] Twist nozzle to CLOSED position.]

Important Use Information: Do not submerge in water. When storing sprayer for long periods, remove batteries.

To replace batteries: Open battery compartment on side of [applicator name]. Remove used batteries and replace with four new AA batteries in correct position as marked per diagram inside battery compartment. Securely close battery compartment door. Always use a complete set of the same type when replacing batteries. Never mix alkaline, carbon-zinc or rechargeable batteries.

STORAGE & DISPOSAL

PESTICIDE STORAGE: Replace cap. Keep from freezing. Keep pesticide in original container. Do not put into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area.

PESTICIDE DISPOSAL AND/ CONTAINER HANDLING: Non-refillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instruction. Never place unused product down any indoor or outdoor drain.

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

Option 6 – Other Pump Style/Quick Pump

[[Applicator Name] [Applicator] Directions]

TO USE

Remove wand from holster and pull the hose from the storage compartment. Turn the pump handle clockwise to make sure the pump is tight [and push the pop-up pressure indicator completely down] before pumping. [photo]

TO PUMP

Turn the pump handle clockwise [one-quarter turn] to release the handle. Pump the sprayer [until the pressure indicator pops up about an inch]. [That's your signal you are ready to spray.] Turn the pump handle counterclockwise [one-quarter turn] to secure the handle for carrying. [photo]

TO SPRAY

Begin spraying by pushing the lever on the spray handle down. Rotate the nozzle at the tip of the wand to adjust spray from a stream to gentle mist. For continuous spraying, push the lever down and slide forward to lock. Pull back to release. Aim at center of weed and spray to lightly cover. To avoid spray drift, hold spray nozzle 2 feet or less from targeted weed. [photo]

TO STORE





Slowly turn the pump handle counterclockwise to untighten and release pressure, then turn back clockwise to retighten the handle. Push the hose back into the storage compartment and put the wand back in holster. [photo]

Optional Refill [and Reuse] Directions

[This product is also available for sale in a refill bottle/container. Read and follow instructions in the Refill Directions to refill the original container with the Quick Pump/Applicator Name [applicator]. Do not refill this bottle/container with any other product. Wear protective clothing as directed in Precautionary Statements when refilling this bottle/container.]

Refill [and Reuse] Directions

How to refill Lawn Crabgrass and Weed Killer/Product Name with [Quick Pump/Applicator Name] [applicator]:

	Remove the pump handle on the Quick Pump/Applicator Name by twisting it counterclockwise. [Illustration]
	Remove the cap from the Lawn Crabgrass and Weed Killer/Product Name bottle/container. [Illustration]
	Pour the product carefully and directly into the Quick Pump/Applicator Name container. Do Not fill above 2 ² / ₃ / ₄ from the top of the container. DO NOT add water. [Illustration]
	Secure the pump handle back on the container by twisting it clockwise until tight. [illustration]

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

STORAGE & DISPOSAL

PESTICIDE STORAGE: Keep from freezing. Keep pesticide in original container. Do not put into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area.

PESTICIDE DISPOSAL AND/ CONTAINER HANDLING: Do not reuse or refill this container unless the directions for use allow refill according to the instructions contained in the Refill Directions. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instruction. Never place unused product down any indoor or outdoor drain.

OPTIONAL MARKETING CLAIMS

The following Product Facts format is optional and the information may appear inside or outside of a box.

PRODUCT FACTS

Container treats more than	50 weeds	6 fluid ounce [fl oz] size
Container treats more than	200 weeds	24 fluid ounce [fl oz] size
Container treats more than	500 weeds	[½] gallon size
Container treats more than	1000 weeds	[1] gallon size
Container treats more than	1333 weeds	1.33 gallon size
Container treats more than	1580 weeds	1.58 gallon size
Container treats more than	2000 weeds	2.0 gallon size

[KILLS WEEDS]

[Broadleaf: Dandelion, Clover, Chickweed and [many] other broadleaf weeds [as listed].

[Grass Weeds: Crabgrass and other grassy weeds]

[Kills [Broadleaf weeds such as] dandelion, clover, chickweed, plantains, [and other broadleaf weeds.]

[Kills crabgrass, [and [some] other grassy weeds [as listed]]

[Kills [even] tough weeds in these lawns:]

[WHERE TO USE]

[ON LAWNS – Bermudagrass*, Buffalograss, Fescue, Kentucky bluegrass, Perennial Ryegrass, and Zoysiagrass without harming lawn grasses.]

[*Temporary discoloration may occur on Bermudagrass.]

[WHAT TO EXPECT]

[Weeds begin to wilt and die within 24 hours. Weeds die completely within 14 -28 days after application. Won't harm lawn grasses.]

[Reentry Icon] [Do not allow people or pets to enter the treated area until sprays have dried.]

[Questions, Comments or Medical Information]

[Call 1-800-225-2883 or www.ortho.com]

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

The following claims may or may not appear on any label panel or in advertising. Appropriate formula and company specific information will be inserted on Final Printed Label to replace “X”

Formula Claims

1. Barnyardgrass, large crabgrass, smooth crabgrass, giant foxtail, green foxtail, yellow foxtail, broadleaf signalgrass, junglerice, *Make 2 sequential applications at 14 to 21 day interval to control kikuyugrass and torpedograss*
2. Bur Clover, Carpetweed, Chickweeds, Creeping Charlie, Cudweed, Curly Dock, Dandelion, English Daisy, False Dandelion, Field Bindweed, Filaree, Florida Pusley, Henbit, Oxalis, Pennywort, Plantains, Purslane, Red Sorrel, Sheep Sorrel, Speedwell, Spurges, Spurweed, Thistles, White Clover, Wild Carrot, Wild Geranium, Wild Onion, [and other broadleaf weeds].
3. Lawn Crabgrass and Weed Killer [or insert ABN] kills weeds - not lawns.
4. ORTHO® Lawn Crabgrass and Weed Killer [or insert ABN] for the lawn.
5. For a beautiful Lawn
6. Use Lawn Crabgrass and Weed Killer [or insert ABN] to control weeds everywhere in your lawn.
7. Kills weeds down to the root.
8. Rainproof [brand] in 1 hour.
9. Kills broadleaf and grassy weeds in your lawn.
10. Kills crabgrass and other weeds in your lawn.
11. Ideal for spot treating individual lawn weeds.
12. Kills Crabgrass, Dandelion, Clovers, Plantains, Chickweeds, Oxalis, Spurges, Henbit, English Daisy, Wild Onion And Other [Listed] Weeds
13. Kills Dandelion, Clover, Crabgrass [and over [up to] XXX other lawn weeds]—Won't Harm Lawns.
14. Kills Weeds—Not Lawn Grasses
15. Kills weeds in your lawn—won't harm lawn grasses. [Lawn Crabgrass and Weed Killer] [Product Name] singles out weeds, enters through leaves and moves inside the weed to the roots.
16. Guaranteed [Results]
17. Won't harm lawns, guaranteed.
18. Guaranteed not to harm the lawn.
19. Guaranteed to kill weeds, not the lawn.
20. Starts working on contact
21. Fast results
22. Fast-acting formula
23. Weeds begin wilting overnight
24. Weeds begin to wilt and die overnight
25. Rain proof in hours
26. Rainproof in 1 hour – so it [the weed killing power] won't wash away.
27. Rainproof in 1 hour so you won't have to re-spray.
28. Kills to the root so weed won't come [grow] back.
29. Kills [major] [common] broadleaf weeds [as listed]
30. Kills even tough lawn weeds
31. Kills over [up to] XXX weeds [lawn weeds]
32. Lawn Crabgrass and Weed Killer [or insert ABN] singles out weeds leaves grass alone [unharmd].
33. For [use on] lawns

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

34. How it works – Lawn Crabgrass and Weed Killer's [or insert ABN] [proven] formula specifically targets weeds, killing them, while leaving the grass [lawn] unharmed – guaranteed.
35. How it works – Lawn Crabgrass and Weed Killer's [or insert ABN] a [proven] formula kills BOTH broadleaf weeds and crabgrass [in one easy step!], without harming your lawn – guaranteed
36. Lawn Crabgrass and Weed Killer] [Product Name] kills weeds in lawns. Ready-To-Use. No mixing. No measuring.
37. Formulated to kill weeds, not the lawn
38. Targets weeds, leaves grass [the lawn] unharmed.
39. Kills weeds, not lawns.
40. Kills Weeds Not Lawns™
41. LawnGuard™ [LawnProtect™]
42. With LawnGuard™[LawnProtect™]
43. Kills broadleaf and [or] grassy weeds [crabgrass] with one application [product]
44. The Lawn Crabgrass and Weed Killer [or insert ABN] Advantage™
45. With LawnGuard™ [LawnProtect™] Weed Control
46. Help[s]/Keep[s] the lawn look [ing] beautiful.
47. Easy to use
48. Requires no mixing, no measuring and no messy cleanup
49. Great [ideal] for spot treatments
50. Ideal for use in between fertilizer applications to spot treat weeds
51. Free [Sample]
52. Bonus Size
53. Before [illustration] /After [illustration]
54. Works in 24 hours
55. Overnight results
56. Kills broadleaf weeds plus crabgrass
57. Kills tough crabgrass
58. Kills crabgrass & other grassy weeds
59. Kills crabgrass (too!)
60. [See] [Visible] Results in 24 hours
61. Rain-proof in 1 hour
62. Kills broadleaf [weeds] and grassy weeds [crabgrass] with one spray
63. [One product] kills two types of weeds [broadleaf and crabgrass]
64. [Brand name] is Ortho's [our] most-effective lawn weed killer [weed killer for lawns]
65. [Brand name] is Ortho's [our] most powerful lawn weed killer [weed killer for lawns]
66. [Brand name] is Ortho's [our] only complete lawn weeds killer [weed killer for lawns]
67. Kills the root
68. Tough on weeds. Gentle [easy] on lawns.
69. weed control for your lawn
70. Kills major lawn weeds
71. Just as mean, keeps grass green
72. One [simple] solution
73. All in one [weed killer] [weed control]
74. Kills broadleaf and grassy weeds [with one product] [all in one] [in one easy step]
75. One [easy] [simple] solution for dandelions, clover and crabgrass
76. Kills Field Bindweed
77. Kills Dandelions, Clover, and Other Broadleaf Weeds! [as listed] Plus, Kills Crabgrass and Other Grass Weeds! [as listed]

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

78. For weeds OUTSIDE the lawn [on driveways, sidewalks, patios and mulched areas] – use Ortho Season-Long Grass & Weed Killer [or other appropriate Brand name]. It kills & prevents weeds all season long.
79. [For entire lawn treatment use Ortho Weed-B-Gon Weed Killer for Lawns Concentrate or Ortho Weed-B-Gon Crabgrass Killer for Lawns [or other appropriate brand name(s)]]

Applicator Claims

80. Now with Quick Connect Sprayer
81. Quick Click Sprayer
82. Quick Pump [Applicator]
83. Pump [illustration]
84. Spray [illustration]
85. Quick & Easy to Use
86. No Leaks or Mess
87. EASY-TO-USE [Store]
88. The easy way to spray Weed-B-Gon
89. The easier way to spray
90. No [More] Hand Fatigue
91. Pull 'N Spray® Continuous spray for less hand fatigue
92. No more squeeze, squeeze, squeeze
93. 33% more than 1 gallon size
94. Over X% more than X gallon size
95. X% more than X gallon size
96. Precise control for maximum accuracy
97. Consistent spray for maximum accuracy
98. No more tired hands
99. Change the way you spray
100. Ideal for large or small jobs [areas]
101. Great for large or small jobs [areas]
102. Precise control—sprays only what you want
103. Adjustable spray nozzle for maximum control
104. Adjustable spray pattern for maximum control
105. Cut your time spent spraying in half
106. You're always ready to spray
107. It's always ready to spray
108. Targets weeds in tight places
109. Save [s] time and energy
110. One pull [delivers] [=] 34 trigger sprays
111. Improved [Applicator]!/Improved [Application]!
112. Improve Applicator System! [Device!]/Improved Application System! [Device!]
113. Improved [!]
114. No pumping, just pull
115. The easier way to kill weeds
116. the easy way to kill lawn weeds
117. Exclusive [technology]
118. Patented [technology]
119. Continuous Spray [Wand] [illustration]
120. [New] [Comfort] [Shot] Wand - (***"New" to be used for 6 months following commercial introduction of the applicator***)
121. Extended Reach [illustration]
122. No more bending [kneeling]

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

- 123. [Applicator Name]
- 124. Foaming Action [Applicator]
- 125. [Applicator Name] with foaming action
- 126. Foaming Spray
- 127. How It Works: [Brand name] [with Applicator name] uses foaming action to cover weeds.
- 128. No Spill [bottle] design
- 129. Easy to attach to [applicator name]
- 130. Grab & Go
- 131. Specifically designed for [For use with] the [applicator name] system
- 132. Lightweight
- 133. No Mixing
- 134. No Mess
- 135. X minutes of continuous spraying
- 136. Over X minutes of continuous spray
- 137. Up to X minutes of continuous spray
- 138. One hand design
- 139. Refill [Bottle] [Pack] [Container]
- 140. Refill [bottle] for [comfort wand] [trigger] [Illustration]
- 141. [Just] Plug in/Connect/Attach Applicator & Spray/Apply [Illustration]
- 142. [Just] Plug into/Connect/Attach [Refill] & Spray/Apply [Illustration]
- 143. Works with/use with/great for/great with/Perfect with/Perfect for [comfort wand] [trigger] [Illustration]
- 144. Refill/Recharge/Fill-Up/Reload/Renew for [Applicator Name] [Illustration]
- 145. Refills/Recharges/Reloads/Renews [Applicator Name] [Illustration]
- 146. Fills Up [Applicator Name] [Illustration]
- 147. Fill-Up for [Applicator Name]] [Illustration]
- 148. Works with [Applicator Name] [Illustration]
- 149. Just plug [Applicator name] in and it's ready to spray] [Illustration]
- 150. Refill/Recharge/Fill-Up/Reload/Renew Available] [Illustration]
- 151. [Applicator Name] Recharge/Refill/Fill-Up/Reload/Renew] [Illustration]
- 152. [Applicator Name] Refill/Recharge/Reload/Renew Cartridge [Illustration]

Marker Claims

- 153. See [shows] exactly where [the weeds] [what] [how much] you [you've] spray [sprayed] [applied].
- 154. See [shows] [marks] area covered [treated] [sprayed].
- 155. Foam [Visible Foam]
- 156. Marks [shows] treated [sprayed] weeds [for up to 10 minutes]
- 157. Marks [shows] the weeds you've sprayed
- 158. Easily [easy to] [makes it easy/easier to] see exactly where [the weeds] [what] you've sprayed [treated] [applied]
- 159. Treated [sprayed] weeds stay visible [marked] [can easily be seen] for up to 10 minutes.
- 160. See where [what] you spray technology
- 161. Marker [foam] [foaming] technology
- 162. Hit [spray] [target] exactly what you want.
- 163. Foam marks the spot
- 164. Non-staining
- 165. Does [will] not stain.
- 166. Stain-free [formula].
- 167. Accurate
- 168. Visible results

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text]. Text separated by / denotes and/or options.

- 169. The accurate way to spray
- 170. RapidStrike™ [SureStrike™] [MAXStrike™] [brand name] [Foam}
- 171. Foaming Action
- 172. Penetrates weeds completely [quickly]
- 173. Sticks to weeds for tough weed control
- 174. Covers weeds completely

Optional Instructions for Side Clip Tape

[OPEN] RESEALABLE LABEL For Directions & Precautions

PULL / PEEL HERE [TO REMOVE TAPE]

Questions, Comments or Medical Information

Call 1-800-225-2883

www.ortho.com

Notice: To the extent consistent with applicable law, the buyer assumes all risks of use, storage or handling of this product not in accordance with label directions.

The ORTHO® Guarantee

If for any reason you are not satisfied with this product, mail us proof of purchase to obtain a full refund of your purchase price.

Ortho® & Your Environment

Your yard is a place for family and pets to enjoy. That's why Ortho® products are designed with care to provide effective solutions to weed problems. Follow instructions for appropriate usage, storage and disposal.

EPA Reg. No. 239-2689

EPA Est. No. 239-IA-3¹, 239-MS-001^M, 58996-MO-1^A

[Superscript is first letter of lot number on [end] [side] [top] [bottom] of container]

Manufactured [by]/for]/[Sold by]/ Distributed by]:

The Ortho Group

Post Office Box 190

Marysville, OH 43040

©20XX The ORTHO Group. [Company Name] World Rights reserved

[Product of] [Made in] [Country Name] [USA]