



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:
239-2691

Date of Issuance:
AUG - 5 2004

Term of Issuance:
Conditional

Name of Pesticide Product:
Weed-Be-Gon Spot
Weed Killer

NOTICE OF PESTICIDE:

Registration
 Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

The Scotts Company d/b/a The Ortho Group
14111 Scottslawn Rd.
Marysville, OH 43041

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is registered in accordance with FIFRA sec. 3(c) (7) (A) provided that you:

- 1. Add the phrase "EPA Registration No. 239-2691" to the label before you release the product for shipment.

COMMENTS CONTINUED ON PAGE 2 OF THIS NOTICE OF REGISTRATION

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product under the enclosed stamped copy of the label constitutes acceptance of these conditions.

Enclosure

Joanne I. Miller
Product Manager (23)
Herbicide Branch
Registration Division (7505C)

Signature of Approving Official:

/s/

Date:

AUG - 5 2004

Page 2
EPA Reg. No. 239-2691
Comments Continued:

2. Revise the ingredient statement by alining the percent contents of this pesticide product; and give the chemical names of the active ingredients to be identical to that stated on the labeling of the product you are repacking. Alternatively, give the CAS numbers of the common names of the Active ingredients as described in PR Notice 97-5, Policy IV-D.
 3. Submit one (1) copy of the final printed labeling before you release this product for shipment.
 4. Submit and/or cite all data required for the registration of this product when the Agency requires all registrants of similar products to submit data; and submit acceptable responses required for reregistration of this product under FIFRA, section 4.
A Stamped copy of the label is enclosed for your records.
-

Weed-Be-Gon Spot Weed Killer

Kills Weeds – Won't Harm Lawns†
 Control All Major Broadleaf Weeds In Lawns
 Rainproof/Rainfast in 6 Hours
 Kills Broadleaf Weeds: Dandelion, Clover, Chickweed, Plantain, Spurge, Oxalis
 Kills 140 Broadleaf Weeds
 For a beautiful Weed-Free Lawn
 Kills broadleaf weeds in your lawn.
 Won't harm most lawn grasses.†
 Kills even tough lawn weeds

ACTIVE INGREDIENTS:

Dimethylamine Salt of 2,4-D*	0.326%
Dimethylamine Salt of Mecoprop-p**	0.163%
Dimethylamine Salt of Dichlorprop-p***	0.161%
OTHER INGREDIENTS:	99.350%
TOTAL	100.000%

**ACCEPTED
 with COMMENTS
 In EPA Letter Dated:
 AUG - 5 2004**
 Under the Federal Insecticide,
 Fungicide, and Rodenticide Act
 as amended, for the pesticide
 registered under EPA Reg. No.

239-2691

Isomer Specific AOAC Method, Equivalent to:

*2,4-D Acid	0.270%, 0.022 lbs/Gallon
**Mecoprop-p Acid	0.135%, 0.011 lbs/Gallon
***Dichlorprop-p Acid	0.135%, 0.011 lbs/Gallon

CONTAINS THE SINGLE ISOMER FORMS OF MECOPROP-p AND DICHLORPROP-p.

†When used as directed

KEEP OUT OF REACH OF CHILDREN
CAUTION
SEE BACK PANELS FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

See (side panels, back panel, or booklet) for additional Precautionary Statements.

(Back label)

Open Resealable Label For Directions and Precautions

PEEL HERE
PRESS TO RESEAL

PRODUCT FACTS	
WEEDS KILLED	Alders, artichoke, aster, Austrian fieldcress, beggartick, biden, bindweed, bitterweed, bitter winter cress, black medic, blessed thistle, blue lettuce, box elder, broomweed, buckhorn, bull thistle, burdock, bur ragweed, buttercup, Canada thistle, carpetweed, catnip, chickweed, chicory, clover, cockle, cocklebur, coffeebean, coffeeweed, common sowthistle, creeping Jenny, croton, curly indigo, dandelion, dock, dogbane, dogfennel, elderberry, English daisy, flea bane (daisy), flixweed, Florida pusley, frenchweed, galinsoga, goatsbeard, goldenrod, ground ivy, gumweed, hawkweed, healall, heartleaf drymary, hemp, henbit, hoary cress, honeysuckle, horsetail, Indiana mallow, ironweed, jewelweed, Jimsonweed, kochia, knotweed, lambsquarters, locoweed, lupines, mallow, marshelder, Mexicanweed, morningglory, musk thistle, mustard, nettle, nutgrass, orange hawkweed, oxalis, parsnip, pennycress, pennywort, peppergrass, pepperweed, pigweed, plantain, poison hemlock, poison ivy, poison oak, pokeweed, poorjoe, povertyweed, prickly lettuce, primrose, puncture vine, purslane, ragweed, red clover, red sorrel, rush, Russian thistle, St. Johnswort, sheep sorrel, shepherdspurse, smartweed, sneezeweed, Southern wild rose, sowthistle, Spanishneedle, spatterdock, speedwell, spurge, spurweed, stinkweed, stitchwort, sumac, sunflower, sweet clover, tarweed, thistle, toadflax, tumbleweed, velvet leaf, Veronica, vervain, vetch, Virginia buttonweed, Virginia creeper, wild aster, wild carrot, wild garlic, wild geranium, wild lettuce, wild onion, wild radish, wild rape, wild strawberry, wild sweet potato, willow, witchweed, woodsorrel, wormseed, yarrow, yellow rocket, and other broadleaf weeds.
WHERE TO USE	ON RESIDENTIAL LAWNS—Bahigrass, bentgrass, bermudagrass, buffalograss, centipedegrass, fescue, Kentucky bluegrass, perennial ryegrass, St. Augustinegrass (except 'Floratum') (do not use on 'Floratum') and zoysiagrass without harming lawn grasses
[PHONE/ COMPUTER ICON]	Questions, Comments or Medical Information? Call 1-888-736-7645 www.ortho.com/basics

(Inside Booklet)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

(Icons People/Pets) People and pets may enter treated areas after spray has dried.

SHAKE WELL BEFORE USING

OPTION 1 - (24 oz Trigger Sprayer:)

HOW TO APPLY/USE: *[icon]*

- Turn sprayer nozzle to open.
- Adjust sprayer nozzle as desired.
- Aim at center of weed and spray until foliage is wet.

End of Option 1

OPTION 2 - (1 GAL - BAG SPRAYER)

HOW TO APPLY/USE: *[icon]*

- Remove the cap from container and replace with sprayer hose and cap assembly. Tighten securely.
- Turn sprayer nozzle one-half turn counterclockwise. Hold sprayer below the level of container and prime by pumping trigger 10-15 times until product is dispensed. Adjust the nozzle to a coarse spray. Position sprayer tip approximately 1-2 feet away from the weed. Spray weeds until foliage is wet.
- After each use, thoroughly flush sprayer and hose with water. Return hose and cap assembly to container, tighten securely. Turn nozzle to "OFF" position, and store above level of liquid in container to prevent leakage.

NOTE: If sprayer does not function properly, remove nozzle cover and check nozzle hole and holes in rubber component for obstructions. Check to make sure nozzle is not in "OFF" position. Replace nozzle cover, return sprayer assembly to container and proceed.

End of Option 2-----

REFILL INSTRUCTIONS:

24 fl oz size - Add 2 teaspoons of Weed-Be-Gon Spot Weed Killer Concentrate to this empty container. Then add 2 1/2 cups tap water, replace sprayer, shake well, and use according to directions in this label.

1 Gal size - Add 1 1/2 oz (3 Tbs) of Weed-Be-Gon Spot Weed Killer Concentrate to this empty container. Then add 3 quarts tap water, replace sprayer hose and cap assembly, shake well, and use according to directions in this label.

WHEN TO USE

- Use whenever weeds are actively growing in your lawn.
- The best time to apply is in the spring when weeds are small and actively growing with temperatures below 90°F.
- Winter weeds grow in the fall. An application then can prevent many serious weed problems the following spring.

FOR BEST RESULTS

- Do not mow for 1 to 2 days before or after application
- If lawn needs watering, water thoroughly before application
- Rain or watering 48 hrs after application will not wash away effectiveness
- Do not apply if rainfall is expected within 48 hours
- After applying this product, weeds will begin to show visible signs of leaf curl within a few days. One application should be sufficient. Reapplication can be made in 3-4 weeks if the weeds have not been killed.
- Spray when air is calm to avoid any spray drift that might injure desirable plants

IMPORTANT APPLICATION INFORMATION

- Do not apply to newly seeded grasses until they have been mowed 3 times.
- Bare spots can be planted with grass seed 3 - 4 weeks after application
- Do not use this product for controlling weeds around ornamental shrubs, trees or plants, keep spray off foliage and exposed roots
- St. Augustinegrass, Centipedegrass, and Bermudagrass lawns may have delayed green-up if this product is used when lawns are emerging from dormancy in the Spring or when temperature drop below 45°F within 72 hours of application.
- Do not spray on Carpetgrass, Dicondra, or desirable Clover lawns.

- 6/7
- o Do not use on or around fruits, vegetables, or flowers.
 - o St Augustine lawns may be yellowed following application but will turn green in a 2 to 3 weeks. **Do not use on Floratam, a variety of St Augustine grass.**
 - o Some hybrid Bermuda grasses may be sensitive to this product. Contact your local Extension Service weed control specialist.

STORAGE & DISPOSAL

24 oz Size Container:

STORAGE: (*for conventional trigger sprayers*) Rotate nozzle to closed position. —OR— Turn sprayer nozzle to "OFF". Keep from freezing. Keep pesticide in original container. Do not put into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area.

CONTAINER DISPOSAL:

If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partly filled: Call you local solid waste agency of 1-800-CLEANUP for disposal instruction. Never place unused product down any indoor or outdoor drain.

1 Gal Size Container:

STORAGE: Keep from freezing. Keep pesticide in original container. Do not put into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area. Rotate nozzle on trigger sprayer to closed position.

CONTAINER DISPOSAL:

If Empty: Do not reuse container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste disposal service or 1-800-CLEANUP. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Avoid inhalation of spray mist and contact with eyes or clothing. Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Wear long pants, long-sleeved shirt, socks, shoes and chemical resistant gloves when handling or applying this product. After using this product, wash nondisposable gloves thoroughly with soap and water before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower. Do not allow people (other than applicator) or pet on treatment area during application.

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and non-target plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters nor pour the washwater on the ground; spray or drain over a large area away from wells and other water sources and desirable plants. Do no

contaminate water used for irrigation or domestic purposes. If spills occur, collect the material and dispose of by following disposal instructions on this label.

NOTICE: Buyer assumes all risk of use, storage or handling of this product not in accordance to directions.

Manufactured for
The ORTHO Group
P.O. Box 190
Marysville, OH 43040
EPA Reg. No. 239-NEW
EPA Est. No. 239-XXX

